

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Benzylpenicillin / Streptomycin Sulphate / Procaine Hydrochloride / Piroxicam Liquid Formulation

Version 6.6 Revision Date: 09/30/2023 SDS Number: 2449593-00022 Date of last issue: 04/04/2023
Date of first issue: 02/13/2018

SECTION 1. IDENTIFICATION

Product name : Benzylpenicillin / Streptomycin Sulphate / Procaine Hydrochloride / Piroxicam Liquid Formulation

Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc
Address : 126 E. Lincoln Avenue
Rahway, New Jersey U.S.A. 07065
Telephone : 908-740-4000
Emergency telephone : 1-908-423-6000
E-mail address : EHSDATASTEWARD@merck.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product
Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Eye irritation : Category 2B
Respiratory sensitization : Category 1
Skin sensitization : Category 1
Reproductive toxicity : Category 1A
Specific target organ toxicity - single exposure : Category 1 (Nervous system, Heart)
Specific target organ toxicity - repeated exposure : Category 1 (Kidney, inner ear, Gastrointestinal tract)

GHS label elements

Hazard pictograms :

Signal Word : Danger

Hazard Statements : H317 May cause an allergic skin reaction.
H320 Causes eye irritation.
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H360 May damage fertility or the unborn child.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Benzylpenicillin / Streptomycin Sulphate / Procaine Hydrochloride / Piroxicam Liquid Formulation

Version 6.6 Revision Date: 09/30/2023 SDS Number: 2449593-00022 Date of last issue: 04/04/2023
Date of first issue: 02/13/2018

H370 Causes damage to organs (Nervous system, Heart).
H372 Causes damage to organs (Kidney, inner ear, Gastrointestinal tract) through prolonged or repeated exposure.

Precautionary Statements :

Prevention:

P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P260 Do not breathe mist or vapors.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P272 Contaminated work clothing must not be allowed out of the workplace.
P280 Wear protective gloves, protective clothing, eye protection and face protection.
P285 In case of inadequate ventilation wear respiratory protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
P304 + P341 IF INHALED: If breathing is difficult, remove person to fresh air and keep comfortable for breathing.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P307 + P311 IF exposed: Call a doctor.
P333 + P313 If skin irritation or rash occurs: Get medical attention.
P337 + P313 If eye irritation persists: Get medical attention.
P342 + P311 If experiencing respiratory symptoms: Call a doctor.
P363 Wash contaminated clothing before reuse.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents and container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Benzylpenicillin	61-33-6	18.33

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Benzylpenicillin / Streptomycin Sulphate / Procaine Hydrochloride / Piroxicam Liquid Formulation

Version 6.6 Revision Date: 09/30/2023 SDS Number: 2449593-00022 Date of last issue: 04/04/2023
Date of first issue: 02/13/2018

Streptomycin sulphate	3810-74-0	10.5
Procaine hydrochloride	51-05-8	2
Piroxicam	36322-90-4	1

SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.
If not breathing, give artificial respiration.
If breathing is difficult, give oxygen.
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
If easy to do, remove contact lens, if worn.
Get medical attention.
- If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention.
Rinse mouth thoroughly with water.
Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : May cause an allergic skin reaction.
Causes eye irritation.
May cause allergy or asthma symptoms or breathing difficulties if inhaled.
May damage fertility or the unborn child.
Causes damage to organs.
Causes damage to organs through prolonged or repeated exposure.
Excessive exposure may aggravate preexisting asthma and other respiratory disorders (e.g. emphysema, bronchitis, reactive airways dysfunction syndrome).
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Benzylpenicillin / Streptomycin Sulphate / Procaine Hydrochloride / Piroxicam Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
6.6	09/30/2023	2449593-00022	Date of first issue: 02/13/2018

Unsuitable extinguishing media	:	Dry chemical None known.
Specific hazards during fire fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion products	:	Carbon oxides Nitrogen oxides (NOx) Sulfur oxides Oxides of phosphorus Metal oxides
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g., by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material. For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Benzylpenicillin / Streptomycin Sulphate / Procaine Hydrochloride / Piroxicam Liquid Formulation

Version 6.6 Revision Date: 09/30/2023 SDS Number: 2449593-00022 Date of last issue: 04/04/2023
Date of first issue: 02/13/2018

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.
- Advice on safe handling : Do not get on skin or clothing.
Do not breathe mist or vapors.
Do not swallow.
Do not get in eyes.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Keep container tightly closed.
Already sensitized individuals, and those susceptible to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respiratory irritants or sensitizers.
Do not eat, drink or smoke when using this product.
Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labeled containers.
Store locked up.
Keep tightly closed.
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:
Strong oxidizing agents
Self-reactive substances and mixtures
Organic peroxides
Explosives
Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Benzylpenicillin	61-33-6	TWA	600 µg/m ³ (OEB 2)	Internal
	Further information: RSEN, DSEN			
		Wipe limit	100 µg/100 cm ²	Internal
Streptomycin sulphate	3810-74-0	TWA	OEB 2 (>= 100 < 1,000 µg/m ³)	Internal
	Further information: DSEN			
Procaine hydrochloride	51-05-8	TWA	60 µg/m ³ (OEB 3)	Internal
		Wipe limit	600 µg/100 cm ²	Internal
Piroxicam	36322-90-4	TWA	100 µg/m ³ (OEB 2)	Internal

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Benzylpenicillin / Streptomycin Sulphate / Procaine Hydrochloride / Piroxicam Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
6.6	09/30/2023	2449593-00022	Date of first issue: 02/13/2018

Engineering measures : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
Laboratory operations do not require special containment.

Personal protective equipment

Respiratory protection : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

Hand protection
Material : Chemical-resistant gloves

Eye protection : Wear safety glasses with side shields or goggles.
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.
Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Contaminated work clothing should not be allowed out of the workplace.
Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid
Color : No data available
Odor : No data available

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Benzylpenicillin / Streptomycin Sulphate / Procaine Hydrochloride / Piroxicam Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
6.6	09/30/2023	2449593-00022	Date of first issue: 02/13/2018

Odor Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Benzylpenicillin / Streptomycin Sulphate / Procaine Hydrochloride / Piroxicam Liquid Formulation

Version 6.6 Revision Date: 09/30/2023 SDS Number: 2449593-00022 Date of last issue: 04/04/2023
Date of first issue: 02/13/2018

Particle size : Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.
Chemical stability : Stable under normal conditions.
Possibility of hazardous reactions : Can react with strong oxidizing agents.
Conditions to avoid : None known.
Incompatible materials : Oxidizing agents
Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: 2,446 mg/kg
Method: Calculation method

Components:

Benzylpenicillin:

Acute oral toxicity : LD50 (Rat): 8,000 mg/kg
LD50 (Mouse): > 5,000 mg/kg
Acute toxicity (other routes of administration) : LD50 (Mouse): 3,500 mg/kg
Application Route: Intraperitoneal
LD50 (Mouse): 329 mg/kg
Application Route: Intravenous

Streptomycin sulphate:

Acute oral toxicity : LD50 (Hamster): 400 mg/kg
LD50 (Rat): 430 mg/kg
LD50 (Mouse): 25,000 mg/kg

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Benzylpenicillin / Streptomycin Sulphate / Procaine Hydrochloride / Piroxicam Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
6.6	09/30/2023	2449593-00022	Date of first issue: 02/13/2018

Acute toxicity (other routes of administration) : LD50 (Mouse): 85 - 111 mg/kg
Application Route: Intravenous

LD50 (Mouse): 575 - 610 mg/kg
Application Route: Intraperitoneal

LD50 (Mouse): 500 - 600 mg/kg
Application Route: Subcutaneous

TDLo (Dog): 220 - 440 mg/kg
Application Route: Intravenous
Symptoms: Lowered blood pressure

LDLo (Monkey): 110 mg/kg
Application Route: Intravenous

TDLo (Monkey): 30 - 70 mg/kg
Application Route: Subcutaneous
Symptoms: respiratory depression

Procaine hydrochloride:

Acute oral toxicity : LD50 (Rat): 200 mg/kg
LD50 (Mouse): 350 mg/kg

Acute toxicity (other routes of administration) : LD50 (Rat): 43 mg/kg
Application Route: Intravenous

LD50 (Mouse): 33 mg/kg
Application Route: Intravenous

LD50 (Dog): 33 mg/kg
Application Route: Intravenous

Piroxicam:

Acute oral toxicity : LD50 (Rat): 216 mg/kg
LD50 (Dog): 108 mg/kg
LD50 (Hamster): 170 mg/kg
LD50 (Guinea pig): 388 mg/kg
LD50 (Monkey): 1,000 mg/kg

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Benzylpenicillin / Streptomycin Sulphate / Procaine Hydrochloride / Piroxicam Liquid Formulation

Version 6.6 Revision Date: 09/30/2023 SDS Number: 2449593-00022 Date of last issue: 04/04/2023
Date of first issue: 02/13/2018

Serious eye damage/eye irritation

Causes eye irritation.

Components:

Streptomycin sulphate:

Result : Mild eye irritation

Procaine hydrochloride:

Result : Moderate eye irritation

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Components:

Benzylpenicillin:

Test Type : Local lymph node assay (LLNA)
Routes of exposure : Dermal
Species : Mouse
Result : Weak sensitizer

Test Type : Maximization Test
Routes of exposure : Dermal
Species : Guinea pig
Result : positive
Remarks : Based on data from similar materials

Result : Strong sensitizer
Remarks : Based on human experience.

Streptomycin sulphate:

Test Type : Human repeat insult patch test (HRIPT)
Routes of exposure : Dermal
Species : Humans
Result : Weak sensitizer

Procaine hydrochloride:

Routes of exposure : Dermal
Result : Sensitizer
Remarks : Based on human experience.
Based on data from similar materials

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Benzylpenicillin / Streptomycin Sulphate / Procaine Hydrochloride / Piroxicam Liquid Formulation

Version 6.6 Revision Date: 09/30/2023 SDS Number: 2449593-00022 Date of last issue: 04/04/2023
Date of first issue: 02/13/2018

Germ cell mutagenicity

Not classified based on available information.

Components:

Benzylpenicillin:

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Streptomycin sulphate:

Genotoxicity in vitro : Test Type: Chromosomal aberration
Result: equivocal

Genotoxicity in vivo : Test Type: Chromosomal aberration
Cell type: Human lymphocytes
Result: negative

Procaine hydrochloride:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: equivocal

Piroxicam:

Genotoxicity in vivo : Test Type: sister chromatid exchange assay
Species: Humans
Cell type: Human lymphocytes
Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Streptomycin sulphate:

Species : Rat
Application Route : Oral
NOAEL : 5 mg/kg body weight
Result : negative

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

IARC No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Benzylpenicillin / Streptomycin Sulphate / Procaine Hydrochloride / Piroxicam Liquid Formulation

Version 6.6 Revision Date: 09/30/2023 SDS Number: 2449593-00022 Date of last issue: 04/04/2023
Date of first issue: 02/13/2018

Reproductive toxicity

May damage fertility or the unborn child.

Components:

Benzylpenicillin:

Effects on fertility : Test Type: Fertility
Species: Mouse
Result: No effects on fertility.

Test Type: Fertility
Species: Rat
Result: No effects on fertility.

Test Type: Fertility
Species: Rabbit
Result: No effects on fertility.

Effects on fetal development : Test Type: Development
Species: Mouse
Result: No effects on fetal development.

Test Type: Development
Species: Rat
Result: No effects on fetal development.

Test Type: Development
Species: Rabbit
Result: No effects on fetal development.

Streptomycin sulphate:

Effects on fertility : Test Type: Fertility
Species: Rat
Application Route: Intraperitoneal
Fertility: LOAEL: 40 mg/kg body weight
Symptoms: male reproductive effects

Effects on fetal development : Test Type: Development
Species: Mouse
Application Route: Intraperitoneal
Developmental Toxicity: LOAEL: 250 mg/kg body weight
Symptoms: fetal deafness, Embryo-fetal toxicity.

Test Type: Development
Species: Rabbit
Application Route: Oral
Developmental Toxicity: NOAEL: 10 mg/kg body weight
Result: No teratogenic effects.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Benzylpenicillin / Streptomycin Sulphate / Procaine Hydrochloride / Piroxicam Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
6.6	09/30/2023	2449593-00022	Date of first issue: 02/13/2018

Reproductive toxicity - Assessment : May damage the unborn child.

Procaine hydrochloride:

Reproductive toxicity - Assessment : May damage the unborn child.

Piroxicam:

Effects on fetal development : Test Type: Development
Species: Rat
Application Route: Oral
Developmental Toxicity: LOAEL: 10 mg/kg body weight
Result: Embryo-fetal toxicity., No teratogenic effects., Fetal growth retardation

Test Type: Development
Species: Rat
Application Route: Oral
Developmental Toxicity: LOAEL: 30 mg/kg body weight
Symptoms: Fetal mortality.
Result: Embryo-fetal toxicity., No teratogenic effects., Fetal growth retardation
Remarks: Maternal toxicity observed.

Test Type: Development
Species: Rat
Application Route: Oral
Developmental Toxicity: LOAEL: 0.4 - 4 mg/kg body weight
Result: Effects on fetal development.

Test Type: Development
Species: Rabbit
Application Route: Oral
Developmental Toxicity: NOAEL: 10 mg/kg body weight
Result: No embryo-fetal toxicity.

Reproductive toxicity - Assessment : Suspected of damaging the unborn child.

STOT-single exposure

Causes damage to organs (Nervous system, Heart).

Components:

Procaine hydrochloride:

Target Organs : Nervous system, Heart
Assessment : Causes damage to organs.

STOT-repeated exposure

Causes damage to organs (Kidney, inner ear, Gastrointestinal tract) through prolonged or repeated exposure.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Benzylpenicillin / Streptomycin Sulphate / Procaine Hydrochloride / Piroxicam Liquid Formulation

Version 6.6 Revision Date: 09/30/2023 SDS Number: 2449593-00022 Date of last issue: 04/04/2023
Date of first issue: 02/13/2018

Components:

Streptomycin sulphate:

Target Organs : Kidney, inner ear
Assessment : Causes damage to organs through prolonged or repeated exposure.

Piroxicam:

Target Organs : Gastrointestinal tract
Assessment : Causes damage to organs through prolonged or repeated exposure.

Repeated dose toxicity

Components:

Streptomycin sulphate:

Species : Rat
NOAEL : 100 mg/kg
Application Route : Subcutaneous
Exposure time : 72 Days
Remarks : No significant adverse effects were reported

Species : Cat
LOAEL : 200 mg/kg
Application Route : Oral
Exposure time : 90 Days
Target Organs : inner ear

Species : Dog
LOAEL : 44 mg/kg
Application Route : Intramuscular
Exposure time : 14 Days
Target Organs : inner ear

Species : Dog
LOAEL : 50 - 100 mg/kg
Application Route : Intramuscular
Exposure time : 20 Days
Target Organs : inner ear, Kidney
Symptoms : ataxia

Species : Monkey
NOAEL : 50 mg/kg
LOAEL : 100 mg/kg
Application Route : Intramuscular
Exposure time : 5 Days
Target Organs : Liver, Kidney

Species : Rat

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Benzylpenicillin / Streptomycin Sulphate / Procaine Hydrochloride / Piroxicam Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
6.6	09/30/2023	2449593-00022	Date of first issue: 02/13/2018

NOAEL : 5 mg/kg
Application Route : Oral
Exposure time : 2 y
Remarks : No significant adverse effects were reported

Species : Monkey
LOAEL : 25 mg/kg
Application Route : Subcutaneous
Exposure time : 66 Days
Target Organs : Blood, Liver, Kidney
Symptoms : anemia

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Benzylpenicillin:

Inhalation : Symptoms: Allergic reactions, Abdominal pain, bronchospasm, skin rash

Streptomycin sulphate:

Inhalation : Target Organs: inner ear
Symptoms: hearing loss
Target Organs: Kidney
Symptoms: hearing loss

Skin contact : Symptoms: skin rash

Procaine hydrochloride:

Inhalation : Target Organs: Central nervous system
Symptoms: nervousness, Dizziness, Convulsions, Breathing difficulties, Rash, Swelling of tissue, irregular heart beat
Remarks: May cause harm to the unborn child.
Based on clinical use
Target Organs: Heart
Symptoms: nervousness, Dizziness, Convulsions, Breathing difficulties, Rash, Swelling of tissue, irregular heart beat
Remarks: May cause harm to the unborn child.
Based on clinical use

Piroxicam:

Ingestion : Target Organs: Gastrointestinal tract
Symptoms: Diarrhea, constipation, flatulence, Headache, Dizziness, tinnitus, skin rash, Ulceration, chest pain, Abdominal pain

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Benzylpenicillin / Streptomycin Sulphate / Procaine Hydrochloride / Piroxicam Liquid Formulation

Version 6.6 Revision Date: 09/30/2023 SDS Number: 2449593-00022 Date of last issue: 04/04/2023
Date of first issue: 02/13/2018

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Benzylpenicillin:

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l
Exposure time: 96 hrs
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 3.6 mg/l
Exposure time: 48 hrs
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : EC50 (Raphidocelis subcapitata (freshwater green alga)): > 100 mg/l
Exposure time: 72 hrs
Method: OECD Test Guideline 201
- NOEC (Raphidocelis subcapitata (freshwater green alga)): 50 mg/l
Exposure time: 72 hrs
Method: OECD Test Guideline 201
- EC50 (blue-green algae): 0.74 mg/l
Exposure time: 72 hrs
Method: OECD Test Guideline 201
- NOEC (blue-green algae): 0.14 mg/l
Exposure time: 72 hrs
Method: OECD Test Guideline 201
- Toxicity to microorganisms : EC50: > 500 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209
- NOEC: 5 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

Streptomycin sulphate:

- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 487 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : EC50 (Microcystis aeruginosa (blue-green algae)): 0.007 mg/l
Exposure time: 72 h

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Benzylpenicillin / Streptomycin Sulphate / Procaine Hydrochloride / Piroxicam Liquid Formulation

Version 6.6 Revision Date: 09/30/2023 SDS Number: 2449593-00022 Date of last issue: 04/04/2023
Date of first issue: 02/13/2018

Method: ISO 8692

EC50 (Selenastrum capricornutum (green algae)): 0.133 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 32 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211

Procaine hydrochloride:

Ecotoxicology Assessment

Acute aquatic toxicity : Toxic effects cannot be excluded

Chronic aquatic toxicity : Toxic effects cannot be excluded

Piroxicam:

Ecotoxicology Assessment

Acute aquatic toxicity : Toxic effects cannot be excluded

Chronic aquatic toxicity : Toxic effects cannot be excluded

Persistence and degradability

Components:

Benzylpenicillin:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 70.10 %
Exposure time: 28 d
Method: OECD Test Guideline 301B

Bioaccumulative potential

Components:

Streptomycin sulphate:

Partition coefficient: n-octanol/water : log Pow: -3.2

Procaine hydrochloride:

Partition coefficient: n-octanol/water : log Pow: 2.14

Mobility in soil

No data available

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Benzylpenicillin / Streptomycin Sulphate / Procaine Hydrochloride / Piroxicam Liquid Formulation

Version 6.6 Revision Date: 09/30/2023 SDS Number: 2449593-00022 Date of last issue: 04/04/2023
Date of first issue: 02/13/2018

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with local regulations.
Do not dispose of waste into sewer.
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Benzylpenicillin, Streptomycin sulphate)
Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(Benzylpenicillin, Streptomycin sulphate)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 964
Packing instruction (passenger aircraft) : 964
Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Benzylpenicillin, Streptomycin sulphate)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Benzylpenicillin / Streptomycin Sulphate / Procaine Hydrochloride / Piroxicam Liquid Formulation

Version 6.6 Revision Date: 09/30/2023 SDS Number: 2449593-00022 Date of last issue: 04/04/2023
Date of first issue: 02/13/2018

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

UN/ID/NA number : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(Benzylpenicillin, Streptomycin sulphate)
Class : 9
Packing group : III
Labels : CLASS 9
ERG Code : 171
Marine pollutant : yes(Benzylpenicillin, Streptomycin sulphate)
Remarks : Above applies only to containers over 119 gallons or 450 liters.
Shipment by ground under DOT is non-regulated; however it may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Respiratory or skin sensitization
Reproductive toxicity
Specific target organ toxicity (single or repeated exposure)
Serious eye damage or eye irritation

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

Pennsylvania Right To Know

Water 7732-18-5
Benzylpenicillin 61-33-6

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Benzylpenicillin / Streptomycin Sulphate / Procaine Hydrochloride / Piroxicam Liquid Formulation

Version 6.6 Revision Date: 09/30/2023 SDS Number: 2449593-00022 Date of last issue: 04/04/2023
Date of first issue: 02/13/2018

Streptomycin sulphate

3810-74-0

California Prop. 65

WARNING: This product can expose you to chemicals including Streptomycin sulphate, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.


The ingredients of this product are reported in the following inventories:

AICS : not determined
DSL : not determined
IECSC : not determined

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



HMIS® IV:

HEALTH	*	4
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

AIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC -

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Benzylpenicillin / Streptomycin Sulphate / Procaine Hydrochloride / Piroxicam Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
6.6	09/30/2023	2449593-00022	Date of first issue: 02/13/2018

International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 09/30/2023

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8