according to the Hazardous Products Regulations



Butorphanol Formulation

Version Revision Date: SDS Number: Date of last issue: 04/23/2024 3.0 07/06/2024 918656-00019 Date of first issue: 10/03/2016

SECTION 1. IDENTIFICATION

Product name : Butorphanol Formulation Other means of identification : Dolorex® (A006877)

Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc Address : 126 E. Lincoln Avenue

Rahway, New Jersey U.S.A. 07065

Telephone : 908-740-4000 Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@merck.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Reproductive toxicity : Category 2

Specific target organ toxicity

- single exposure (Oral)

: Category 1 (Central nervous system)

Specific target organ toxicity

- repeated exposure (Oral)

: Category 1 (Blood, Central nervous system)

GHS label elements

Hazard pictograms



Signal Word : Danger

Hazard Statements : H361fd Suspected of damaging fertility. Suspected of damaging

the unborn child.

H370 Causes damage to organs (Central nervous system) if

swallowed.

H372 Causes damage to organs (Blood, Central nervous system) through prolonged or repeated exposure if swallowed.

Precautionary Statements : Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

P260 Do not breathe mist or vapors. P264 Wash skin thoroughly after handling.

according to the Hazardous Products Regulations



Butorphanol Formulation

Version Revision Date: SDS Number: Date of last issue: 04/23/2024 3.0 07/06/2024 918656-00019 Date of first issue: 10/03/2016

P270 Do not eat, drink or smoke when using this product. P280 Wear protective gloves, protective clothing, eye protection

and face protection.

Response:

P308 + P311 IF exposed or concerned: Call a doctor.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents and container to an approved waste

disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

	Common Name/Synonym	CAS-No.	Concentration (% w/w)
17- (cyclobutylme- thyl)morphinan-3,14- diyl [S-(R*,R*)]-2,3- dihydroxysuccinate	No data availa- ble	58786-99-5	>= 1 - < 5 *

Actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical

advice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty

of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse. Flush eyes with water as a precaution.

Get medical attention if irritation develops and persists.

If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and

In case of eye contact

Suspected of damaging fertility. Suspected of damaging the

unborn child.

according to the Hazardous Products Regulations



Butorphanol Formulation

Version Revision Date: SDS Number: Date of last issue: 04/23/2024 3.0 07/06/2024 918656-00019 Date of first issue: 10/03/2016

delayed Causes damage to organs if swallowed.

Causes damage to organs through prolonged or repeated

exposure if swallowed.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical None known.

Unsuitable extinguishing

media

9 9 9

fiahtina

Hazardous combustion prod-

Specific hazards during fire

ucts

Carbon oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

Exposure to combustion products may be a hazard to health.

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec: :

tive equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g., by containment or

oil barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material.

For large spills, provide diking or other appropriate

containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate

container.

Clean up remaining materials from spill with suitable

absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items

according to the Hazardous Products Regulations



Butorphanol Formulation

Version Revision Date: SDS Number: Date of last issue: 04/23/2024 3.0 07/06/2024 918656-00019 Date of first issue: 10/03/2016

employed in the cleanup of releases. You will need to

determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation. Advice on safe handling : Do not breathe mist or vapors.

Do not swallow.

Avoid contact with eyes.

Avoid prolonged or repeated contact with skin.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure

assessment

Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Conditions for safe storage : Keep in properly labeled containers.

Store locked up.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

Self-reactive substances and mixtures

Organic peroxides

Explosives Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
17- (cyclobutylmethyl)morphinan- 3,14-diyl [S-(R*,R*)]-2,3- dihydroxysuccinate	58786-99-5	TWA	3 μg/m3 (OEB 4)	Internal
		Wipe limit	30 μg/100 cm ²	Internal
		STEL	25 μg/m3	Internal

Engineering measures : All engineering controls should be implemented by facility

design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Essentially no open handling permitted.

Use closed processing systems or containment technologies. If handled in a laboratory, use a properly designed biosafety cabinet, fume hood, or other containment device if the

according to the Hazardous Products Regulations



Butorphanol Formulation

Version Revision Date: SDS Number: Date of last issue: 04/23/2024 3.0 07/06/2024 918656-00019 Date of first issue: 10/03/2016

potential exists for aerosolization. If this potential does not

exist, handle over lined trays or benchtops.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or

exposure assessment demonstrates exposures outside the

recommended guidelines, use respiratory protection.

Filter type
Hand protection

Particulates type

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets,

disposable suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

Hygiene measures : If exposure to chemical is likely during typical use, provide

eye flushing systems and safety showers close to the

working place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures,

industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : colorless

Odor : No data available

Odor Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

100 °C

Flash point : No data available

according to the Hazardous Products Regulations



Butorphanol Formulation

Version **Revision Date:** SDS Number: Date of last issue: 04/23/2024 07/06/2024 918656-00019 Date of first issue: 10/03/2016 3.0

No data available Evaporation rate

Flammability (solid, gas) Not applicable

Flammability (liquids) No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure No data available

Relative vapor density No data available

Relative density No data available

No data available Density

Solubility(ies)

Water solubility No data available

Partition coefficient: n-

octanol/water

Not applicable

Autoignition temperature No data available

No data available Decomposition temperature

Viscosity

No data available Viscosity, kinematic

Explosive properties Not explosive

Oxidizing properties The substance or mixture is not classified as oxidizing.

Particle characteristics

Particle size Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity Not classified as a reactivity hazard. Chemical stability Stable under normal conditions. Can react with strong oxidizing agents.

Possibility of hazardous reac-

tions

Conditions to avoid None known.

Oxidizing agents

Incompatible materials Hazardous decomposition

products

No hazardous decomposition products are known.

according to the Hazardous Products Regulations



Butorphanol Formulation

Version Revision Date: SDS Number: Date of last issue: 04/23/2024 07/06/2024 918656-00019 3.0

Date of first issue: 10/03/2016

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg

Method: Calculation method

Components:

17-(cyclobutylmethyl)morphinan-3,14-diyl [S-(R*,R*)]-2,3-dihydroxysuccinate:

Acute oral toxicity : LD50 (Mouse): 395 mg/kg

LD50 (Dog): > 50 mg/kg

LD50 (Monkey): > 50 mg/kg

: Remarks: No data available Acute inhalation toxicity

: Remarks: No data available Acute dermal toxicity

Skin corrosion/irritation

Not classified based on available information.

Components:

17-(cyclobutylmethyl)morphinan-3,14-diyl [S-(R*,R*)]-2,3-dihydroxysuccinate:

Remarks : No data available

Serious eye damage/eye irritation

Not classified based on available information.

Components:

17-(cyclobutylmethyl)morphinan-3,14-diyl [S-(R*,R*)]-2,3-dihydroxysuccinate:

Species Rat

Result No eye irritation

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

according to the Hazardous Products Regulations



Butorphanol Formulation

Version Revision Date: SDS Number: Date of last issue: 04/23/2024 3.0 07/06/2024 918656-00019 Date of first issue: 10/03/2016

Components:

17-(cyclobutylmethyl)morphinan-3,14-diyl [S-(R*,R*)]-2,3-dihydroxysuccinate:

Routes of exposure : Dermal

Assessment : Does not cause skin sensitization.

Result : negative

Germ cell mutagenicity

Not classified based on available information.

Components:

17-(cyclobutylmethyl)morphinan-3,14-diyl [S-(R*,R*)]-2,3-dihydroxysuccinate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: DNA damage and repair, unscheduled DNA syn-

thesis in mammalian cells (in vitro)

Result: negative

Carcinogenicity

Not classified based on available information.

Components:

17-(cyclobutylmethyl)morphinan-3,14-diyl [S-(R*,R*)]-2,3-dihydroxysuccinate:

Species : Rat
Application Route : Oral
Exposure time : 2 Years
Result : negative

Species : Mouse
Application Route : Oral
Exposure time : 2 Years
Result : negative

Reproductive toxicity

Suspected of damaging fertility. Suspected of damaging the unborn child.

Components:

17-(cyclobutylmethyl)morphinan-3,14-diyl [S-(R*,R*)]-2,3-dihydroxysuccinate:

Effects on fertility : Test Type: Fertility/early embryonic development

Species: Rat

Application Route: Oral

Fertility: LOAEL: 160 mg/kg body weight

Result: Effects on fertility.

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rat

Application Route: Subcutaneous

Developmental Toxicity: LOAEL: 1 mg/kg body weight Result: No teratogenic effects., Increased stillbirths

according to the Hazardous Products Regulations



Butorphanol Formulation

Version Revision Date: SDS Number: Date of last issue: 04/23/2024 3.0 07/06/2024 918656-00019 Date of first issue: 10/03/2016

Test Type: Embryo-fetal development

Species: Rabbit

Application Route: Oral

Developmental Toxicity: LOAEL: 30 mg/kg body weight Result: No teratogenic effects., Maternal toxicity observed.,

Postimplantation loss.

Test Type: Embryo-fetal development

Species: Rat

Application Route: Subcutaneous

Developmental Toxicity: LOAEL: 0.5 mg/kg body weight

Result: Maternal toxicity observed.

Reproductive toxicity - As-

sessment

Some evidence of adverse effects on sexual function and

fertility, based on animal experiments., Some evidence of adverse effects on development, based on animal

experiments.

STOT-single exposure

Causes damage to organs (Central nervous system) if swallowed.

Components:

17-(cyclobutylmethyl)morphinan-3,14-diyl [S-(R*,R*)]-2,3-dihydroxysuccinate:

Target Organs : Central nervous system
Assessment : Causes damage to organs.

STOT-repeated exposure

Causes damage to organs (Blood, Central nervous system) through prolonged or repeated exposure if swallowed.

Components:

17-(cyclobutylmethyl)morphinan-3,14-diyl [S-(R*,R*)]-2,3-dihydroxysuccinate:

Target Organs : Blood, Central nervous system

Assessment : Causes damage to organs through prolonged or repeated

exposure.

Repeated dose toxicity

Components:

17-(cyclobutylmethyl)morphinan-3,14-diyl [S-(R*,R*)]-2,3-dihydroxysuccinate:

Species : Rat
LOAEL : 0.4 mg/kg
Application Route : Subcutaneous
Exposure time : 6 Months

Target Organs : Blood, Central nervous system

Species : Monkey LOAEL : 0.15 mg/kg Application Route : Intramuscular

according to the Hazardous Products Regulations



Butorphanol Formulation

Version Revision Date: SDS Number: Date of last issue: 04/23/2024 3.0 07/06/2024 918656-00019 Date of first issue: 10/03/2016

Exposure time : 6 Months

Target Organs : Central nervous system

Species : Dog
LOAEL : 0.1 mg/kg
Application Route : Intramuscular
Exposure time : 3 Months

Symptoms : reduced body weight gain

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

17-(cyclobutylmethyl)morphinan-3,14-diyl [S-(R*,R*)]-2,3-dihydroxysuccinate:

Ingestion : Symptoms: Drowsiness, Sweating, Nausea, Dizziness, Verti-

go, Palpitation, respiratory depression

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

17-(cyclobutylmethyl)morphinan-3,14-diyl [S-(R*,R*)]-2,3-dihydroxysuccinate:

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 38.1 mg/l

aquatic invertebrates Exposure time: 48 h

Method: OECD Test Guideline 202

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

according to the Hazardous Products Regulations



Butorphanol Formulation

Version Revision Date: SDS Number: Date of last issue: 04/23/2024 3.0 07/06/2024 918656-00019 Date of first issue: 10/03/2016

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

TDG

Not regulated as a dangerous good

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION

The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median

according to the Hazardous Products Regulations



Butorphanol Formulation

Version Revision Date: SDS Number: Date of last issue: 04/23/2024 3.0 07/06/2024 918656-00019 Date of first issue: 10/03/2016

Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to

compile the Material Safety

Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Revision Date : 07/06/2024 Date format : mm/dd/yyyy

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8