

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Chlorhexidine (4.79%) Formulation

Version 2.1 Revision Date: 09/06/2024 SDS Number: 10839973-00007 Date of last issue: 11/21/2023
Date of first issue: 08/25/2022

SECTION 1. IDENTIFICATION

Product name : Chlorhexidine (4.79%) Formulation
Other means of identification : Hibitane (A000585)

Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc
Address : 126 E. Lincoln Avenue
Rahway, New Jersey U.S.A. 07065
Telephone : 908-740-4000
Emergency telephone : 1-908-423-6000
E-mail address : EHSDATASTEWARD@merck.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product
Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Eye irritation : Category 2A
Specific target organ toxicity : Category 2 (Liver)
- repeated exposure

GHS label elements

Hazard pictograms :

Signal Word : Warning

Hazard Statements : H319 Causes serious eye irritation.
H373 May cause damage to organs (Liver) through prolonged or repeated exposure.

Precautionary Statements : **Prevention:**
P260 Do not breathe mist or vapors.
P264 Wash skin thoroughly after handling.
P280 Wear eye protection and face protection.
Response:
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P314 Get medical attention if you feel unwell.
P337 + P313 If eye irritation persists: Get medical attention.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Chlorhexidine (4.79%) Formulation

Version 2.1 Revision Date: 09/06/2024 SDS Number: 10839973-00007 Date of last issue: 11/21/2023
Date of first issue: 08/25/2022

Disposal:

P501 Dispose of contents and container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Chlorhexidine	55-56-1	4.79
Nonylphenol, ethoxylated	9016-45-9	1.25

SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.
Get medical attention if symptoms occur.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Get medical attention if symptoms occur.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
If easy to do, remove contact lens, if worn.
Get medical attention.
- If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention if symptoms occur.
Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : Causes serious eye irritation.
May cause damage to organs through prolonged or repeated exposure.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical
- Unsuitable extinguishing media : None known.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Chlorhexidine (4.79%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 11/21/2023
2.1	09/06/2024	10839973-00007	Date of first issue: 08/25/2022

-
- Specific hazards during fire fighting : Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.
- Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g., by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material.
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Do not breathe the mist or vapors.
Do not swallow.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Chlorhexidine (4.79%) Formulation

Version 2.1 Revision Date: 09/06/2024 SDS Number: 10839973-00007 Date of last issue: 11/21/2023
Date of first issue: 08/25/2022

- Do not get in eyes.
Avoid prolonged or repeated contact with skin.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labeled containers.
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:
Strong oxidizing agents
Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Chlorhexidine	55-56-1	TWA	40 µg/m ³ (OEB 3)	Internal
Further information: RSEN, DSEN				
		Wipe limit	100 µg/100 cm ²	Internal

- Engineering measures** : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).
Minimize open handling.

Personal protective equipment

- Respiratory protection : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

Hand protection

- Material : Chemical-resistant gloves

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Chlorhexidine (4.79%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 11/21/2023
2.1	09/06/2024	10839973-00007	Date of first issue: 08/25/2022

Remarks	:	Consider double gloving.
Eye protection	:	Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection	:	Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.
Hygiene measures	:	If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	Aqueous solution
Color	:	blue
Odor	:	No data available
Odor Threshold	:	No data available
pH	:	5.55 - 6.65 (68 °F / 20 °C)
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower	:	No data available

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Chlorhexidine (4.79%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 11/21/2023
2.1	09/06/2024	10839973-00007	Date of first issue: 08/25/2022

flammability limit

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : 1.010 - 1.020

Density : No data available

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-octanol/water : Not applicable

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics

Particle size : Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Can react with strong oxidizing agents.

Conditions to avoid : None known.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation

Skin contact

Ingestion

Eye contact

Acute toxicity

Not classified based on available information.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Chlorhexidine (4.79%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 11/21/2023
2.1	09/06/2024	10839973-00007	Date of first issue: 08/25/2022

Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg
Method: Calculation method

Components:

Chlorhexidine:

Acute oral toxicity : LD50 Oral (Mouse): 1,260 mg/kg
LD50 Oral (Rabbit): 1,100 mg/kg
LD50 Oral (Rat): 2,000 mg/kg

Acute toxicity (other routes of administration) : LD50 (Rat): 21 mg/kg
Application Route: Intravenous

Nonylphenol, ethoxylated:

Acute oral toxicity : LD50 (Rat): 500 - 2,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:

Nonylphenol, ethoxylated:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

Chlorhexidine:

Species : Rabbit
Result : Mild eye irritation

Nonylphenol, ethoxylated:

Species : Rabbit
Result : Irreversible effects on the eye
Method : OECD Test Guideline 405

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Chlorhexidine (4.79%) Formulation

Version 2.1 Revision Date: 09/06/2024 SDS Number: 10839973-00007 Date of last issue: 11/21/2023
Date of first issue: 08/25/2022

Components:

Nonylphenol, ethoxylated:

Test Type : Maximization Test
Routes of exposure : Skin contact
Species : Guinea pig
Result : negative
Remarks : Based on data from similar materials

Germ cell mutagenicity

Not classified based on available information.

Components:

Chlorhexidine:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: Chromosomal aberration
Test system: Chinese hamster ovary cells
Result: negative

Genotoxicity in vivo : Test Type: dominant lethal test
Species: Mouse
Result: negative

Test Type: Cytogenetic assay
Species: Hamster
Result: negative

Nonylphenol, ethoxylated:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative
Remarks: Based on data from similar materials

Carcinogenicity

Not classified based on available information.

Components:

Chlorhexidine:

Species : Rat
Application Route : oral (drinking water)
Exposure time : 2 Years
Frequency of Treatment : daily
NOAEL : 38 mg/kg body weight
Result : negative

Species : Rat
Application Route : oral (drinking water)
Exposure time : 2 Years
Frequency of Treatment : daily

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Chlorhexidine (4.79%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 11/21/2023
2.1	09/06/2024	10839973-00007	Date of first issue: 08/25/2022

NOAEL : 158 mg/kg body weight
Result : negative

IARC No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

Components:

Chlorhexidine:

Effects on fertility : Species: Rat
Fertility: NOAEL: 100 mg/kg body weight

Effects on fetal development : Species: Rat
Developmental Toxicity: NOAEL: 300 mg/kg body weight

Species: Rabbit
Developmental Toxicity: NOAEL: 40 mg/kg body weight

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

May cause damage to organs (Liver) through prolonged or repeated exposure.

Components:

Chlorhexidine:

Target Organs : Liver
Assessment : May cause damage to organs through prolonged or repeated exposure.

Repeated dose toxicity

Components:

Chlorhexidine:

Species : Rat
NOAEL : 158 mg/kg
Application Route : Oral
Exposure time : 2 y

Species : Rabbit
LOAEL : 250 mg/kg
Application Route : Dermal

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Chlorhexidine (4.79%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 11/21/2023
2.1	09/06/2024	10839973-00007	Date of first issue: 08/25/2022

Exposure time : 13 Weeks
Target Organs : Skin, Liver

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Chlorhexidine:

General Information : Symptoms: Headache
Inhalation : Target Organs: Lungs
Symptoms: Asthmatic appearance, bronchospasm, discomfort in the chest, upper respiratory tract infection
Ingestion : Target Organs: Gastrointestinal tract
Symptoms: Gastrointestinal disturbance, Gastrointestinal tract damage

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Chlorhexidine:

Toxicity to fish : (Fish): 2.088 mg/l
Exposure time: 96 h
Method: ECOSAR (Ecological Structure Activity Relationships)

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.222 mg/l
Exposure time: 48 h
Method: ECOSAR (Ecological Structure Activity Relationships)

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): 1.124 mg/l
End point: Growth rate
Exposure time: 96 hrs
Method: ECOSAR (Ecological Structure Activity Relationships)

Nonylphenol, ethoxylated:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 0.1 - 1 mg/l
Exposure time: 96 h
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Ceriodaphnia dubia (water flea)): > 0.1 - 1 mg/l
Exposure time: 48 h
Remarks: Based on data from similar materials

Toxicity to algae/aquatic : ErC50 (Selenastrum capricornutum (green algae)): > 1 - 10

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Chlorhexidine (4.79%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 11/21/2023
2.1	09/06/2024	10839973-00007	Date of first issue: 08/25/2022

plants	mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
	EC10 (Selenastrum capricornutum (green algae)): > 1 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
Toxicity to fish (Chronic toxicity)	: NOEC (Oryzias latipes (Japanese medaka)): > 0.1 - 1 mg/l Exposure time: 100 d Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Mysidopsis bahia (opossum shrimp)): > 0.001 - 0.01 mg/l Exposure time: 28 d Remarks: Based on data from similar materials

Persistence and degradability

Components:

Chlorhexidine:

Biodegradability : Remarks: Not inherently biodegradable.

Nonylphenol, ethoxylated:

Biodegradability : Result: Not readily biodegradable.
Remarks: Based on data from similar materials

Bioaccumulative potential

Components:

Chlorhexidine:

Partition coefficient: n-octanol/water : log Pow: 4.85

Nonylphenol, ethoxylated:

Partition coefficient: n-octanol/water : log Pow: 4.48

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with local regulations.
Do not dispose of waste into sewer.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Chlorhexidine (4.79%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 11/21/2023
2.1	09/06/2024	10839973-00007	Date of first issue: 08/25/2022

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Chlorhexidine, Nonylphenol, ethoxylated)
Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(Chlorhexidine, Nonylphenol, ethoxylated)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 964
Packing instruction (passenger aircraft) : 964
Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Chlorhexidine, Nonylphenol, ethoxylated)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

UN/ID/NA number : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(Chlorhexidine, Nonylphenol, ethoxylated)
Class : 9
Packing group : III
Labels : CLASS 9
ERG Code : 171
Marine pollutant : yes(Chlorhexidine, Nonylphenol, ethoxylated)

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Chlorhexidine (4.79%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 11/21/2023
2.1	09/06/2024	10839973-00007	Date of first issue: 08/25/2022

Remarks : Above applies only to containers over 119 gallons or 450 liters.
Shipment by ground under DOT is non-regulated; however it may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Specific target organ toxicity (single or repeated exposure)
Serious eye damage or eye irritation

SARA 313 : The following components are subject to reporting levels established by SARA Title III, Section 313:

Nonylphenol, ethoxylated	9016-45-9	1.25 %
--------------------------	-----------	--------

US State Regulations

Pennsylvania Right To Know

Water	7732-18-5
Chlorhexidine	55-56-1

The ingredients of this product are reported in the following inventories:

AICS : not determined
DSL : not determined
IECSC : not determined

SECTION 16. OTHER INFORMATION

Further information

SAFETY DATA SHEET


according to the OSHA Hazard Communication Standard



Chlorhexidine (4.79%) Formulation

Version 2.1 Revision Date: 09/06/2024 SDS Number: 10839973-00007 Date of last issue: 11/21/2023
Date of first issue: 08/25/2022

NFPA 704:



HMIS® IV:

HEALTH	*	2
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Chlorhexidine (4.79%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 11/21/2023
2.1	09/06/2024	10839973-00007	Date of first issue: 08/25/2022

(United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 09/06/2024

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8