according to the Hazardous Products Regulations



Cloprostenol Formulation

Version Revision Date: SDS Number: Date of last issue: 11/30/2023 3.9 12/08/2023 25280-00023 Date of first issue: 10/24/2014

SECTION 1. IDENTIFICATION

Product name : Cloprostenol Formulation Other means of identification : ESTRUMATE® (A002698)

ESTRUMATE SYNTHETIC PROSTAGLANDIN FOR CATTLE

AND HORSES (36076)

Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc Address : 126 E. Lincoln Avenue

Rahway, New Jersey U.S.A. 07065

Telephone : 908-740-4000 Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@merck.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Not a hazardous substance or mixture.

GHS label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Benzyl alcohol	Benzenemetha- nol	100-51-6	1.98
Sodium $[1\alpha(Z),2\beta(1E,3R^*),3\alpha,5\alpha]$ -(+/-)-7-[2-[4-(3-chlorophenoxy)-3-hydroxybut-1-enyl]-3,5-dihydroxycyclopentyl]hept-5-enoate		55028-72-3	0.03

SECTION 4. FIRST AID MEASURES

If inhaled : If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

according to the Hazardous Products Regulations



Cloprostenol Formulation

Version Revision Date: SDS Number: Date of last issue: 11/30/2023 3.9 12/08/2023 25280-00023 Date of first issue: 10/24/2014

In case of skin contact : Wash with water and soap as a precaution.

Get medical attention if symptoms occur.

In case of eye contact : Flush eyes with water as a precaution.

Get medical attention if irritation develops and persists.

If swallowed, DO NOT induce vomiting.

Get medical attention if symptoms occur. Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and

and effects, both acute at delayed

delayed
Protection of first-aiders : No specia

Protection of first-aiders : No special precautions are necessary for first aid responders.

None known.

Notes to physician : Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical None known.

Unsuitable extinguishing

media

Specific hazards during fire

fighting

Hazardous combustion prod-

ucts

Carbon oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

Exposure to combustion products may be a hazard to health.

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment:

for fire-fighters

Wear self-contained breathing apparatus for firefighting if

necessary.

Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g., by containment or

oil barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material.

For large spills, provide diking or other appropriate

containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate

according to the Hazardous Products Regulations



Cloprostenol Formulation

Version Revision Date: SDS Number: Date of last issue: 11/30/2023 3.9 12/08/2023 25280-00023 Date of first issue: 10/24/2014

container.

Clean up remaining materials from spill with suitable

absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items

employed in the cleanup of releases. You will need to

determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation

Use only with adequate ventilation.

Advice on safe handling

Handle in accordance with good industrial hygiene and safety

practice, based on the results of the workplace exposure

assessment

Take care to prevent spills, waste and minimize release to the

environment.

Conditions for safe storage

Keep in properly labeled containers.

Store in accordance with the particular national regulations. Do not store with the following product types:

Materials to avoid : Do not store with the fol Strong oxidizing agents

Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis		
Sodium [1α(Z),2β(1E,3R*),3α,5α]-(+/-)-7-[2-[4-(3-chlorophenoxy)-3-hydroxybut-1-enyl]-3,5-dihydroxycyclopentyl]hept-5-enoate	55028-72-3	TWA	0.01 ug/m3 (OEB 5)	Internal		
	Further information: RSEN, Skin					
		Wipe limit	0.1 ug/100 cm2	Internal		

Engineering measures : Use closed processing systems or containment technologies

to control at source (e.g., glove boxes/isolators) and to prevent leakage of compounds into the workplace.

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

No open handling permitted.

Totally enclosed processes and materials transport systems

are required.

Operations require the use of appropriate containment

according to the Hazardous Products Regulations



Cloprostenol Formulation

Version Revision Date: SDS Number: Date of last issue: 11/30/2023 3.9 12/08/2023 25280-00023 Date of first issue: 10/24/2014

technology designed to prevent leakage of compounds into

the workplace.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or

exposure assessment demonstrates exposures outside the

recommended guidelines, use respiratory protection.

Filter type
Hand protection

Organic vapor Type

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets,

disposable suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

Hygiene measures : If exposure to chemical is likely during typical use, provide

eye flushing systems and safety showers close to the

working place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Aqueous solution

Color : clear

Odor : No data available

Odor Threshold : No data available

pH : 5.6 - 6.1 (20 - 25 °C)

Melting point/freezing point : No data available

Initial boiling point and boiling :

range

No data available

Flash point : No data available

according to the Hazardous Products Regulations



Cloprostenol Formulation

Version **Revision Date:** SDS Number: Date of last issue: 11/30/2023 12/08/2023 25280-00023 Date of first issue: 10/24/2014 3.9

No data available Evaporation rate

Flammability (solid, gas) Not applicable

Flammability (liquids) No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

No data available Vapor pressure

Relative vapor density No data available

Relative density 1

No data available Density

Solubility(ies)

Water solubility soluble

Partition coefficient: n-

octanol/water

Not applicable

Autoignition temperature No data available

No data available Decomposition temperature

Viscosity

No data available Viscosity, kinematic

Explosive properties Not explosive

Oxidizing properties The substance or mixture is not classified as oxidizing.

Molecular weight No data available

Particle size Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity Not classified as a reactivity hazard. Chemical stability Stable under normal conditions. Can react with strong oxidizing agents.

Possibility of hazardous reac-

Conditions to avoid None known. Incompatible materials Oxidizing agents

Hazardous decomposition

products

No hazardous decomposition products are known.

according to the Hazardous Products Regulations



Cloprostenol Formulation

Version Revision Date: SDS Number: Date of last issue: 11/30/2023 3.9 12/08/2023 25280-00023 Date of first issue: 10/24/2014

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg

Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

Components:

Benzyl alcohol:

Acute oral toxicity : LD50 (Rat): 1,620 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 4.178 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Sodium $[1\alpha(Z),2\beta(1E,3R^*),3\alpha,5\alpha]-(+/-)-7-[2-[4-(3-chlorophenoxy)-3-hydroxybut-1-enyl]-3,5-dihydroxycyclopentyl]hept-5-enoate:$

Acute oral toxicity : LD50 (Rat): > 25 mg/kg

Remarks: No mortality observed at this dose.

Acute toxicity (other routes of :

administration)

LD50 (Rat): > 50 mg/kg

Application Route: Subcutaneous

LD50 (Rat): > 50 mg/kg

Application Route: Intramuscular

LD50 (Rat): 5 mg/kg

Application Route: Intravenous

Remarks: No mortality observed at this dose.

LD50 (Mouse): 350 mg/kg Application Route: Intramuscular

LD50 (Mouse): 54.7 mg/kg Application Route: Intravenous

TDLo (Monkey): 0.0025 - 0.025 mg/kg

according to the Hazardous Products Regulations



Cloprostenol Formulation

Version Revision Date: SDS Number: Date of last issue: 11/30/2023 3.9 12/08/2023 25280-00023 Date of first issue: 10/24/2014

Application Route: Intramuscular

Target Organs: Lungs

Symptoms: Diarrhea, Vomiting, Rapid respiration

TDLo (Monkey): 0.0013 mg/kg Application Route: Intramuscular

Target Organs: ovaries

Skin corrosion/irritation

Not classified based on available information.

Components:

Benzyl alcohol:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Sodium $[1\alpha(Z),2\beta(1E,3R^*),3\alpha,5\alpha]-(+/-)-7-[2-[4-(3-chlorophenoxy)-3-hydroxybut-1-enyl]-3,5-dihydroxycyclopentyl]hept-5-enoate:$

Remarks : Not classified due to lack of data.

Can be absorbed through skin.

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Benzyl alcohol:

Species : Rabbit

Result : Irritation to eyes, reversing within 21 days

Method : OECD Test Guideline 405

Sodium $[1\alpha(Z),2\beta(1E,3R^*),3\alpha,5\alpha]-(+/-)-7-[2-[4-(3-chlorophenoxy)-3-hydroxybut-1-enyl]-3,5-dihydroxycyclopentyl]hept-5-enoate:$

Remarks : Not classified due to lack of data.

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Components:

Benzyl alcohol:

Test Type : Maximization Test
Routes of exposure : Skin contact
Species : Guinea pig

Method : OECD Test Guideline 406

according to the Hazardous Products Regulations



Cloprostenol Formulation

Version Revision Date: SDS Number: Date of last issue: 11/30/2023 3.9 12/08/2023 25280-00023 Date of first issue: 10/24/2014

Result : negative

Sodium $[1\alpha(Z),2\beta(1E,3R^*),3\alpha,5\alpha]-(+/-)-7-[2-[4-(3-chlorophenoxy)-3-hydroxybut-1-enyl]-3,5-dihydroxycyclopentyl]hept-5-enoate:$

Result : Sensitizer

Germ cell mutagenicity

Not classified based on available information.

Components:

Benzyl alcohol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Intraperitoneal injection

Result: negative

Sodium $[1\alpha(Z),2\beta(1E,3R^*),3\alpha,5\alpha]-(+/-)-7-[2-[4-(3-chlorophenoxy)-3-hydroxybut-1-enyl]-3,5-dihydroxycyclopentyl]hept-5-enoate:$

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Result: negative

Test Type: Chromosomal aberration Test system: Human lymphocytes

Result: equivocal

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse

Cell type: Bone marrow

Application Route: Intraperitoneal

Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Benzyl alcohol:

Species : Mouse
Application Route : Ingestion
Exposure time : 103 weeks

Method : OECD Test Guideline 451

Result : negative

according to the Hazardous Products Regulations



Cloprosteriol Formulation

Version Revision Date: SDS Number: Date of last issue: 11/30/2023 12/08/2023 25280-00023 Date of first issue: 10/24/2014 3.9

Sodium $[1\alpha(Z),2\beta(1E,3R^*),3\alpha,5\alpha]-(+/-)-7-[2-[4-(3-chlorophenoxy)-3-hydroxybut-1-enyl]-3,5$ dihydroxycyclopentyl]hept-5-enoate:

Remarks Not classified due to lack of data.

Reproductive toxicity

Not classified based on available information.

Components:

Benzyl alcohol:

Effects on fertility Test Type: Fertility/early embryonic development

Species: Rat

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development

Species: Mouse

Application Route: Ingestion

Result: negative

 $Sodium \ [1\alpha(Z), 2\beta(1E, 3R^*), 3\alpha, 5\alpha] - (+/-) - 7 - [2 - [4 - (3-chlorophenoxy) - 3-hydroxybut - 1-enyl] - 3, 5-hydroxybut - (-4-1) - ($ dihydroxycyclopentyl]hept-5-enoate:

Effects on fertility Test Type: Three-generation study

Species: Rat

Application Route: Oral

General Toxicity F1: NOAEL: 0.015 mg/kg body weight

Fertility: NOAEL: > 0.04 mg/kg body weight

Result: Animal testing did not show any effects on fertility.

Species: Cattle

Application Route: Intramuscular

General Toxicity Parent: LOAEL: 0.16 µg/kg

Result: positive Remarks: Abortion

Effects on fetal development : Test Type: Development

Species: Rabbit

Application Route: Subcutaneous Teratogenicity: NOAEL: 0.250 µg/kg Result: No teratogenic effects.

Test Type: Development

Species: Rat

Application Route: Oral

Teratogenicity: NOAEL: 100 µg/kg Result: No teratogenic effects.

Reproductive toxicity - As-

May damage fertility.

sessment

STOT-single exposure

Not classified based on available information.

according to the Hazardous Products Regulations



Cloprostenol Formulation

Version Revision Date: SDS Number: Date of last issue: 11/30/2023 3.9 12/08/2023 25280-00023 Date of first issue: 10/24/2014

Components:

Sodium $[1\alpha(Z),2\beta(1E,3R^*),3\alpha,5\alpha]-(+/-)-7-[2-[4-(3-chlorophenoxy)-3-hydroxybut-1-enyl]-3,5-dihydroxycyclopentyl]hept-5-enoate:$

Target Organs : Lungs

Assessment : Causes damage to organs.

STOT-repeated exposure

Not classified based on available information.

Components:

Sodium $[1\alpha(Z),2\beta(1E,3R^*),3\alpha,5\alpha]-(+/-)-7-[2-[4-(3-chlorophenoxy)-3-hydroxybut-1-enyl]-3,5-dihydroxycyclopentyl]hept-5-enoate:$

Target Organs : Ovary

Assessment : Causes damage to organs through prolonged or repeated

exposure.

Repeated dose toxicity

Components:

Benzyl alcohol:

Species : Rat NOAEL : 1.072 mg/l

Application Route : inhalation (dust/mist/fume)

Exposure time : 28 Days

Method : OECD Test Guideline 412

Sodium $[1\alpha(Z),2\beta(1E,3R^*),3\alpha,5\alpha]-(+/-)-7-[2-[4-(3-chlorophenoxy)-3-hydroxybut-1-enyl]-3,5-dihydroxycyclopentyl]hept-5-enoate:$

Species : Rat

NOAEL : 0.05 mg/kg
LOAEL : 0.15 mg/kg
Application Route : Oral
Exposure time : 3 Months
Target Organs : Ovary

Species : Rat

LOAEL : 0.0125 mg/kg
Application Route : Subcutaneous
Exposure time : 30 Days
Target Organs : Ovary

Species : Monkey

NOAEL : 0.05 mg/kg

LOAEL : 0.15 mg/kg

Application Route : Oral

Exposure time : 3 Months

Target Organs : Heart, Testis

according to the Hazardous Products Regulations



Cloprostenol Formulation

Version Revision Date: SDS Number: Date of last issue: 11/30/2023 3.9 12/08/2023 25280-00023 Date of first issue: 10/24/2014

Aspiration toxicity

Not classified based on available information.

Components:

Sodium $[1\alpha(Z),2\beta(1E,3R^*),3\alpha,5\alpha]-(+/-)-7-[2-[4-(3-chlorophenoxy)-3-hydroxybut-1-enyl]-3,5-dihydroxycyclopentyl]hept-5-enoate:$

Not applicable

Experience with human exposure

Components:

Sodium $[1\alpha(Z),2\beta(1E,3R^*),3\alpha,5\alpha]-(+/-)-7-[2-[4-(3-chlorophenoxy)-3-hydroxybut-1-enyl]-3,5-dihydroxycyclopentyl]hept-5-enoate:$

General Information : Target Organs: Uterus (including cervix)

Symptoms: Embryo-fetal toxicity., Fetal mortality., menstrual

irregularities, miscarriage Target Organs: Lungs

Symptoms: Asthma, bronchospasm

Inhalation : Target Organs: Lungs

Symptoms: bronchospasm, Asthma

Remarks: May cause sensitization of susceptible persons by

inhalation of aerosol or dust.

Target Organs: Uterus (including cervix)

Symptoms: Embryolethal effects., menstrual irregularities

Skin contact : Target Organs: Lungs

Symptoms: bronchospasm

Remarks: Can be absorbed through skin. Target Organs: Uterus (including cervix) Symptoms: Embryolethal effects.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Benzyl alcohol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 460 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 230 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 770

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 310

mg/l

Exposure time: 72 h

according to the Hazardous Products Regulations



Cloprosteriol Formulation

Version **Revision Date:** SDS Number: Date of last issue: 11/30/2023 12/08/2023 25280-00023 Date of first issue: 10/24/2014 3.9

Method: OECD Test Guideline 201

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 51 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

Sodium $[1\alpha(Z),2\beta(1E,3R^*),3\alpha,5\alpha]-(+/-)-7-[2-[4-(3-chlorophenoxy)-3-hydroxybut-1-enyl]-3,5$ dihydroxycyclopentyl]hept-5-enoate:

Ecotoxicology Assessment

Acute aquatic toxicity Toxic effects cannot be excluded

Toxic effects cannot be excluded Chronic aquatic toxicity

Persistence and degradability

Components:

Benzyl alcohol:

Biodegradability Result: Readily biodegradable.

Biodegradation: 92 - 96 % Exposure time: 14 d

Bioaccumulative potential

Components:

Benzyl alcohol:

Partition coefficient: n-

octanol/water

log Pow: 1.05

Mobility in soil No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging Empty containers should be taken to an approved waste

handling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

according to the Hazardous Products Regulations



Cloprostenol Formulation

Version Revision Date: SDS Number: Date of last issue: 11/30/2023 3.9 12/08/2023 25280-00023 Date of first issue: 10/24/2014

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

TDG

Not regulated as a dangerous good

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION

The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals: OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substanc-

according to the Hazardous Products Regulations



Cloprostenol Formulation

Version Revision Date: SDS Number: Date of last issue: 11/30/2023 3.9 12/08/2023 25280-00023 Date of first issue: 10/24/2014

es; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to :

compile the Material Safety

Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Revision Date : 12/08/2023 Date format : mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8