

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Diazinon Formulation

Version 2.3 Revision Date: 09/28/2024 SDS Number: 7699404-00009 Date of last issue: 09/30/2023
Date of first issue: 12/22/2020

SECTION 1. IDENTIFICATION

Product name : Diazinon Formulation
Other means of identification : No data available

Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc
Address : 126 E. Lincoln Avenue
Rahway, New Jersey U.S.A. 07065
Telephone : 908-740-4000
Emergency telephone : 1-908-423-6000
E-mail address : EHSDATASTEWARD@merck.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product
Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Acute toxicity (Oral) : Category 4
Skin irritation : Category 2
Serious eye damage : Category 1
Skin sensitization : Category 1
Germ cell mutagenicity : Category 1B
Carcinogenicity : Category 1B
Specific target organ toxicity : Category 1 (Nervous system)
- single exposure
Specific target organ toxicity : Category 3
- single exposure
Specific target organ toxicity : Category 2 (Nervous system, nasal cavity)
- repeated exposure
Aspiration hazard : Category 1

GHS label elements

Hazard pictograms :

Signal Word : Danger

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Diazinon Formulation

| | | | |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 09/30/2023 |
| 2.3 | 09/28/2024 | 7699404-00009 | Date of first issue: 12/22/2020 |

Hazard Statements : H302 Harmful if swallowed.
H304 May be fatal if swallowed and enters airways.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H336 May cause drowsiness or dizziness.
H340 May cause genetic defects.
H350 May cause cancer.
H370 Causes damage to organs (Nervous system).
H373 May cause damage to organs (Nervous system, nasal cavity) through prolonged or repeated exposure.

Precautionary Statements : **Prevention:**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P260 Do not breathe mist or vapors.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.
P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves, protective clothing, eye protection and face protection.

Response:

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER.
P302 + P352 IF ON SKIN: Wash with plenty of water.
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a doctor if you feel unwell.
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER.
P308 + P311 IF exposed or concerned: Call a doctor.
P331 Do NOT induce vomiting.
P333 + P313 If skin irritation or rash occurs: Get medical attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents and container to an approved waste disposal plant.

Other hazards

None known.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Diazinon Formulation

Version 2.3 Revision Date: 09/28/2024 SDS Number: 7699404-00009 Date of last issue: 09/30/2023
Date of first issue: 12/22/2020

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

| Chemical name | Common Name/Synonym | CAS-No. | Concentration (% w/w) |
|---|--|------------|-----------------------|
| Diazinon | Phosphorothioic acid, O,O-diethyl O-[6-methyl-2-(1-methylethyl)-4-pyrimidinyl] ester | 333-41-5 | 50 |
| Solvent naphtha (petroleum), light aromatic | No data available | 64742-95-6 | 20.2 |
| Nonylphenol, ethoxylated | Poly(oxy-1,2-ethanediyl), .al pha.- (nonylphenyl)- .omega.- hydroxy- | 9016-45-9 | 20 |
| 7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate | 3,4-Epoxyhexahydro-3,4-epoxycyclohexylmethyl-3,4-epoxycyclohexanecarboxylate | 2386-87-0 | 9.8 |

SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
If easy to do, remove contact lens, if worn.
Get medical attention immediately.
- If swallowed : If swallowed, DO NOT induce vomiting.
If vomiting occurs have person lean forward.
Call a physician or poison control center immediately.
Rinse mouth thoroughly with water.
Never give anything by mouth to an unconscious person.
- Most important symptoms : Harmful if swallowed.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Diazinon Formulation

| | | | |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 09/30/2023 |
| 2.3 | 09/28/2024 | 7699404-00009 | Date of first issue: 12/22/2020 |

| | | |
|-------------------------------------|---|---|
| and effects, both acute and delayed | | May be fatal if swallowed and enters airways. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. May cause drowsiness or dizziness. May cause genetic defects. May cause cancer. Causes damage to organs. May cause damage to organs through prolonged or repeated exposure. |
| Protection of first-aiders | : | First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8). |
| Notes to physician | : | Treat symptomatically and supportively. |

SECTION 5. FIRE-FIGHTING MEASURES

| | | |
|--|---|---|
| Suitable extinguishing media | : | Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical |
| Unsuitable extinguishing media | : | None known. |
| Specific hazards during fire fighting | : | Exposure to combustion products may be a hazard to health. |
| Hazardous combustion products | : | Carbon oxides Nitrogen oxides (NO _x) Sulfur oxides Oxides of phosphorus |
| Specific extinguishing methods | : | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area. |
| Special protective equipment for fire-fighters | : | In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. |

SECTION 6. ACCIDENTAL RELEASE MEASURES

| | | |
|---|---|--|
| Personal precautions, protective equipment and emergency procedures | : | Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8). |
| Environmental precautions | : | Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g., by containment or oil barriers). |

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Diazinon Formulation

| | | | |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 09/30/2023 |
| 2.3 | 09/28/2024 | 7699404-00009 | Date of first issue: 12/22/2020 |

Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling : Do not get on skin or clothing.
Do not breathe mist or vapors.
Do not swallow.
Do not get in eyes.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Keep container tightly closed.
Do not eat, drink or smoke when using this product.
Take care to prevent spills, waste and minimize release to the environment.

Conditions for safe storage : Keep in properly labeled containers.
Store locked up.
Keep tightly closed.
Keep in a cool, well-ventilated place.
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:
Strong oxidizing agents
Self-reactive substances and mixtures
Organic peroxides
Explosives
Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Diazinon Formulation

Version 2.3 Revision Date: 09/28/2024 SDS Number: 7699404-00009 Date of last issue: 09/30/2023
Date of first issue: 12/22/2020

| Components | CAS-No. | Value type (Form of exposure) | Control parameters / Permissible concentration | Basis |
|---|------------|---------------------------------------|---|-----------|
| Diazinon | 333-41-5 | TWA | 0.01 mg/m ³ | CA AB OEL |
| | | TWA (Vapour and inhalable aerosols) | 0.01 mg/m ³ | CA BC OEL |
| | | TWAEV (inhalable fraction and vapour) | 0.01 mg/m ³ | CA QC OEL |
| | | TWA (Inhalable fraction and vapor) | 0.01 mg/m ³ | ACGIH |
| Solvent naphtha (petroleum), light aromatic | 64742-95-6 | TWA | 200 mg/m ³ (total hydrocarbon vapor) | CA AB OEL |
| | | TWA | 200 mg/m ³ (total hydrocarbon vapor) | ACGIH |

Biological occupational exposure limits

| Components | CAS-No. | Control parameters | Biological specimen | Sampling time | Permissible concentration | Basis |
|------------|----------|--------------------------------|---------------------|---------------|----------------------------------|-----------|
| Diazinon | 333-41-5 | Acetylcholinesterase activity | In red blood cells | End of shift | 70 % of an individual's baseline | ACGIH BEI |
| | | Butyrylcholinesterase activity | In serum or plasma | End of shift | 60 % of an individual's baseline | ACGIH BEI |

Engineering measures : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).
Minimize open handling.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapor type

Hand protection

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Diazinon Formulation

Version 2.3 Revision Date: 09/28/2024 SDS Number: 7699404-00009 Date of last issue: 09/30/2023
Date of first issue: 12/22/2020

| | | |
|--------------------------|---|--|
| Material | : | Chemical-resistant gloves |
| Remarks | : | Consider double gloving. |
| Eye protection | : | Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols. |
| Skin and body protection | : | Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing. |
| Hygiene measures | : | If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls. |

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

| | | |
|---|---|-------------------|
| Appearance | : | liquid |
| Color | : | yellow |
| Odor | : | characteristic |
| Odor Threshold | : | No data available |
| pH | : | No data available |
| Melting point/freezing point | : | No data available |
| Initial boiling point and boiling range | : | No data available |
| Flash point | : | No data available |
| Evaporation rate | : | No data available |
| Flammability (solid, gas) | : | Not applicable |
| Flammability (liquids) | : | No data available |
| Upper explosion limit / Upper | : | No data available |

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Diazinon Formulation

| | | | |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 09/30/2023 |
| 2.3 | 09/28/2024 | 7699404-00009 | Date of first issue: 12/22/2020 |

flammability limit

Lower explosion limit / Lower flammability limit : No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : No data available

Density : 1,030 - 1,090 g/cm³

Solubility(ies)
Water solubility : No data available

Partition coefficient: n-octanol/water : Not applicable

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity
Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics
Particle size : Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Can react with strong oxidizing agents.

Conditions to avoid : None known.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation
Skin contact

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Diazinon Formulation

Version 2.3 Revision Date: 09/28/2024 SDS Number: 7699404-00009 Date of last issue: 09/30/2023
Date of first issue: 12/22/2020

Ingestion
Eye contact

Acute toxicity

Harmful if swallowed.

Product:

Acute oral toxicity : Acute toxicity estimate: 1,139 mg/kg
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 2,000 mg/kg
Method: Calculation method

Components:

Diazinon:

Acute oral toxicity : LD50 (Rat): 1,139 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.437 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,020 mg/kg

Solvent naphtha (petroleum), light aromatic:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.61 mg/l
Exposure time: 4 h
Test atmosphere: vapor

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Nonylphenol, ethoxylated:

Acute oral toxicity : LD50 (Rat): 500 - 2,000 mg/kg

7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Acute oral toxicity : LD50 (Rat, male): > 2,959 - 5,000 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): \geq 5.19 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 436
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Diazinon Formulation

| | | | |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 09/30/2023 |
| 2.3 | 09/28/2024 | 7699404-00009 | Date of first issue: 12/22/2020 |

Skin corrosion/irritation

Causes skin irritation.

Components:

Diazinon:

| | | |
|---------|---|----------------------|
| Species | : | Rabbit |
| Result | : | Mild skin irritation |

Solvent naphtha (petroleum), light aromatic:

| | | |
|---------|---|-------------------------|
| Species | : | Rabbit |
| Method | : | OECD Test Guideline 404 |
| Result | : | Skin irritation |

Nonylphenol, ethoxylated:

| | | |
|---------|---|-------------------------|
| Species | : | Rabbit |
| Method | : | OECD Test Guideline 404 |
| Result | : | No skin irritation |

7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

| | | |
|---------|---|-------------------------|
| Species | : | Rabbit |
| Method | : | OECD Test Guideline 404 |
| Result | : | No skin irritation |

Serious eye damage/eye irritation

Causes serious eye damage.

Components:

Solvent naphtha (petroleum), light aromatic:

| | | |
|---------|---|-------------------------|
| Species | : | Rabbit |
| Result | : | No eye irritation |
| Method | : | OECD Test Guideline 405 |

Nonylphenol, ethoxylated:

| | | |
|---------|---|---------------------------------|
| Species | : | Rabbit |
| Result | : | Irreversible effects on the eye |
| Method | : | OECD Test Guideline 405 |

7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

| | | |
|---------|---|-------------------------|
| Species | : | Rabbit |
| Result | : | No eye irritation |
| Method | : | OECD Test Guideline 405 |

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Diazinon Formulation

| | | | |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 09/30/2023 |
| 2.3 | 09/28/2024 | 7699404-00009 | Date of first issue: 12/22/2020 |

Respiratory sensitization

Not classified based on available information.

Components:

Diazinon:

| | | |
|--------------------|---|--------------|
| Test Type | : | Buehler Test |
| Routes of exposure | : | Skin contact |
| Species | : | Guinea pig |
| Result | : | negative |

Solvent naphtha (petroleum), light aromatic:

| | | |
|--------------------|---|--------------|
| Test Type | : | Buehler Test |
| Routes of exposure | : | Skin contact |
| Species | : | Guinea pig |
| Result | : | negative |

Nonylphenol, ethoxylated:

| | | |
|--------------------|---|--------------------------------------|
| Test Type | : | Maximization Test |
| Routes of exposure | : | Skin contact |
| Species | : | Guinea pig |
| Result | : | negative |
| Remarks | : | Based on data from similar materials |

7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

| | | |
|--------------------|---|-------------------|
| Test Type | : | Maximization Test |
| Routes of exposure | : | Skin contact |
| Species | : | Guinea pig |
| Result | : | positive |

| | | |
|------------|---|---|
| Assessment | : | Probability or evidence of skin sensitization in humans |
|------------|---|---|

Germ cell mutagenicity

May cause genetic defects.

Components:

Diazinon:

| | | |
|-----------------------|---|--|
| Genotoxicity in vitro | : | Test Type: Bacterial reverse mutation assay (AMES) Result: negative |
|-----------------------|---|--|

| | | |
|--|---|---|
| | : | Test Type: In vitro mammalian cell gene mutation test Result: negative |
|--|---|---|

| | | |
|--|---|--|
| | : | Test Type: Chromosome aberration test in vitro Result: negative |
|--|---|--|

| | | |
|----------------------|---|--|
| Genotoxicity in vivo | : | Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Rat Application Route: Intraperitoneal injection |
|----------------------|---|--|

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Diazinon Formulation

| | | | |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 09/30/2023 |
| 2.3 | 09/28/2024 | 7699404-00009 | Date of first issue: 12/22/2020 |

Result: positive

Germ cell mutagenicity - Assessment : Positive result(s) from in vivo mammalian somatic cell mutagenicity tests.

Solvent naphtha (petroleum), light aromatic:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Result: positive

Genotoxicity in vivo : Test Type: Sister chromatid exchange analysis in spermatogonia
Species: Mouse
Application Route: Intraperitoneal injection
Result: positive

Germ cell mutagenicity - Assessment : Positive result(s) from in vivo heritable germ cell mutagenicity tests in mammals

Nonylphenol, ethoxylated:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative
Remarks: Based on data from similar materials

7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: positive

Test Type: In vitro mammalian cell gene mutation test
Result: positive

Test Type: In vitro sister chromatid exchange assay in mammalian cells
Result: positive

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)
Result: positive

Genotoxicity in vivo : Test Type: Unscheduled DNA synthesis (UDS) test with mammalian liver cells in vivo
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 486
Result: negative

Test Type: Micronucleus test
Species: Mouse
Application Route: Intraperitoneal injection

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Diazinon Formulation

| | | | |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 09/30/2023 |
| 2.3 | 09/28/2024 | 7699404-00009 | Date of first issue: 12/22/2020 |

Result: negative

Test Type: Transgenic rodent somatic cell gene mutation assay

Species: Mouse

Application Route: Ingestion

Method: OECD Test Guideline 488

Result: positive

Germ cell mutagenicity - Assessment : Positive result(s) from in vivo mammalian somatic cell mutagenicity tests.

Carcinogenicity

May cause cancer.

Components:

Diazinon:

Species : Rat
Application Route : Ingestion
Exposure time : 104 weeks
Result : negative

Carcinogenicity - Assessment : Sufficient evidence of carcinogenicity in animal experiments

Solvent naphtha (petroleum), light aromatic:

Species : Mouse
Application Route : Skin contact
Exposure time : 2 Years
Result : positive

Carcinogenicity - Assessment : Sufficient evidence of carcinogenicity in animal experiments

7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Species : Mouse
Application Route : Skin contact
Exposure time : 29 Months
Result : negative

Reproductive toxicity

Not classified based on available information.

Components:

Diazinon:

Effects on fertility : Test Type: Three-generation study
Species: Rat
Application Route: Ingestion
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Diazinon Formulation

| | | | |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 09/30/2023 |
| 2.3 | 09/28/2024 | 7699404-00009 | Date of first issue: 12/22/2020 |

Application Route: Ingestion
Result: negative

Solvent naphtha (petroleum), light aromatic:

Effects on fertility : Test Type: Reproduction/Developmental toxicity screening test
Species: Rat
Application Route: inhalation (vapor)
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat
Application Route: inhalation (vapor)
Result: negative

7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 414
Result: negative

STOT-single exposure

May cause drowsiness or dizziness.
Causes damage to organs (Nervous system).

Components:

Diazinon:

Routes of exposure : Ingestion
Target Organs : Nervous system
Assessment : Shown to produce significant health effects in animals at concentrations of 300 mg/kg bw or less.

Solvent naphtha (petroleum), light aromatic:

Assessment : May cause drowsiness or dizziness.

STOT-repeated exposure

May cause damage to organs (Nervous system, nasal cavity) through prolonged or repeated exposure.

Components:

Diazinon:

Routes of exposure : Ingestion
Target Organs : Nervous system
Assessment : Shown to produce significant health effects in animals at concentrations of >10 to 100 mg/kg bw.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Diazinon Formulation

| | | | |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 09/30/2023 |
| 2.3 | 09/28/2024 | 7699404-00009 | Date of first issue: 12/22/2020 |

7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Routes of exposure : Ingestion
Target Organs : nasal cavity
Assessment : Shown to produce significant health effects in animals at concentrations of >10 to 100 mg/kg bw.

Repeated dose toxicity

Components:

Diazinon:

Species : Rat
NOAEL : 0.3 mg/kg
LOAEL : 15 mg/kg
Application Route : Ingestion
Exposure time : 90 Days

Species : Rat
NOAEL : 0.1 mg/l
LOAEL : 0.75 mg/l
Application Route : inhalation (dust/mist/fume)
Exposure time : 28 Days

Solvent naphtha (petroleum), light aromatic:

Species : Rat
LOAEL : 500 mg/kg
Application Route : Ingestion
Exposure time : 28 Days

7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Species : Rat
NOAEL : 5 mg/kg
LOAEL : 50 mg/kg
Application Route : Ingestion
Exposure time : 90 Days
Method : OECD Test Guideline 408

Aspiration toxicity

May be fatal if swallowed and enters airways.

Components:

Solvent naphtha (petroleum), light aromatic:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Diazinon Formulation

| | | | |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 09/30/2023 |
| 2.3 | 09/28/2024 | 7699404-00009 | Date of first issue: 12/22/2020 |

Experience with human exposure

Components:

Diazinon:

Inhalation : Symptoms: carcinogenic effects

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Diazinon:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.09 mg/l
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Ceriodaphnia dubia (water flea)): 0.000164 mg/l
aquatic invertebrates Exposure time: 48 h

Toxicity to fish (Chronic tox- : NOEC (Pimephales promelas (fathead minnow)): 0.092 mg/l
icity) Exposure time: 34 d

Toxicity to daphnia and other : NOEC (Daphnia magna (Water flea)): 0.00017 mg/l
aquatic invertebrates (Chron- Exposure time: 21 d
ic toxicity)

Solvent naphtha (petroleum), light aromatic:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 8.2 mg/l
Exposure time: 96 h
Test substance: Water Accommodated Fraction

Toxicity to daphnia and other : EL50 (Daphnia magna (Water flea)): 4.5 mg/l
aquatic invertebrates Exposure time: 48 h
Test substance: Water Accommodated Fraction
Method: OECD Test Guideline 202

Toxicity to algae/aquatic : EL50 (Pseudokirchneriella subcapitata (microalgae)): 3.1 mg/l
plants Exposure time: 96 h
Test substance: Water Accommodated Fraction
Method: OECD Test Guideline 201

NOELR (Pseudokirchneriella subcapitata (microalgae)): 0.5
mg/l
Exposure time: 96 h
Test substance: Water Accommodated Fraction
Method: OECD Test Guideline 201

Toxicity to daphnia and other : NOELR (Daphnia magna (Water flea)): 2.6 mg/l
aquatic invertebrates (Chron- Exposure time: 21 d
ic toxicity) Test substance: Water Accommodated Fraction
Method: OECD Test Guideline 211

Nonylphenol, ethoxylated:

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Diazinon Formulation

Version 2.3 Revision Date: 09/28/2024 SDS Number: 7699404-00009 Date of last issue: 09/30/2023
Date of first issue: 12/22/2020

- Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 0.1 - 1 mg/l
Exposure time: 96 h
Remarks: Based on data from similar materials
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Ceriodaphnia dubia (water flea)): > 0.1 - 1 mg/l
Exposure time: 48 h
Remarks: Based on data from similar materials
- Toxicity to algae/aquatic plants : ErC50 (Selenastrum capricornutum (green algae)): > 1 - 10 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials
- EC10 (Selenastrum capricornutum (green algae)): > 1 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials
- Toxicity to fish (Chronic toxicity) : NOEC (Oryzias latipes (Japanese medaka)): > 0.1 - 1 mg/l
Exposure time: 100 d
Remarks: Based on data from similar materials
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Mysidopsis bahia (opossum shrimp)): > 0.001 - 0.01 mg/l
Exposure time: 28 d
Remarks: Based on data from similar materials

7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 24 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 40 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): > 110 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- NOEC (Raphidocelis subcapitata (freshwater green alga)): 30 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- Toxicity to microorganisms : EC10 (activated sludge): 409 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Diazinon Formulation

Version 2.3 Revision Date: 09/28/2024 SDS Number: 7699404-00009 Date of last issue: 09/30/2023
Date of first issue: 12/22/2020

Persistence and degradability

Components:

Solvent naphtha (petroleum), light aromatic:

Biodegradability : Result: Inherently biodegradable.
Biodegradation: 94 %
Exposure time: 25 d

Nonylphenol, ethoxylated:

Biodegradability : Result: Not readily biodegradable.
Remarks: Based on data from similar materials

7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 71 %
Exposure time: 28 d
Method: OECD Test Guideline 301B

Bioaccumulative potential

Components:

Diazinon:

Bioaccumulation : Species: Cyprinus carpio (Carp)
Bioconcentration factor (BCF): 46.9

Partition coefficient: n-octanol/water : log Pow: 3.69

Nonylphenol, ethoxylated:

Partition coefficient: n-octanol/water : log Pow: 4.48

7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Partition coefficient: n-octanol/water : log Pow: 1.34
Method: OECD Test Guideline 107

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.
Dispose of in accordance with local regulations.
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Diazinon Formulation

| | | | |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 09/30/2023 |
| 2.3 | 09/28/2024 | 7699404-00009 | Date of first issue: 12/22/2020 |

If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Diazinon)
Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s. (Diazinon)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 964
Packing instruction (passenger aircraft) : 964
Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Diazinon)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

TDG

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Diazinon)
Class : 9
Packing group : III
Labels : 9
ERG Code : 171
Marine pollutant : yes(Diazinon)

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Diazinon Formulation

| | | | |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 09/30/2023 |
| 2.3 | 09/28/2024 | 7699404-00009 | Date of first issue: 12/22/2020 |

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

The ingredients of this product are reported in the following inventories:

| | | |
|-------|---|----------------|
| DSL | : | not determined |
| AICS | : | not determined |
| IECSC | : | not determined |

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

| | | |
|--------------------|---|---|
| ACGIH | : | USA. ACGIH Threshold Limit Values (TLV) |
| ACGIH BEI | : | ACGIH - Biological Exposure Indices (BEI) |
| CA AB OEL | : | Canada. Alberta, Occupational Health and Safety Code (table 2: OEL) |
| CA BC OEL | : | Canada. British Columbia OEL |
| CA QC OEL | : | Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants |
| ACGIH / TWA | : | 8-hour, time-weighted average |
| CA AB OEL / TWA | : | 8-hour Occupational exposure limit |
| CA BC OEL / TWA | : | 8-hour time weighted average |
| CA QC OEL / TWA EV | : | Time-weighted average exposure value |

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Diazinon Formulation

| | | | |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 09/30/2023 |
| 2.3 | 09/28/2024 | 7699404-00009 | Date of first issue: 12/22/2020 |

Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 09/28/2024
Date format : mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8