

according to the OSHA Hazard Communication Standard

Diclazuril (0.25%) Formulation

| Version | Revision Date: | SDS Number: | Date of last issue: 09/30/2023 |
|---------|----------------|---------------|---------------------------------|
| 1.9 | 02/22/2024 | 6193398-00010 | Date of first issue: 08/14/2020 |

SECTION 1. IDENTIFICATION

| | Diclazuril (0.25%) Formulation Vecoxan 2.5 mg/mL Oral Suspension for Lambs and Calves (A011172) | | | |
|---|---|--|--|--|
| leta | ails | | | |
| : | Merck & Co., Inc | | | |
| : | 126 E. Lincoln Avenue | | | |
| | Rahway, New Jersey U.S.A. 07065 | | | |
| : | 908-740-4000 | | | |
| : | 1-908-423-6000 | | | |
| : | EHSDATASTEWARD@merck.com | | | |
| Recommended use of the chemical and restrictions on use | | | | |
| : | Veterinary product | | | |
| : | Not applicable | | | |
| | leta | | | |

SECTION 2. HAZARDS IDENTIFICATION

| GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR |
|--|
| 1910.1200) |

| Reproductive toxicity | : Category 2 |
|-----------------------|--------------|
| Reproductive toxicity | . Calegory 2 |

GHS label elements

| Hazard | pictograms |
|-----------|------------|
| i iacai a | procogramo |



Signal Word : Warning

Hazard Statements : H361d Suspected of damaging the unborn child.

:

Precautionary Statements

Prevention:

P201 Obtain special instructions before use.P202 Do not handle until all safety precautions have been read and understood.P280 Wear protective gloves, protective clothing, eye protection and face protection.

Response:

P308 + P313 IF exposed or concerned: Get medical attention.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents and container to an approved waste disposal plant.





Diclazuril (0.25%) Formulation

| Version | Revision Date: | SDS Number: | Date of last issue: 09/30/2023 |
|---------|----------------|---------------|---------------------------------|
| 1.9 | 02/22/2024 | 6193398-00010 | Date of first issue: 08/14/2020 |

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

| >= 1 - < 5 |
|----------------|
| 2 >= 0.1 - < 1 |
| |

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

| General advice | : | In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice. |
|---|---|--|
| If inhaled | : | If inhaled, remove to fresh air. Get medical attention. |
| In case of skin contact | : | In case of contact, immediately flush skin with soap and plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse. |
| In case of eye contact | : | |
| If swallowed | : | If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water. |
| Most important symptoms and effects, both acute and delayed | : | Suspected of damaging the unborn child. |
| Protection of first-aiders | : | First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8). |
| Notes to physician | : | Treat symptomatically and supportively. |

SECTION 5. FIRE-FIGHTING MEASURES

| Suitable extinguishing media | : | Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical |
|--|---|---|
| Unsuitable extinguishing media | : | None known. |
| Specific hazards during fire fighting | : | Exposure to combustion products may be a hazard to health. |
| Hazardous combustion prod- ucts | : | Carbon oxides |





Diclazuril (0.25%) Formulation

| Version 1.9 | Revision Date: 02/22/2024 | - | 93398-00010 | Date of last issue: 09/30/2023 Date of first issue: 08/14/2020 |
|----------------|---|-----|---|---|
| Spec ods | cific extinguishing meth- | : | Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. | |
| | cial protective equipment re-fighters | : | Evacuate area. In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. | |
| SECTION | N 6. ACCIDENTAL RELE | ASI | EMEASURES | |
| tive | onal precautions, protec- equipment and emer- cy procedures | : | Follow safe handl | ective equipment. ing advice (see section 7) and personal ent recommendations (see section 8). |
| Envi | ronmental precautions | : | Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g., by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained. | |
| | nods and materials for ainment and cleaning up | | | rovide diking or other appropriate sep material from spreading. If diked material store recovered material in appropriate ing materials from spill with suitable regulations may apply to releases and aterial, as well as those materials and items leanup of releases. You will need to regulations are applicable. 5 of this SDS provide information regarding |

SECTION 7. HANDLING AND STORAGE

| Technical measures | : | See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section. |
|-----------------------------|---|--|
| Local/Total ventilation | : | Use only with adequate ventilation. |
| Advice on safe handling | | Avoid inhalation of vapor or mist. |
| 6 | | Do not swallow. |
| | | Avoid contact with eyes. |
| | | Avoid prolonged or repeated contact with skin. |
| | | Handle in accordance with good industrial hygiene and safety |
| | | practice, based on the results of the workplace exposure assessment |
| | | Take care to prevent spills, waste and minimize release to the |
| | | environment. |
| Conditions for safe storage | : | Keep in properly labeled containers. |
| | | |



according to the OSHA Hazard Communication Standard

Diclazuril (0.25%) Formulation

| Version | Revision Date: 02/22/2024 | SDS Number: | Date of last issue: 09/30/2023 |
|---------|---------------------------|---------------|---|
| 1.9 | | 6193398-00010 | Date of first issue: 08/14/2020 |
| Mater | rials to avoid | | ance with the particular national regulations. In the following product types: g agents |

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

| | - | | | |
|------------|-------------|-------------------------------------|--|-----------|
| Components | CAS-No. | Value type (Form of exposure) | Control parame- ters / Permissible concentration | Basis |
| Cellulose | 9004-34-6 | TWA | 10 mg/m ³ | ACGIH |
| | | TWA (Res- pirable) | 5 mg/m³ | NIOSH REL |
| | | TWA (total) | 10 mg/m ³ | NIOSH REL |
| | | TWA (total dust) | 15 mg/m³ | OSHA Z-1 |
| | | TWA (respir- able fraction) | 5 mg/m³ | OSHA Z-1 |
| Diclazuril | 101831-37-2 | TWA | 30 µg/m3 (OEB 3) | Internal |
| | | Wipe limit | 300 µg/100 cm2 | Internal |

Ingredients with workplace control parameters

| Engineering measures : | Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip- less quick connections). All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices). Minimize open handling. |
|-------------------------------|--|
| Personal protective equipment | |

Respiratory protection : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

Material : Chemical-resistant gloves






Diclazuril (0.25%) Formulation

| Version 1.9 | Revision Date: 02/22/2024 | SDS Number: 6193398-00010 | Date of last issue: 09/30/2023 Date of first issue: 08/14/2020 | | | | |
|----------------|---|--|--|--|--|--|--|
| | Eye protection : V If N V P | | Consider double gloving. Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or | | | | |
| Skin a | and body protection | Additional body task being perfo disposable suits | r laboratory coat. garments should be used based upon the prmed (e.g., sleevelets, apron, gauntlets, s) to avoid exposed skin surfaces. e degowning techniques to remove potentially lothing. | | | | |
| Hygie | ene measures | : If exposure to c eye flushing sys working place. When using do Wash contamin The effective op engineering cor appropriate deg industrial hygiet use of administ If exposure to c eye flushing sys working place. When using do Wash contamin The effective op engineering cor appropriate deg | hemical is likely during typical use, provide stems and safety showers close to the not eat, drink or smoke. ated clothing before re-use. beration of a facility should include review of ntrols, proper personal protective equipment, jowning and decontamination procedures, ne monitoring, medical surveillance and the rative controls. hemical is likely during typical use, provide stems and safety showers close to the not eat, drink or smoke. ated clothing before re-use. beration of a facility should include review of ntrols, proper personal protective equipment, jowning and decontamination procedures, ne monitoring, medical surveillance and the | | | | |

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

| Appearance | : | suspension |
|---|---|-------------------|
| Color | : | No data available |
| Odor | : | No data available |
| Odor Threshold | : | No data available |
| рН | : | No data available |
| Melting point/freezing point | : | No data available |
| Initial boiling point and boiling range | : | No data available |
| Flash point | : | No data available |





Diclazuril (0.25%) Formulation

| Vers 1.9 | sion | Revision Date: 02/22/2024 | - | S Number: 3398-00010 | Date of last issue: 09/30/2023 Date of first issue: 08/14/2020 |
|-------------|---------------------|---|---|-------------------------|---|
| | Evapor | ation rate | : | No data available | 9 |
| | Flamma | ability (solid, gas) | : | Not applicable | |
| | Flamma | ability (liquids) | : | No data available | • |
| | | explosion limit / Upper bility limit | : | No data available | |
| | | explosion limit / Lower bility limit | : | No data available | |
| | Vapor p | pressure | : | No data available | |
| | Relative | e vapor density | : | No data available | |
| | Relative | e density | : | No data available | |
| | Density | , | : | No data available | |
| | Solubili Wat | ty(ies) er solubility | : | No data available | |
| | Partitio octanol | n coefficient: n- /water | : | Not applicable | |
| | | nition temperature | : | No data available | |
| | Decom | position temperature | : | No data available | |
| | Viscosi Visc | ty cosity, kinematic | : | No data available | |
| | Explosi | ve properties | : | Not explosive | |
| | Oxidizir | ng properties | : | The substance of | mixture is not classified as oxidizing. |
| | Molecu | lar weight | : | No data available | • |
| | Particle | size | : | Not applicable | |

SECTION 10. STABILITY AND REACTIVITY

| Reactivity | : | Not classified as a reactivity hazard. |
|--------------------------------|---|--|
| Chemical stability | : | Stable under normal conditions. |
| Possibility of hazardous reac- | : | Can react with strong oxidizing agents. |
| tions | | |
| Conditions to avoid | : | None known. |
| Incompatible materials | : | Oxidizing agents |
| Hazardous decomposition | : | No hazardous decomposition products are known. |
| products | | |





Diclazuril (0.25%) Formulation

| Version | Revision Date: | SDS Number: | Date of last issue: 09/30/2023 |
|---------|----------------|---------------|---------------------------------|
| 1.9 | 02/22/2024 | 6193398-00010 | Date of first issue: 08/14/2020 |
| | | | |

SECTION 11. TOXICOLOGICAL INFORMATION

| Information on likely routes Inhalation Skin contact Ingestion Eye contact | of | exposure | | | | |
|--|-----|---|--|--|--|--|
| Acute toxicity | | to fearranting | | | | |
| Not classified based on availa | bie | Information. | | | | |
| <u>Components:</u> | | | | | | |
| Cellulose: Acute oral toxicity | : | LD50 (Rat): > 5,000 mg/kg | | | | |
| Acute inhalation toxicity | : | LC50 (Rat): > 5.8 mg/l Exposure time: 4 h Test atmosphere: dust/mist | | | | |
| Acute dermal toxicity | : | LD50 (Rabbit): > 2,000 mg/kg | | | | |
| Diclazuril: | | | | | | |
| Acute oral toxicity | : | LD50 (Rat): > 5,000 mg/kg | | | | |
| | | LD50 (Mouse): > 5,000 mg/kg | | | | |
| | | LD50 (Dog): > 5,000 mg/kg | | | | |
| Acute inhalation toxicity | : | LC50 (Rat): > 2.24 mg/l | | | | |
| Acute dermal toxicity | : | LD50 (Rabbit): > 4,000 mg/kg | | | | |
| Acute toxicity (other routes of administration) | : | LD50 (Mouse): > 5,000 mg/kg Application Route: Subcutaneous Target Organs: Central nervous system | | | | |
| Skin corrosion/irritation Not classified based on availa Components: | ble | information. | | | | |
| Diclazuril: | | | | | | |
| Remarks | : | Not classified due to lack of data. | | | | |
| Serious eye damage/eye irritation Not classified based on available information. | | | | | | |
| Components: | | | | | | |
| Diclazuril: | | | | | | |
| Remarks | : | Not classified due to lack of data. | | | | |





| Version 1.9 | Revision Date: 02/22/2024 | | 0S Number: 93398-00010 | Date of last issue: 09/30/2023 Date of first issue: 08/14/2020 |
|----------------------|---|---------|---|---|
| Resp | iratory or skin sensi | tizatio | 'n | |
| | sensitization lassified based on ava | ailable | information. | |
| • | iratory sensitization lassified based on ava | ailable | information. | |
| <u>Com</u> | ponents: | | | |
| Dicla Rema | zuril: arks | : | Not classified due | e to lack of data. |
| | n cell mutagenicity lassified based on ava | ailable | information. | |
| <u>Com</u> | ponents: | | | |
| Cellu | llose: | | | |
| Geno | toxicity in vitro | : | Test Type: Bacte Result: negative | rial reverse mutation assay (AMES) |
| | | | Test Type: In vitro Result: negative | o mammalian cell gene mutation test |
| Genc | otoxicity in vivo | : | Test Type: Mamn cytogenetic assay Species: Mouse Application Route Result: negative | |
| Dicla | zuril: | | | |
| | otoxicity in vitro | : | Test Type: Bacte Result: negative | rial reverse mutation assay (AMES) |
| | | | | o mammalian cell gene mutation test use lymphoma cells |
| | | | Test Type: unsch Test system: rat h Result: negative | eduled DNA synthesis assay nepatocytes |
| | | | Test Type: Chron Test system: Hun Result: negative | nosomal aberration nan lymphocytes |
| Genc | otoxicity in vivo | : | Test Type: Micror Species: Mouse Cell type: Bone m Result: negative | |





| rsion) | sion Revision Date: SDS Number: 02/22/2024 6193398-00010 | | Date of last issue: 09/30/2023 Date of first issue: 08/14/2020 | | | |
|-------------------|---|---|--|--|--|--|
| | | Test Type: Sex anogaster (in vi Result: negative | | | | |
| | | Test Type: dom Species: Mouse Result: negative | | | | |
| | nogenicity assified based on av | ailable information. | | | | |
| <u>Comp</u> | onents: | | | | | |
| Cellul | ose: | | | | | |
| | ation Route ure time | : Rat : Ingestion : 72 weeks : negative | | | | |
| Diclaz | uril: | | | | | |
| | ation Route ure time L - | : Mouse : Oral : 25 Months : 3 mg/kg body w : 11 mg/kg body : negative | | | | |
| | ation Route ure time L - | : Rat : Oral : 28 Months : 4 mg/kg body w : 15 mg/kg body : negative | | | | |
| IARC | | | ent at levels greater than or equal to 0.1% is confirmed human carcinogen by IARC. | | | |
| OSHA | • | nent of this product pres s list of regulated carcin | sent at levels greater than or equal to 0.1% is ogens. | | | |
| NTP | | ent of this product prese is a known or anticipate | ent at levels greater than or equal to 0.1% is d carcinogen by NTP. | | | |
| - | ductive toxicity cted of damaging the | e unborn child. | | | | |
| | onents: | | | | | |
| Cellul Effects | ose: s on fertility | : Test Type: One Species: Rat Application Rou Result: negative | | | | |





| Version 1.9 | Revision Date: 02/22/2024 | | 0S Number: 93398-00010 | Date of last issue: 09/30/2023 Date of first issue: 08/14/2020 | |
|--------------------------|--|-----|--|---|--|
| Effect | s on fetal development | : | Test Type: Fertilit Species: Rat Application Route Result: negative | y/early embryonic development | |
| Diclaz | zuril: | | | | |
| Effect | s on fertility | : | Test Type: Two-generation study Species: Rat General Toxicity Parent: NOAEL: 5 mg/kg body weight Early Embryonic Development: LOAEL: 20 mg/kg body weig Symptoms: Reduced offspring weight gain. Remarks: Maternal toxicity observed. | | |
| Effect | s on fetal development | : | Embryo-fetal toxic | : Oral oxicity: NOAEL: 80 mg/kg body weight city.: LOAEL: 320 mg/kg body weight Resorptions / resorption rate., Late Resorp- | |
| | | | | | |
| Repro sessm | oductive toxicity - As- nent | : | Suspected of damaging the unborn child. | | |
| | -single exposure assified based on availa | ble | information. | | |
| STOT | -repeated exposure | | | | |
| Not cl | assified based on availa | ble | information. | | |
| <u>Com</u> r | oonents: | | | | |
| Diclaz | | | | | |
| | t Organs ssment | : | Liver, Lungs, Lym May cause damag exposure. | ph nodes ge to organs through prolonged or repeated | |
| Repe | ated dose toxicity | | | | |
| - | oonents: | | | | |
| Cellul | | | | | |
| Specie NOAE Applic | es | : | Rat >= 9,000 mg/kg Ingestion 90 Days | | |



mg/l

according to the OSHA Hazard Communication Standard

| Version 1.9 | Revision Date: 02/22/2024 | | OS Number: 93398-00010 | Date of last issue: 09/30/2023 Date of first issue: 08/14/2020 |
|------------------------------|--|---------|--|--|
| Dicla | zuril: | | | |
| Spec NOAI LOAE | ies EL | : | Rat 6 mg/kg 74 mg/kg Oral | |
| Expo | sure time et Organs | : | 12 Months Liver, Lungs, L | ymph nodes |
| Expo | EL | | Rat 4 mg/kg 69 mg/kg Oral 3 Months Liver | |
| Expo | EL | | Mouse 30 mg/kg 60 mg/kg Oral 3 Months Liver | |
| Spec NOAI LOAE Expo | EL | : | Dog 20 mg/kg 80 mg/kg 12 Months | |
| • | ration toxicity lassified based on av | ailable | information | |
| | rience with human e | | | |
| Com | ponents: | | | |
| Dicla Inges | zuril: ition | : | Symptoms: Di | arrhea |
| SECTION | 12. ECOLOGICAL II | NFORM | ATION | |
| | | | | |
| Ecote | oxicity | | | |
| Com | ponents: | | | |
| Cellu Toxic | lose: ity to fish | : | Exposure time | latipes (Japanese medaka)): > 100 mg/l : 48 h ed on data from similar materials |
| Dicla Toxic | zuril: ity to fish | : | Exposure time | s macrochirus (Bluegill sunfish)): 0.58 mg/ : 96 h oxicity at the limit of solubility. |



according to the OSHA Hazard Communication Standard

Diclazuril (0.25%) Formulation

| ersion) | Revision Date: 02/22/2024 | | 0S Number: 93398-00010 | Date of last issue: 09/30/2023 Date of first issue: 08/14/2020 |
|---|--|-----|--------------------------------------|--|
| Toxicity to daphnia and other aquatic invertebrates | | : | Exposure time: 48 | agna (Water flea)): > 0.63 mg/l 3 h city at the limit of solubility. |
| Toxicity to algae/aquatic plants | | : | Exposure time: 72 | m capricornutum (green algae)): > 1.1 mg 2 h city at the limit of solubility. |
| | | | Exposure time: 72 | um capricornutum (green algae)): 1.1 mg/l 2 h city at the limit of solubility. |
| | ty to daphnia and other ic invertebrates (Chron- city) | : | Exposure time: 21 | nagna (Water flea)): 0.16 mg/l l d city at the limit of solubility. |
| Persi | stence and degradabili | ity | | |
| Comp | oonents: | | | |
| Cellu Biode | lose: gradability | : | Result: Readily bi | odegradable. |
| Bioad | cumulative potential | | | |
| <u>Com</u> | oonents: | | | |
| Dicla | zuril: | | | |
| Bioac | cumulation | : | Species: Lepomis Bioconcentration | macrochirus (Bluegill sunfish) factor (BCF): 160 |
| | on coefficient: n- ol/water | : | log Pow: 4.5 pH: 7 | |
| Mobil | ity in soil | | | |
| No da | ta available | | | |
| Other | adverse effects | | | |
| No data available | | | | |

| Disposal methods | |
|------------------------|---|
| Waste from residues | : Dispose of in accordance with local regulations. Do not dispose of waste into sewer. |
| Contaminated packaging | Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product. |

SECTION 14. TRANSPORT INFORMATION

International Regulations

according to the OSHA Hazard Communication Standard



Diclazuril (0.25%) Formulation

| Version | Revision Date: | SDS Number: | Date of last issue: 09/30/2023 |
|---------|----------------|---------------|---------------------------------|
| 1.9 | 02/22/2024 | 6193398-00010 | Date of first issue: 08/14/2020 |

UNRTDG

Not regulated as a dangerous good

IATA-DGR Not regulated as a dangerous good

IMDG-Code Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR Not regulated as a dangerous good

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.


SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

| SARA 311/312 Hazards | : Reproductive toxicity | |
|----------------------|--|-----|
| SARA 313 | : This material does not contain any chemical components w known CAS numbers that exceed the threshold (De Minimi reporting levels established by SARA Title III, Section 313. | is) |

US State Regulations

| Pennsylvania Right To Know | N | | |
|------------------------------|-----|--|------------------------|
| Water Cellulose | | | 7732-18-5 9004-34-6 |
| California Permissible Expo | sur | re Limits for Chemical Contaminants | |
| Cellulose | | | 9004-34-6 |
| The ingredients of this prod | uct | are reported in the following inventor | ries: |
| AICS | : | not determined | |
| DSL | : | not determined | |
| IECSC | : | not determined | |





Diclazuril (0.25%) Formulation


| Version | Revision Date: | SDS Number: | Date of last issue: 09/30/2023 |
|---------|----------------|---------------|---------------------------------|
| 1.9 | 02/22/2024 | 6193398-00010 | Date of first issue: 08/14/2020 |

SECTION 16. OTHER INFORMATION

Further information



HMIS® IV:



Full text of other abbreviations

| ACGIH NIOSH REL OSHA Z-1 | : | USA. ACGIH Threshold Limit Values (TLV) USA. NIOSH Recommended Exposure Limits USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim- its for Air Contaminants |
|--------------------------------|---|--|
| ACGIH / TWA NIOSH REL / TWA | | 8-hour, time-weighted average Time-weighted average concentration for up to a 10-hour |
| OSHA Z-1 / TWA | : | workday during a 40-hour workweek 8-hour time weighted average |

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods: IMO - International Maritime Organization: ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse)



according to the OSHA Hazard Communication Standard

Diclazuril (0.25%) Formulation

| Version | Revision Date: | SDS Number: | Date of last issue: 09/30/2023 |
|---------|----------------|---------------|---------------------------------|
| 1.9 | 02/22/2024 | 6193398-00010 | Date of first issue: 08/14/2020 |

Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

| Sources of key data used to | : | Internal technical data, data from raw material SDSs, OECD |
|---|---|--|
| compile the Material Safety Data Sheet | | eChem Portal search results and European Chemicals Agen- cy, http://echa.europa.eu/ |

Revision Date : 02/22/2024

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8