

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Diclazuril Formulation

Version 1.9      Revision Date: 09/28/2024      SDS Number: 6490740-00010      Date of last issue: 09/30/2023  
Date of first issue: 10/01/2020

---

### SECTION 1. IDENTIFICATION

Product name : Diclazuril Formulation

#### Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc  
Address : 126 E. Lincoln Avenue  
Rahway, New Jersey U.S.A. 07065  
Telephone : 908-740-4000  
Emergency telephone : 1-908-423-6000  
E-mail address : EHSDATASTEWARD@merck.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product  
Restrictions on use : Not applicable

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Combustible dust

Reproductive toxicity : Category 2

Specific target organ toxicity : Category 2 (Lungs, Lymph nodes, Liver)  
- repeated exposure

#### GHS label elements

Hazard pictograms :



Signal Word : Warning

Hazard Statements : If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air.  
H361d Suspected of damaging the unborn child.  
H373 May cause damage to organs (Lungs, Lymph nodes, Liver) through prolonged or repeated exposure.

Precautionary Statements : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P260 Do not breathe dust, fume, gas, mist, vapors or spray.  
P280 Wear protective gloves, protective clothing, eye protection and face protection.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Diclazuril Formulation

Version 1.9      Revision Date: 09/28/2024      SDS Number: 6490740-00010      Date of last issue: 09/30/2023  
Date of first issue: 10/01/2020

### Response:

P308 + P313 IF exposed or concerned: Get medical attention.

### Storage:

P405 Store locked up.

### Disposal:

P501 Dispose of contents and container to an approved waste disposal plant.

### Other hazards

Dust contact with the eyes can lead to mechanical irritation.  
Contact with dust can cause mechanical irritation or drying of the skin.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
Calcium carbonate	471-34-1	5.86
Soybean meal	68308-36-1	2.8
White mineral oil (petroleum)	8042-47-5	2
Diclazuril	101831-37-2	1.59

## SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.

In case of eye contact : If in eyes, rinse well with water.  
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention.  
Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and delayed : Suspected of damaging the unborn child.  
May cause damage to organs through prolonged or repeated exposure.  
Contact with dust can cause mechanical irritation or drying of the skin.

Protection of first-aiders : Dust contact with the eyes can lead to mechanical irritation.  
First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Diclazuril Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
1.9	09/28/2024	6490740-00010	Date of first issue: 10/01/2020

---

Notes to physician : when the potential for exposure exists (see section 8).  
: Treat symptomatically and supportively.

---

### SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : None known.

Specific hazards during fire fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides  
Metal oxides  
Sulfur oxides

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

---

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.  
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).  
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Diclazuril Formulation

Version 1.9      Revision Date: 09/28/2024      SDS Number: 6490740-00010      Date of last issue: 09/30/2023  
Date of first issue: 10/01/2020

determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### SECTION 7. HANDLING AND STORAGE

- Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.  
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Do not breathe dust, fume, gas, mist, vapors or spray.  
Do not swallow.  
Avoid contact with eyes.  
Avoid prolonged or repeated contact with skin.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Minimize dust generation and accumulation.  
Keep container closed when not in use.  
Keep away from heat and sources of ignition.  
Take precautionary measures against static discharges.  
Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labeled containers.  
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Calcium carbonate	471-34-1	TWA (Respirable)	5 mg/m <sup>3</sup> (Calcium carbonate)	NIOSH REL
		TWA (total)	10 mg/m <sup>3</sup> (Calcium carbonate)	NIOSH REL
White mineral oil (petroleum)	8042-47-5	TWA (Mist)	5 mg/m <sup>3</sup>	OSHA Z-1
		TWA (Inhalable particulate matter)	5 mg/m <sup>3</sup>	ACGIH
		TWA (Mist)	5 mg/m <sup>3</sup>	NIOSH REL
		ST (Mist)	10 mg/m <sup>3</sup>	NIOSH REL
Diclazuril	101831-37-2	TWA	30 µg/m <sup>3</sup> (OEB 3)	Internal
		Wipe limit	300 µg/100 cm <sup>2</sup>	Internal

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Diclazuril Formulation

Version 1.9      Revision Date: 09/28/2024      SDS Number: 6490740-00010      Date of last issue: 09/30/2023  
Date of first issue: 10/01/2020

---

**Engineering measures** : All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices). Minimize open handling.

### Personal protective equipment

**Respiratory protection** : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

### Hand protection

**Material** : Chemical-resistant gloves

**Remarks** : Consider double gloving.

**Eye protection** : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

**Skin and body protection** : Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.

**Hygiene measures** : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

---

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance** : pellets

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Diclazuril Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
1.9	09/28/2024	6490740-00010	Date of first issue: 10/01/2020

---

Color	:	green-brown
Odor	:	No data available
Odor Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	Not applicable
Relative vapor density	:	Not applicable
Relative density	:	No data available
Density	:	No data available
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Diclazuril Formulation

Version 1.9      Revision Date: 09/28/2024      SDS Number: 6490740-00010      Date of last issue: 09/30/2023  
Date of first issue: 10/01/2020

---

Particle characteristics  
Particle size : No data available

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.  
Chemical stability : Stable under normal conditions.  
Possibility of hazardous reactions : May form explosive dust-air mixture during processing, handling or other means.  
Can react with strong oxidizing agents.  
Conditions to avoid : Heat, flames and sparks.  
Avoid dust formation.  
Incompatible materials : Oxidizing agents  
Hazardous decomposition products : No hazardous decomposition products are known.

---

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Inhalation  
Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Not classified based on available information.

#### Components:

##### Calcium carbonate:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 420  
Assessment: The substance or mixture has no acute oral toxicity  
Acute inhalation toxicity : LC50 (Rat): > 3 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Assessment: The substance or mixture has no acute inhalation toxicity  
Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

##### Soybean meal:

Acute oral toxicity : LD50 (Rat, female): > 2,000 mg/kg  
Method: OECD Test Guideline 423

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Diclazuril Formulation

Version 1.9      Revision Date: 09/28/2024      SDS Number: 6490740-00010      Date of last issue: 09/30/2023  
Date of first issue: 10/01/2020

---

Assessment: The substance or mixture has no acute oral toxicity

### White mineral oil (petroleum):

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

### Diclazuril:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
LD50 (Mouse): > 5,000 mg/kg  
LD50 (Dog): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 2.24 mg/l

Acute dermal toxicity : LD50 (Rabbit): > 4,000 mg/kg

Acute toxicity (other routes of administration) : LD50 (Mouse): > 5,000 mg/kg  
Application Route: Subcutaneous  
Target Organs: Central nervous system

### Skin corrosion/irritation

Not classified based on available information.

### Components:

#### Calcium carbonate:

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

#### Soybean meal:

Species : reconstructed human epidermis (RhE)  
Method : OECD Test Guideline 439  
Result : No skin irritation

#### White mineral oil (petroleum):

Species : Rabbit  
Result : No skin irritation



# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Diclazuril Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
1.9	09/28/2024	6490740-00010	Date of first issue: 10/01/2020

---

### Diclazuril:

Remarks : Not classified due to lack of data.

### Serious eye damage/eye irritation

Not classified based on available information.

### Components:

#### Calcium carbonate:

Species : Rabbit  
Result : No eye irritation  
Method : OECD Test Guideline 405

#### Soybean meal:

Species : Bovine cornea  
Method : OECD Test Guideline 437

Result : No eye irritation

#### White mineral oil (petroleum):

Species : Rabbit  
Result : No eye irritation

### Diclazuril:

Remarks : Not classified due to lack of data.

### Respiratory or skin sensitization

#### Skin sensitization

Not classified based on available information.

#### Respiratory sensitization

Not classified based on available information.

### Components:

#### Calcium carbonate:

Test Type : Local lymph node assay (LLNA)  
Routes of exposure : Skin contact  
Species : Mouse  
Method : OECD Test Guideline 429  
Result : negative

#### Soybean meal:

Test Type : Local lymph node assay (LLNA)  
Routes of exposure : Skin contact  
Species : Mouse  
Method : OECD Test Guideline 429  
Result : negative

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Diclazuril Formulation

Version 1.9      Revision Date: 09/28/2024      SDS Number: 6490740-00010      Date of last issue: 09/30/2023  
Date of first issue: 10/01/2020

---

### White mineral oil (petroleum):

Test Type : Buehler Test  
Routes of exposure : Skin contact  
Species : Guinea pig  
Result : negative

### Diclazuril:

Remarks : Not classified due to lack of data.

### Germ cell mutagenicity

Not classified based on available information.

### Components:

#### Calcium carbonate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative

#### Soybean meal:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative

#### White mineral oil (petroleum):

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Intraperitoneal injection  
Method: OECD Test Guideline 474  
Result: negative  
Remarks: Based on data from similar materials

### Diclazuril:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Test system: mouse lymphoma cells

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Diclazuril Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
1.9	09/28/2024	6490740-00010	Date of first issue: 10/01/2020

---

Result: negative

Test Type: unscheduled DNA synthesis assay  
Test system: rat hepatocytes  
Result: negative

Test Type: Chromosomal aberration  
Test system: Human lymphocytes  
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Cell type: Bone marrow  
Result: negative

Test Type: Sex-linked recessive lethal test in *Drosophila melanogaster* (in vivo)  
Result: negative

Test Type: dominant lethal test  
Species: Mouse  
Result: negative

### Carcinogenicity

Not classified based on available information.

### Components:

#### **White mineral oil (petroleum):**

Species : Rat  
Application Route : Ingestion  
Exposure time : 24 Months  
Result : negative

#### **Diclazuril:**

Species : Mouse  
Application Route : Oral  
Exposure time : 25 Months  
NOAEL : 3 mg/kg body weight  
LOAEL : 11 mg/kg body weight  
Result : negative

Species : Rat  
Application Route : Oral  
Exposure time : 28 Months  
NOAEL : 4 mg/kg body weight  
LOAEL : 15 mg/kg body weight  
Result : negative

**IARC** No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA** No component of this product present at levels greater than or equal to 0.1% is

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Diclazuril Formulation

Version 1.9      Revision Date: 09/28/2024      SDS Number: 6490740-00010      Date of last issue: 09/30/2023  
Date of first issue: 10/01/2020

---

on OSHA's list of regulated carcinogens.

**NTP**      No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

### **Reproductive toxicity**

Suspected of damaging the unborn child.

### **Components:**

#### **Calcium carbonate:**

Effects on fertility      :    Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 422  
Result: negative

Effects on fetal development    :    Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 414  
Result: negative

#### **White mineral oil (petroleum):**

Effects on fertility      :    Test Type: One-generation reproduction toxicity study  
Species: Rat  
Application Route: Skin contact  
Result: negative

Effects on fetal development    :    Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative

#### **Diclazuril:**

Effects on fertility      :    Test Type: Two-generation study  
Species: Rat  
General Toxicity Parent: NOAEL: 5 mg/kg body weight  
Early Embryonic Development: LOAEL: 20 mg/kg body weight  
Symptoms: Reduced offspring weight gain.  
Remarks: Maternal toxicity observed.

Effects on fetal development    :    Test Type: Development  
Species: Rabbit  
Application Route: Oral  
Developmental Toxicity: NOAEL: 80 mg/kg body weight  
Embryo-fetal toxicity.: LOAEL: 320 mg/kg body weight  
Symptoms: Early Resorptions / resorption rate., Late Resorptions / resorption rate.

Test Type: Development

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Diclazuril Formulation

Version 1.9      Revision Date: 09/28/2024      SDS Number: 6490740-00010      Date of last issue: 09/30/2023  
Date of first issue: 10/01/2020

---

Species: Rat  
Application Route: Oral  
General Toxicity Maternal: LOAEL: 20 mg/kg body weight  
Developmental Toxicity: NOAEL: 5 mg/kg body weight

Reproductive toxicity - Assessment : Suspected of damaging the unborn child.

### **STOT-single exposure**

Not classified based on available information.

### **STOT-repeated exposure**

May cause damage to organs (Lungs, Lymph nodes, Liver) through prolonged or repeated exposure.

### **Components:**

#### **Diclazuril:**

Target Organs : Liver, Lungs, Lymph nodes  
Assessment : May cause damage to organs through prolonged or repeated exposure.

### **Repeated dose toxicity**

### **Components:**

#### **Calcium carbonate:**

Species : Rat  
NOAEL : > 1,000 mg/kg  
Application Route : Ingestion  
Exposure time : 28 Days  
Method : OECD Test Guideline 422

#### **White mineral oil (petroleum):**

Species : Rat  
LOAEL : 160 mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days

Species : Rat  
LOAEL : >= 1 mg/l  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 4 Weeks  
Method : OECD Test Guideline 412

#### **Diclazuril:**

Species : Rat  
NOAEL : 6 mg/kg  
LOAEL : 74 mg/kg  
Application Route : Oral  
Exposure time : 12 Months  
Target Organs : Liver, Lungs, Lymph nodes

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Diclazuril Formulation

Version 1.9      Revision Date: 09/28/2024      SDS Number: 6490740-00010      Date of last issue: 09/30/2023  
Date of first issue: 10/01/2020

---

Species : Rat  
NOAEL : 4 mg/kg  
LOAEL : 69 mg/kg  
Application Route : Oral  
Exposure time : 3 Months  
Target Organs : Liver

Species : Mouse  
NOAEL : 30 mg/kg  
LOAEL : 60 mg/kg  
Application Route : Oral  
Exposure time : 3 Months  
Target Organs : Liver

Species : Dog  
NOAEL : 20 mg/kg  
LOAEL : 80 mg/kg  
Exposure time : 12 Months

### Aspiration toxicity

Not classified based on available information.

### Experience with human exposure

#### Components:

##### Diclazuril:

Ingestion : Symptoms: Diarrhea

---

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

##### Calcium carbonate:

Toxicity to fish : LL50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l  
Exposure time: 96 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : NOELR (Pseudokirchneriella subcapitata (green algae)): 50 mg/l  
Exposure time: 72 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 201

EL50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Diclazuril Formulation

Version 1.9      Revision Date: 09/28/2024      SDS Number: 6490740-00010      Date of last issue: 09/30/2023  
Date of first issue: 10/01/2020

---

Exposure time: 72 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 201

Toxicity to microorganisms : NOEC: 1,000 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209

EC50: > 1,000 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209

### Soybean meal:

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 11.1 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

### White mineral oil (petroleum):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : NOEC (Pseudokirchneriella subcapitata (green algae)): 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 1,000 mg/l  
Exposure time: 28 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 1,000 mg/l  
Exposure time: 21 d

### Diclazuril:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.58 mg/l  
Exposure time: 96 h  
Remarks: No toxicity at the limit of solubility.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Diclazuril Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
1.9	09/28/2024	6490740-00010	Date of first issue: 10/01/2020

---

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 0.63 mg/l  
Exposure time: 48 h  
Remarks: No toxicity at the limit of solubility.

Toxicity to algae/aquatic plants : EC50 (Selenastrum capricornutum (green algae)): > 1.1 mg/l  
Exposure time: 72 h  
Remarks: No toxicity at the limit of solubility.

NOEC (Selenastrum capricornutum (green algae)): 1.1 mg/l  
Exposure time: 72 h  
Remarks: No toxicity at the limit of solubility.

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.16 mg/l  
Exposure time: 21 d  
Remarks: No toxicity at the limit of solubility.

### Persistence and degradability

#### Components:

##### **Soybean meal:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 84 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301F

##### **White mineral oil (petroleum):**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 31 %  
Exposure time: 28 d

### Bioaccumulative potential

#### Components:

##### **Soybean meal:**

Partition coefficient: n-octanol/water : log Pow: 1.18  
Method: OECD Test Guideline 107

##### **Diclazuril:**

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)  
Bioconcentration factor (BCF): 160

Partition coefficient: n-octanol/water : log Pow: 4.5  
pH: 7

##### **Mobility in soil**

No data available

##### **Other adverse effects**

No data available



# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Diclazuril Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
1.9	09/28/2024	6490740-00010	Date of first issue: 10/01/2020

---

### SECTION 13. DISPOSAL CONSIDERATIONS

#### Disposal methods

- Waste from residues : Dispose of in accordance with local regulations.  
Do not dispose of waste into sewer.
- Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.
- 

### SECTION 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

Not regulated as a dangerous good

##### IATA-DGR

Not regulated as a dangerous good

##### IMDG-Code

Not regulated as a dangerous good

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### Domestic regulation

##### 49 CFR

Not regulated as a dangerous good

#### Special precautions for user

Not applicable

---

### SECTION 15. REGULATORY INFORMATION

#### CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

#### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

- SARA 311/312 Hazards** : Combustible dust  
Reproductive toxicity  
Specific target organ toxicity (single or repeated exposure)

- SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Diclazuril Formulation

Version 1.9      Revision Date: 09/28/2024      SDS Number: 6490740-00010      Date of last issue: 09/30/2023  
Date of first issue: 10/01/2020

### US State Regulations

#### Pennsylvania Right To Know

Alfalfa Meal	Not Assigned
Standard Wheat Midds	Not Assigned
Calcium carbonate	471-34-1
Soybean meal, base-insol. fraction	68952-97-6
Molasses	68476-78-8
White mineral oil (petroleum)	8042-47-5

#### California List of Hazardous Substances

White mineral oil (petroleum)	8042-47-5
-------------------------------	-----------

#### California Permissible Exposure Limits for Chemical Contaminants

Calcium carbonate	471-34-1
Soybean meal	68308-36-1
White mineral oil (petroleum)	8042-47-5


#### The ingredients of this product are reported in the following inventories:

AICS	: not determined
DSL	: not determined
IECSC	: not determined

## SECTION 16. OTHER INFORMATION

### Further information

#### NFPA 704:



#### HMIS® IV:

HEALTH	*	2
FLAMMABILITY		3
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

### Full text of other abbreviations

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL	: USA. NIOSH Recommended Exposure Limits

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Diclazuril Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
1.9	09/28/2024	6490740-00010	Date of first issue: 10/01/2020

OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants  
ACGIH / TWA : 8-hour, time-weighted average  
NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek  
NIOSH REL / ST : STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday  
OSHA Z-1 / TWA : 8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 09/28/2024

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Diclazuril Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
1.9	09/28/2024	6490740-00010	Date of first issue: 10/01/2020

---

relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8