

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Enrofloxacin (2.5%) Formulation

Version 6.0      Revision Date: 09/28/2024      SDS Number: 633909-00021      Date of last issue: 09/30/2023  
Date of first issue: 04/27/2016

### SECTION 1. IDENTIFICATION

Product name : Enrofloxacin (2.5%) Formulation  
Other means of identification : No data available

#### Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc  
Address : 126 E. Lincoln Avenue  
Rahway, New Jersey U.S.A. 07065  
Telephone : 908-740-4000  
Emergency telephone : 1-908-423-6000  
E-mail address : EHSDATASTEWARD@merck.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product  
Restrictions on use : Not applicable

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the Hazardous Products Regulations

Skin sensitization : Sub-category 1B  
Reproductive toxicity : Category 2  
Specific target organ toxicity : Category 1 (cartilage, Testis)  
- repeated exposure

#### GHS label elements

Hazard pictograms :

Signal Word : Danger

Hazard Statements : H317 May cause an allergic skin reaction.  
H361f Suspected of damaging fertility.  
H372 Causes damage to organs (cartilage, Testis) through prolonged or repeated exposure.

Precautionary Statements : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P260 Do not breathe mist or vapors.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P272 Contaminated work clothing should not be allowed out of the workplace.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Enrofloxacin (2.5%) Formulation

Version 6.0      Revision Date: 09/28/2024      SDS Number: 633909-00021      Date of last issue: 09/30/2023  
Date of first issue: 04/27/2016

P280 Wear protective gloves, protective clothing, eye protection and face protection.

### Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.

P308 + P313 IF exposed or concerned: Get medical attention.

P333 + P313 If skin irritation or rash occurs: Get medical attention.

P362 + P364 Take off contaminated clothing and wash it before reuse.

### Storage:

P405 Store locked up.

### Disposal:

P501 Dispose of contents and container to an approved waste disposal plant.

### Other hazards

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Enrofloxacin	No data available	93106-60-6	$\geq 1 - < 5$ *
Benzyl alcohol	Benzenemethanol	100-51-6	$\geq 1 - < 5$ *

\* Actual concentration or concentration range is withheld as a trade secret

## SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.
- In case of eye contact : Flush eyes with water as a precaution.  
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention.  
Rinse mouth thoroughly with water.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Enrofloxacin (2.5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
6.0	09/28/2024	633909-00021	Date of first issue: 04/27/2016

---

- |   |   |   |
|---|---|---|
| Most important symptoms and effects, both acute and delayed | : | May cause an allergic skin reaction.<br>Suspected of damaging fertility.<br>Causes damage to organs through prolonged or repeated exposure.                                 |
| Protection of first-aiders                                  | : | First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8). |
| Notes to physician  | : | Treat symptomatically and supportively.   |
- 

### SECTION 5. FIRE-FIGHTING MEASURES

- |  |   |   |
|--|---|---|
| Suitable extinguishing media                   | : | Water spray<br>Alcohol-resistant foam<br>Carbon dioxide (CO <sub>2</sub> )<br>Dry chemical  |
| Unsuitable extinguishing media                 | : | None known.   |
| Specific hazards during fire fighting          | : | Exposure to combustion products may be a hazard to health.  |
| Hazardous combustion products                  | : | Carbon oxides   |
| Specific extinguishing methods                 | : | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.<br>Use water spray to cool unopened containers.<br>Remove undamaged containers from fire area if it is safe to do so.<br>Evacuate area. |
| Special protective equipment for fire-fighters | : | In the event of fire, wear self-contained breathing apparatus.<br>Use personal protective equipment.  |
- 

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- |   |   |   |
|---|---|---|
| Personal precautions, protective equipment and emergency procedures | : | Use personal protective equipment.<br>Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).  |
| Environmental precautions   | : | Avoid release to the environment.<br>Prevent further leakage or spillage if safe to do so.<br>Prevent spreading over a wide area (e.g., by containment or oil barriers).<br>Retain and dispose of contaminated wash water.<br>Local authorities should be advised if significant spillages cannot be contained. |
| Methods and materials for containment and cleaning up               | : | Soak up with inert absorbent material.<br>For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material  |
-

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Enrofloxacin (2.5%) Formulation

Version 6.0      Revision Date: 09/28/2024      SDS Number: 633909-00021      Date of last issue: 09/30/2023  
Date of first issue: 04/27/2016

can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### SECTION 7. HANDLING AND STORAGE

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Do not get on skin or clothing.  
Do not breathe mist or vapors.  
Do not swallow.  
Avoid contact with eyes.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Do not eat, drink or smoke when using this product.  
Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labeled containers.  
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents  
Self-reactive substances and mixtures  
Organic peroxides  
Explosives  
Gases

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Enrofloxacin	93106-60-6	TWA	0.2 mg/m <sup>3</sup> (OEB 2)	Internal

- Engineering measures** : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).  
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Enrofloxacin (2.5%) Formulation

Version 6.0      Revision Date: 09/28/2024      SDS Number: 633909-00021      Date of last issue: 09/30/2023  
Date of first issue: 04/27/2016

---

Laboratory operations do not require special containment.

### Personal protective equipment

- Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
- Filter type : Combined particulates and organic vapor type
- Hand protection  
Material : Chemical-resistant gloves
- Eye protection : Wear safety glasses with side shields or goggles.  
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.  
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
- Skin and body protection : Work uniform or laboratory coat.
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Contaminated work clothing should not be allowed out of the workplace.  
Wash contaminated clothing before re-use.  
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : liquid
- Color : No data available
- Odor : No data available
- Odor Threshold : No data available
- pH : No data available
- Melting point/freezing point : No data available
- Initial boiling point and boiling range : No data available
- Flash point : No data available
- Evaporation rate : No data available
- Flammability (solid, gas) : Not applicable
- Flammability (liquids) : No data available

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Enrofloxacin (2.5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
6.0	09/28/2024	633909-00021	Date of first issue: 04/27/2016

---

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : No data available

Density : No data available

Solubility(ies)  
Water solubility : No data available

Partition coefficient: n-octanol/water : Not applicable

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity  
Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Particle characteristics  
Particle size : Not applicable

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Can react with strong oxidizing agents.

Conditions to avoid : None known.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

---

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Inhalation  
Skin contact

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Enrofloxacin (2.5%) Formulation

Version 6.0      Revision Date: 09/28/2024      SDS Number: 633909-00021      Date of last issue: 09/30/2023  
Date of first issue: 04/27/2016

---

Ingestion  
Eye contact

### Acute toxicity

|| Not classified based on available information.

#### Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg  
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 2,000 mg/kg  
Method: Calculation method

### Components:

#### **Enrofloxacin:**

|| Acute oral toxicity : LD50 (Rabbit): 500 - 800 mg/kg

LD50 (Rat): > 5,000 mg/kg

LD50 (Mouse): > 5,000 mg/kg

|| Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

#### **Benzyl alcohol:**

|| Acute oral toxicity : LD50 (Rat): 1,200 mg/kg

|| Acute inhalation toxicity : LC50 (Rat): > 5.4 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Assessment: The substance or mixture has no acute inhalation toxicity

### **Skin corrosion/irritation**

|| Not classified based on available information.

#### Components:

#### **Enrofloxacin:**

|| Result : No skin irritation

#### **Benzyl alcohol:**

|| Species : Rabbit

|| Method : OECD Test Guideline 404

|| Result : No skin irritation

### **Serious eye damage/eye irritation**

|| Not classified based on available information.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Enrofloxacin (2.5%) Formulation

Version 6.0      Revision Date: 09/28/2024      SDS Number: 633909-00021      Date of last issue: 09/30/2023  
Date of first issue: 04/27/2016

---

### Components:

#### **Enrofloxacin:**

|| Result : Mild eye irritation

#### **Benzyl alcohol:**

|| Species : Rabbit  
|| Result : Irritation to eyes, reversing within 21 days  
|| Method : OECD Test Guideline 405

### **Respiratory or skin sensitization**

#### **Skin sensitization**

|| May cause an allergic skin reaction.

#### **Respiratory sensitization**

|| Not classified based on available information.

### Components:

#### **Enrofloxacin:**

|| Test Type : Maximization Test  
|| Routes of exposure : Dermal  
|| Species : Guinea pig  
|| Result : Not a skin sensitizer.

#### **Benzyl alcohol:**

|| Test Type : Human repeat insult patch test (HRIPT)  
|| Routes of exposure : Skin contact  
|| Species : Humans  
|| Result : positive

|| Assessment : Probability or evidence of low to moderate skin sensitization rate in humans

### **Germ cell mutagenicity**

|| Not classified based on available information.

### Components:

#### **Enrofloxacin:**

|| Genotoxicity in vitro : Test Type: Chromosomal aberration  
Result: positive

|| Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Result: negative

|| : Test Type: Mammalian bone marrow sister chromatid exchange  
Species: Hamster  
Result: negative



# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Enrofloxacin (2.5%) Formulation

Version 6.0      Revision Date: 09/28/2024      SDS Number: 633909-00021      Date of last issue: 09/30/2023  
Date of first issue: 04/27/2016

---

Test Type: Chromosomal aberration  
Species: Rat  
Result: negative

### **Benzyl alcohol:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo  
cytogenetic assay)  
Species: Mouse  
Application Route: Intraperitoneal injection  
Result: negative

### **Carcinogenicity**

Not classified based on available information.

### **Components:**

#### **Enrofloxacin:**

Species : Rat  
Application Route : Oral  
Exposure time : 2 Years  
Result : negative

Species : Mouse  
Application Route : Oral  
Exposure time : 2 Years  
Result : negative

#### **Benzyl alcohol:**

Species : Mouse  
Application Route : Ingestion  
Exposure time : 103 weeks  
Method : OECD Test Guideline 451  
Result : negative

### **Reproductive toxicity**

Suspected of damaging fertility.

### **Components:**

#### **Enrofloxacin:**

Effects on fertility : Test Type: Two-generation study  
Species: Rat  
Application Route: Oral  
Fertility: LOAEL: 15 mg/kg body weight  
Result: Effects on fertility., alteration in sperm morphology

Effects on fetal development : Test Type: Development  
Species: Rat

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Enrofloxacin (2.5%) Formulation

Version 6.0      Revision Date: 09/28/2024      SDS Number: 633909-00021      Date of last issue: 09/30/2023  
Date of first issue: 04/27/2016

---

Application Route: Oral  
Developmental Toxicity: LOAEL: 210 mg/kg body weight  
Result: Reduced fetal weight., No teratogenic effects.  
Remarks: Maternal toxicity observed.

Test Type: Development  
Species: Rabbit  
Application Route: Oral  
Developmental Toxicity: NOAEL: 25 mg/kg body weight  
Result: No fetotoxicity., No teratogenic effects.

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, based on animal experiments.

### **Benzyl alcohol:**

Effects on fertility : Test Type: Fertility/early embryonic development  
Species: Rat  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Mouse  
Application Route: Ingestion  
Result: negative

### **STOT-single exposure**

Not classified based on available information.

### **STOT-repeated exposure**

Causes damage to organs (cartilage, Testis) through prolonged or repeated exposure.

### **Components:**

#### **Enrofloxacin:**

Target Organs : cartilage, Testis  
Assessment : Causes damage to organs through prolonged or repeated exposure.

### **Repeated dose toxicity**

### **Components:**

#### **Enrofloxacin:**

Species : Rat  
NOAEL : 36 mg/kg  
LOAEL : 150 mg/kg  
Application Route : Oral  
Exposure time : 13 Weeks  
Target Organs : Testis

Species : Dog  
NOAEL : 3 mg/kg

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Enrofloxacin (2.5%) Formulation

Version 6.0      Revision Date: 09/28/2024      SDS Number: 633909-00021      Date of last issue: 09/30/2023  
Date of first issue: 04/27/2016

LOAEL : 9.6 mg/kg  
Application Route : Oral  
Exposure time : 13 Weeks  
Target Organs : cartilage

Species : Cat  
NOAEL : 25 mg/kg  
Application Route : Oral  
Exposure time : 30 Days  
Remarks : No significant adverse effects were reported

### Benzyl alcohol:

Species : Rat  
NOAEL : 1.072 mg/l  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 28 Days  
Method : OECD Test Guideline 412

### Aspiration toxicity

Not classified based on available information.

### Experience with human exposure

#### Components:

#### Enrofloxacin:

Ingestion : Symptoms: Gastrointestinal disturbance, central nervous system effects, Sensitivity to light

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

#### Enrofloxacin:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 79.5 mg/l  
Exposure time: 96 h  
  
LC50 (Oncorhynchus mykiss (rainbow trout)): > 196 mg/l  
Exposure time: 96 h  
  
LC50 (Oryzias latipes (Japanese medaka)): > 100 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Hyalella azteca (Amphipod)): > 206 mg/l  
Exposure time: 96 h  
  
EC50 (Daphnia magna (Water flea)): 79.9 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 3.1 mg/l

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Enrofloxacin (2.5%) Formulation

Version 6.0      Revision Date: 09/28/2024      SDS Number: 633909-00021      Date of last issue: 09/30/2023  
Date of first issue: 04/27/2016

Exposure time: 72 h

EC50 (Microcystis aeruginosa (blue-green algae)): 0.049 mg/l  
Exposure time: 5 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 9.8 mg/l  
Exposure time: 21 d

NOEC (Daphnia magna (Water flea)): 5 mg/l  
Exposure time: 21 d

LOEC (Daphnia magna (Water flea)): 15 mg/l  
Exposure time: 21 d

### **Benzyl alcohol:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 460 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 230 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 770 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 310 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 51 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211

### **Persistence and degradability**

#### **Components:**

#### **Benzyl alcohol:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 92 - 96 %  
Exposure time: 14 d

### **Bioaccumulative potential**

#### **Components:**

#### **Enrofloxacin:**

Partition coefficient: n-octanol/water : log Pow: 0.5

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Enrofloxacin (2.5%) Formulation

Version 6.0      Revision Date: 09/28/2024      SDS Number: 633909-00021      Date of last issue: 09/30/2023  
Date of first issue: 04/27/2016

---

### Benzyl alcohol:

Partition coefficient: n-octanol/water : log Pow: 1.05

### Mobility in soil

### Components:

### Enrofloxacin:

Distribution among environmental compartments : Koc: 5.55

### Other adverse effects

No data available

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.  
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
( )  
Class : 9  
Packing group : III  
Labels : 9  
Environmentally hazardous : yes

#### IATA-DGR

UN/ID No. : UN 3082  
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.  
( )  
Class : 9  
Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 964  
Packing instruction (passenger aircraft) : 964  
Environmentally hazardous : yes

#### IMDG-Code

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Enrofloxacin (2.5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
6.0	09/28/2024	633909-00021	Date of first issue: 04/27/2016

---

( )  
Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Domestic regulation

#### TDG

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
( )  
Class : 9  
Packing group : III  
Labels : 9  
ERG Code : 171  
Marine pollutant : yes()

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## SECTION 15. REGULATORY INFORMATION

### The ingredients of this product are reported in the following inventories:

AICS : not determined  
DSL : not determined  
IECSC : not determined

---

## SECTION 16. OTHER INFORMATION

### Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory con-

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Enrofloxacin (2.5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
6.0	09/28/2024	633909-00021	Date of first issue: 04/27/2016

---

centration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 09/28/2024  
Date format : mm/dd/yyyy

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8