

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Ertugliflozin / Metformin Formulation

Version 5.1 Revision Date: 09/30/2023 SDS Number: 590547-00019 Date of last issue: 04/04/2023
Date of first issue: 04/01/2016

SECTION 1. IDENTIFICATION

Product name : Ertugliflozin / Metformin Formulation
Other means of identification : No data available

Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc
Address : 126 E. Lincoln Avenue
Rahway, New Jersey U.S.A. 07065
Telephone : 908-740-4000
Emergency telephone : 1-908-423-6000
E-mail address : EHSDATASTEWARD@merck.com

Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical
Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Acute toxicity (Oral) : Category 4

GHS label elements

Hazard pictograms :



Signal Word : Warning

Hazard Statements : H302 Harmful if swallowed.

Precautionary Statements :

Prevention:

P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a doctor if you feel unwell. Rinse mouth.

Disposal:

P501 Dispose of contents and container to an approved waste disposal plant.

Other hazards

Dust contact with the eyes can lead to mechanical irritation.
Contact with dust can cause mechanical irritation or drying of the skin.
May form explosive dust-air mixture during processing, handling or other means.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Ertugliflozin / Metformin Formulation

Version 5.1 Revision Date: 09/30/2023 SDS Number: 590547-00019 Date of last issue: 04/04/2023
Date of first issue: 04/01/2016

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
metformin hydrochloride	No data available	1115-70-4	$\geq 60 - < 80$ *
Cellulose	No data available	9004-34-6	$\geq 10 - < 30$ *
Magnesium stearate	Octadecanoic acid, magnesium salt (2:1)	557-04-0	$\geq 1 - < 5$ *
Ertugliflozin	No data available	1210344-83-4	$\geq 0.1 - < 1$ *

* Actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.
Get medical attention if symptoms occur.
- In case of skin contact : Wash with water and soap.
Get medical attention if symptoms occur.
- In case of eye contact : If in eyes, rinse well with water.
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting unless directed to do so by medical personnel.
Get medical attention.
Rinse mouth thoroughly with water.
Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : Harmful if swallowed.
Contact with dust can cause mechanical irritation or drying of the skin.
Dust contact with the eyes can lead to mechanical irritation.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical
- Unsuitable extinguishing media : None known.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Ertugliflozin / Metformin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
5.1	09/30/2023	590547-00019	Date of first issue: 04/01/2016

- Specific hazards during fire fighting : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides
Nitrogen oxides (NO_x)
Metal oxides
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
- Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.
-

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.
-

SECTION 7. HANDLING AND STORAGE

- Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Do not breathe dust. Do not swallow.
-

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Ertugliflozin / Metformin Formulation

Version 5.1 Revision Date: 09/30/2023 SDS Number: 590547-00019 Date of last issue: 04/04/2023
Date of first issue: 04/01/2016

Avoid contact with eyes.
Avoid prolonged or repeated contact with skin.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Minimize dust generation and accumulation.
Keep container closed when not in use.
Keep away from heat and sources of ignition.
Take precautionary measures against static discharges.
Do not eat, drink or smoke when using this product.
Take care to prevent spills, waste and minimize release to the environment.

Conditions for safe storage : Keep in properly labeled containers.
Store in accordance with the particular national regulations.
Materials to avoid : Do not store with the following product types:
Strong oxidizing agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
metformin hydrochloride	1115-70-4	TWA	1 mg/m ³ (OEB 1)	Internal
Cellulose	9004-34-6	TWA	10 mg/m ³	CA AB OEL
		TWA (Total dust)	10 mg/m ³	CA BC OEL
		TWA (respirable dust fraction)	3 mg/m ³	CA BC OEL
		TWAEV (total dust)	10 mg/m ³	CA QC OEL
		TWA	10 mg/m ³	ACGIH
Magnesium stearate	557-04-0	TWA	10 mg/m ³	CA AB OEL
		TWAEV	10 mg/m ³	CA QC OEL
		TWA (Inhalable)	10 mg/m ³	CA BC OEL
		TWA (Respirable)	3 mg/m ³	CA BC OEL
		TWA (Inhalable particulate matter)	10 mg/m ³	ACGIH
		TWA (Respirable particulate matter)	3 mg/m ³	ACGIH
Ertugliflozin	1210344-83-4	TWA	10 µg/m ³ (OEB 3)	Internal
		Wipe limit	100 µg/100 cm ²	Internal

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Ertugliflozin / Metformin Formulation

Version 5.1 Revision Date: 09/30/2023 SDS Number: 590547-00019 Date of last issue: 04/04/2023
Date of first issue: 04/01/2016

Engineering measures : All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).
Minimize open handling.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : powder

Color : No data available

Odor : No data available

Odor Threshold : No data available

pH : No data available

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Ertugliflozin / Metformin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
5.1	09/30/2023	590547-00019	Date of first issue: 04/01/2016

Melting point/freezing point : No data available

Initial boiling point and boiling range : No data available

Flash point : Not applicable

Evaporation rate : Not applicable

Flammability (solid, gas) : May form explosive dust-air mixture during processing, handling or other means.

Flammability (liquids) : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapor pressure : Not applicable

Relative vapor density : Not applicable

Relative density : No data available

Density : No data available

Solubility(ies)
Water solubility : No data available

Partition coefficient: n-octanol/water : Not applicable

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity
Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Particle size : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.
Chemical stability : Stable under normal conditions.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Ertugliflozin / Metformin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
5.1	09/30/2023	590547-00019	Date of first issue: 04/01/2016

Possibility of hazardous reactions	:	May form explosive dust-air mixture during processing, handling or other means. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks. Avoid dust formation.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Harmful if swallowed.

Product:

Acute oral toxicity : Acute toxicity estimate: 1,337 mg/kg
Method: Calculation method

Components:

metformin hydrochloride:

Acute oral toxicity : LD50 (Rat): 1,000 mg/kg
LD50 (Mouse): 1,450 - 3,500 mg/kg
LD50 (Monkey): 463 mg/kg
LD50 (Rabbit): 350 mg/kg
LD50 (Guinea pig): 500 mg/kg

Cellulose:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity : LC50 (Rat): > 5.8 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Magnesium stearate:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 423
Assessment: The substance or mixture has no acute oral toxicity

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Ertugliflozin / Metformin Formulation

Version 5.1 Revision Date: 09/30/2023 SDS Number: 590547-00019 Date of last issue: 04/04/2023
Date of first issue: 04/01/2016

Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Remarks: Based on data from similar materials

Ertugliflozin:

Acute oral toxicity : LD50 (Rat): 500 mg/kg
Acute inhalation toxicity : Remarks: No data available
Acute dermal toxicity : Remarks: No data available

Skin corrosion/irritation

Not classified based on available information.

Components:

metformin hydrochloride:

Species : Rabbit
Result : Mild skin irritation

Magnesium stearate:

Species : Rabbit
Result : No skin irritation
Remarks : Based on data from similar materials

Ertugliflozin:

Result : Corrosive

Serious eye damage/eye irritation

Not classified based on available information.

Components:

metformin hydrochloride:

Species : Rabbit
Result : Mild eye irritation

Magnesium stearate:

Species : Rabbit
Result : No eye irritation
Remarks : Based on data from similar materials

Ertugliflozin:

Result : Severe irritation

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Ertugliflozin / Metformin Formulation

Version 5.1 Revision Date: 09/30/2023 SDS Number: 590547-00019 Date of last issue: 04/04/2023
Date of first issue: 04/01/2016

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Components:

Magnesium stearate:

Test Type : Maximization Test
Routes of exposure : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : negative
Remarks : Based on data from similar materials

Ertugliflozin:

Test Type : Local lymph node assay (LLNA)
Result : Not a skin sensitizer.

Germ cell mutagenicity

Not classified based on available information.

Components:

metformin hydrochloride:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: in vitro test
Test system: mouse lymphoma cells
Result: negative

Test Type: Chromosomal aberration
Test system: Human lymphocytes
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Application Route: Oral
Result: negative

Cellulose:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Ertugliflozin / Metformin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
5.1	09/30/2023	590547-00019	Date of first issue: 04/01/2016

Species: Mouse
Application Route: Ingestion
Result: negative

Magnesium stearate:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test
Result: negative
Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: negative
Remarks: Based on data from similar materials

Test Type: Bacterial reverse mutation assay (AMES)
Result: negative
Remarks: Based on data from similar materials

Ertugliflozin:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: Chromosome aberration test in vitro
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Rat
Result: negative

Carcinogenicity

Not classified based on available information.

Components:

metformin hydrochloride:

Species : Mouse
Exposure time : 91 weeks
Dose : 1500 mg/kg body weight
Result : negative

Species : Rat, male
Application Route : Oral
Exposure time : 104 weeks
Dose : 900 mg/kg body weight
Result : negative

Species : Rat, female
Application Route : Oral
Exposure time : 104 weeks
LOAEL : 900 mg/kg body weight
Result : negative

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Ertugliflozin / Metformin Formulation

Version 5.1 Revision Date: 09/30/2023 SDS Number: 590547-00019 Date of last issue: 04/04/2023
Date of first issue: 04/01/2016

Target Organs : Uterus (including cervix)
Remarks : The mechanism or mode of action may not be relevant in humans.

Cellulose:

Species : Rat
Application Route : Ingestion
Exposure time : 72 weeks
Result : negative

Ertugliflozin:

Species : Mouse
Application Route : Oral
Exposure time : 2 Years
Result : negative

Species : Rat
Application Route : Oral
Exposure time : 2 Years
Result : negative

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

Reproductive toxicity

Not classified based on available information.

Components:

metformin hydrochloride:

Effects on fertility : Test Type: Fertility
Species: Rat
Application Route: Oral
Fertility: NOAEL: 600 mg/kg body weight
Result: No effects on fertility.

Effects on fetal development : Test Type: Development
Species: Rat
Application Route: Oral
Developmental Toxicity: NOAEL: 600 mg/kg body weight
Result: No teratogenic effects.

Test Type: Embryo-fetal development
Species: Rabbit
Application Route: Oral
Embryo-fetal toxicity.: NOAEL: 140 mg/kg body weight
Result: No teratogenic effects.

Cellulose:

Effects on fertility : Test Type: One-generation reproduction toxicity study
Species: Rat

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Ertugliflozin / Metformin Formulation

Version 5.1 Revision Date: 09/30/2023 SDS Number: 590547-00019 Date of last issue: 04/04/2023
Date of first issue: 04/01/2016

Application Route: Ingestion
Result: negative

Effects on fetal development : Test Type: Fertility/early embryonic development
Species: Rat
Application Route: Ingestion
Result: negative

Magnesium stearate:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 422
Result: negative
Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat
Application Route: Ingestion
Result: negative
Remarks: Based on data from similar materials

Ertugliflozin:

Effects on fertility : Test Type: Fertility/early embryonic development
Species: Rat
Application Route: Oral
Fertility: NOAEL: 250 mg/kg body weight
Remarks: Maternal toxicity observed.
No significant adverse effects were reported

Test Type: Fertility/early embryonic development
Species: Rabbit
Application Route: Oral
Fertility: NOAEL: 200 mg/kg body weight
Remarks: No significant adverse effects were reported

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat
Application Route: Oral
Developmental Toxicity: NOAEL: 50 mg/kg body weight
Remarks: Adverse developmental effects were observed

Test Type: Embryo-fetal development
Species: Rabbit
Application Route: Oral
Developmental Toxicity: NOAEL: 250 mg/kg body weight
Remarks: No significant adverse effects were reported

STOT-single exposure

Not classified based on available information.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Ertugliflozin / Metformin Formulation

Version 5.1 Revision Date: 09/30/2023 SDS Number: 590547-00019 Date of last issue: 04/04/2023
Date of first issue: 04/01/2016

STOT-repeated exposure

Not classified based on available information.

Components:

Ertugliflozin:

Routes of exposure : Oral
Target Organs : Kidney, Stomach, Prostate
Assessment : May cause damage to organs through prolonged or repeated exposure.

Repeated dose toxicity

Components:

metformin hydrochloride:

Species : Rat
NOAEL : 125 mg/kg
Application Route : Oral
Exposure time : 1 year
Remarks : No significant adverse effects were reported

Species : Rabbit
NOAEL : 100 mg/kg
Application Route : Oral
Exposure time : 1 Year
Remarks : No significant adverse effects were reported

Species : Dog
NOAEL : 50 mg/kg
Application Route : Subcutaneous
Exposure time : 2 year
Remarks : No significant adverse effects were reported

Cellulose:

Species : Rat
NOAEL : $\geq 9,000$ mg/kg
Application Route : Ingestion
Exposure time : 90 Days

Magnesium stearate:

Species : Rat
NOAEL : > 100 mg/kg
Application Route : Ingestion
Exposure time : 90 Days
Remarks : Based on data from similar materials

Ertugliflozin:

Species : Rat
LOAEL : 500 mg/kg
Application Route : Oral

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Ertugliflozin / Metformin Formulation

Version 5.1 Revision Date: 09/30/2023 SDS Number: 590547-00019 Date of last issue: 04/04/2023
Date of first issue: 04/01/2016

Exposure time : 30 d

Species : Rat
LOAEL : 250 mg/kg
Application Route : Oral
Exposure time : 30 d
Target Organs : Kidney

Species : Rat
LOAEL : 25 mg/kg
Application Route : Oral
Exposure time : 180 d
Target Organs : Kidney, Bone, Stomach

Species : Rat
LOAEL : 25 mg/kg
Exposure time : 90 d
Target Organs : Kidney, Gastrointestinal tract, Prostate

Species : Dog
NOAEL : 150 mg/kg
Application Route : Oral
Exposure time : 270 d
Remarks : No significant adverse effects were reported

Species : Mouse
NOAEL : 100 mg/kg
Application Route : Oral
Exposure time : 90 d
Remarks : No significant adverse effects were reported

Species : Mouse
NOAEL : 100 mg/kg
Application Route : Oral
Exposure time : 28 d
Target Organs : Bone
Remarks : No significant adverse effects were reported

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

metformin hydrochloride:

Skin contact : Remarks: May irritate skin.
Eye contact : Remarks: May irritate eyes.
Ingestion : Symptoms: Diarrhea, Nausea, Vomiting, Gastrointestinal discomfort, flatulence, asthenia, Fatigue, Headache

Ertugliflozin:

Ingestion : Symptoms: The most common side effects are:, Headache, constipation, Diarrhea, Nausea, urinary tract infection, muscle

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Ertugliflozin / Metformin Formulation

Version 5.1 Revision Date: 09/30/2023 SDS Number: 590547-00019 Date of last issue: 04/04/2023
Date of first issue: 04/01/2016

pain, upper respiratory tract infection

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

metformin hydrochloride:

- Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- NOEC (Pseudokirchneriella subcapitata (green algae)): 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 10 mg/l
Exposure time: 33 d
Method: OECD Test Guideline 210
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 40 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211
- Toxicity to microorganisms : EC50: > 1,000 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

Cellulose:

- Toxicity to fish : LC50 (Oryzias latipes (Japanese medaka)): > 100 mg/l
Exposure time: 48 h
Remarks: Based on data from similar materials

Magnesium stearate:

- Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 100 mg/l
Exposure time: 48 h
Method: DIN 38412
Remarks: Based on data from similar materials
- Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): > 1 mg/l
Exposure time: 47 h
Test substance: Water Accommodated Fraction
Method: Directive 67/548/EEC, Annex V, C.2.
Remarks: Based on data from similar materials
No toxicity at the limit of solubility.
- Toxicity to algae/aquatic plants : EL50 (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Ertugliflozin / Metformin Formulation

Version 5.1 Revision Date: 09/30/2023 SDS Number: 590547-00019 Date of last issue: 04/04/2023
Date of first issue: 04/01/2016

Exposure time: 72 h
Test substance: Water Accommodated Fraction
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials
No toxicity at the limit of solubility.

NOELR (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l

Exposure time: 72 h
Test substance: Water Accommodated Fraction
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

Toxicity to microorganisms : EC10 (Pseudomonas putida): > 100 mg/l
Exposure time: 16 h
Test substance: Water Accommodated Fraction
Remarks: Based on data from similar materials

Ertugliflozin:

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 77 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 50 mg/l

Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 1 mg/l
Exposure time: 32 d
Method: OECD Test Guideline 210
Remarks: No toxicity at the limit of solubility.

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 2.14 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211
Remarks: No toxicity at the limit of solubility.

Toxicity to microorganisms : EC50: > 1,000 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

NOEC: 1,000 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

Persistence and degradability

Components:

metformin hydrochloride:

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Ertugliflozin / Metformin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
5.1	09/30/2023	590547-00019	Date of first issue: 04/01/2016

Biodegradability : Result: rapidly degradable
Biodegradation: 50 %
Exposure time: 2 hrs

Cellulose:

Biodegradability : Result: Readily biodegradable.

Magnesium stearate:

Biodegradability : Result: Not biodegradable
Remarks: Based on data from similar materials

Ertugliflozin:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 40.8 %
Exposure time: 28 d

Bioaccumulative potential

Components:

metformin hydrochloride:

Partition coefficient: n-octanol/water : log Pow: -2

Magnesium stearate:

Partition coefficient: n-octanol/water : log Pow: > 4

Ertugliflozin:

Partition coefficient: n-octanol/water : log Pow: 2.47

Mobility in soil

Components:

metformin hydrochloride:

Distribution among environmental compartments : log Koc: 4.3
Method: OECD Test Guideline 106

Ertugliflozin:

Distribution among environmental compartments : log Koc: 2.88

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Ertugliflozin / Metformin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
5.1	09/30/2023	590547-00019	Date of first issue: 04/01/2016

Contaminated packaging : Dispose of in accordance with local regulations.
: Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

TDG

Not regulated as a dangerous good

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION

The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
CA AB OEL : Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
CA BC OEL : Canada. British Columbia OEL
CA QC OEL : Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
ACGIH / TWA : 8-hour, time-weighted average
CA AB OEL / TWA : 8-hour Occupational exposure limit
CA BC OEL / TWA : 8-hour time weighted average
CA QC OEL / TWAEV : Time-weighted average exposure value

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Ertugliflozin / Metformin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
5.1	09/30/2023	590547-00019	Date of first issue: 04/01/2016

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 09/30/2023
Date format : mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8