

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Fluralaner / Diethyltoluamide Liquid Formulation

Version 10.0      Revision Date: 07/06/2024      SDS Number: 412175-00026      Date of last issue: 04/06/2024  
Date of first issue: 01/15/2016

### SECTION 1. IDENTIFICATION

Product name : Fluralaner / Diethyltoluamide Liquid Formulation  
Other means of identification : BRAVECTO SPOT-ON (A011261)  
BRAVECTO 1000 MG FLURALANER SPOT-ON SOLUTION FOR LARGE DOGS (82794)  
BRAVECTO 112.5 MG FLURALANER SPOT-ON SOLUTION FOR SMALL CATS (82807)  
BRAVECTO 112.5 MG FLURALANER SPOT-ON SOLUTION FOR VERY SMALL DOGS (82798)  
BRAVECTO 1400 MG FLURALANER SPOT-ON SOLUTION FOR VERY LARGE DOGS (82795)  
BRAVECTO 250 MG FLURALANER SPOT-ON SOLUTION FOR MEDIUM CATS (82806)  
BRAVECTO 250 MG FLURALANER SPOT-ON SOLUTION FOR SMALL DOGS (82797)  
BRAVECTO 500 MG FLURALANER SPOT-ON SOLUTION FOR LARGE CATS (82804)  
BRAVECTO 500 MG FLURALANER SPOT-ON SOLUTION FOR MEDIUM DOGS (82796)

#### Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc  
Address : 126 E. Lincoln Avenue  
Rahway, New Jersey U.S.A. 07065  
Telephone : 908-740-4000  
Emergency telephone : 1-908-423-6000  
E-mail address : EHSDATASTEWARD@merck.com

#### Recommended use of the chemical and restrictions on use



Recommended use : Veterinary product  
Restrictions on use : Not applicable

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the Hazardous Products Regulations

Flammable liquids : Category 2  
Reproductive toxicity : Category 1B

#### GHS label elements

Hazard pictograms :  

Signal Word : Danger

Hazard Statements : H225 Highly flammable liquid and vapor.  
H360D May damage the unborn child.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Fluralaner / Diethyltoluamide Liquid Formulation

Version 10.0      Revision Date: 07/06/2024      SDS Number: 412175-00026      Date of last issue: 04/06/2024  
Date of first issue: 01/15/2016

### Precautionary Statements

:

#### Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P280 Wear protective gloves, protective clothing, eye protection and face protection.

#### Response:

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

P308 + P313 IF exposed or concerned: Get medical attention.

#### Storage:

P405 Store locked up.

#### Disposal:

P501 Dispose of contents and container to an approved waste disposal plant.

### Other hazards

Vapors may form explosive mixture with air.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
N,N-Dimethylacetamide	Acetamide, N,N-dimethyl-	127-19-5	$\geq 30 - < 60$ *
Fluralaner	No data available	864731-61-3	$\geq 10 - < 30$ *
Poly(oxy-1,2-ethanediyl), $\alpha$ -[(tetrahydro-2-furanyl)methyl]- $\omega$ -hydroxy-	Reaction products of tetrahydrofurfuryl alcohol with ethylene oxide	31692-85-0	$\geq 10 - < 30$ *
N,N-Diethyl-m-toluamide	Benzamide, N,N-diethyl-3-methyl-	134-62-3	$\geq 10 - < 30$ *
Acetone	2-Propanone	67-64-1	$\geq 10 - < 30$ *

\* Actual concentration or concentration range is withheld as a trade secret

## SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Fluralaner / Diethyltoluamide Liquid Formulation

Version 10.0      Revision Date: 07/06/2024      SDS Number: 412175-00026      Date of last issue: 04/06/2024  
Date of first issue: 01/15/2016

---

- advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : Flush eyes with water as a precaution.  
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.  
If vomiting occurs have person lean forward.  
Call a physician or poison control center immediately.  
Rinse mouth thoroughly with water.  
Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : May damage the unborn child.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.
- 

### SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire fighting : Do not use a solid water stream as it may scatter and spread fire.  
Flash back possible over considerable distance.  
Vapors may form explosive mixtures with air.  
Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides  
Chlorine compounds  
Fluorine compounds  
Nitrogen oxides (NO<sub>x</sub>)
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.
- Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.
-

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Fluralaner / Diethyltoluamide Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/06/2024
10.0	07/06/2024	412175-00026	Date of first issue: 01/15/2016

---

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Remove all sources of ignition.  
Ventilate the area.  
Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g., by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Non-sparking tools should be used.  
Soak up with inert absorbent material.  
Suppress (knock down) gases/vapors/mists with a water spray jet.  
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

---

### SECTION 7. HANDLING AND STORAGE

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.  
Use explosion-proof electrical, ventilating and lighting equipment.
- Advice on safe handling : Do not get on skin or clothing.  
Do not breathe vapors or spray mist.  
Do not swallow.  
Avoid contact with eyes.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Non-sparking tools should be used.  
Keep container tightly closed.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Fluralaner / Diethyltoluamide Liquid Formulation

Version 10.0      Revision Date: 07/06/2024      SDS Number: 412175-00026      Date of last issue: 04/06/2024  
Date of first issue: 01/15/2016

- Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
Take precautionary measures against static discharges.  
Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labeled containers.  
Store locked up.  
Keep tightly closed.  
Keep in a cool, well-ventilated place.  
Store in accordance with the particular national regulations.  
Keep away from heat and sources of ignition.
- Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents  
Self-reactive substances and mixtures  
Organic peroxides  
Flammable solids  
Pyrophoric liquids  
Pyrophoric solids  
Self-heating substances and mixtures  
Substances and mixtures which in contact with water emit flammable gases  
Explosives  
Gases  
Very acutely toxic substances and mixtures

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
N,N-Dimethylacetamide	127-19-5	TWA	10 ppm 36 mg/m <sup>3</sup>	CA AB OEL
		TWA	10 ppm	CA BC OEL
		TWAEV	10 ppm 36 mg/m <sup>3</sup>	CA QC OEL
		TWA	10 ppm	ACGIH
Fluralaner	864731-61-3	TWA	100 µg/m <sup>3</sup> (OEB 2)	Internal
		Further information: Skin		
Acetone	67-64-1	Wipe limit	1000 µg/100 cm <sup>2</sup>	Internal
		TWA	500 ppm 1,200 mg/m <sup>3</sup>	CA AB OEL
		STEL	750 ppm 1,800 mg/m <sup>3</sup>	CA AB OEL
		TWA	250 ppm	CA BC OEL
		STEL	500 ppm	CA BC OEL
		TWAEV	250 ppm	CA QC OEL
		STEV	500 ppm	CA QC OEL
TWA	250 ppm	ACGIH		

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Fluralaner / Diethyltoluamide Liquid Formulation

Version 10.0      Revision Date: 07/06/2024      SDS Number: 412175-00026      Date of last issue: 04/06/2024  
Date of first issue: 01/15/2016

		STEL	500 ppm	ACGIH
--	--	------	---------	-------

### Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
N,N-Dimethylacetamide	127-19-5	N-Methylacetamide	Urine	End of shift at end of work-week	30 mg/g creatinine	ACGIH BEI
Acetone	67-64-1	Acetone	Urine	End of shift (As soon as possible after exposure ceases)	25 mg/l	ACGIH BEI

**Engineering measures** : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).  
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.  
Laboratory operations do not require special containment.  
Use explosion-proof electrical, ventilating and lighting equipment.

### Personal protective equipment

**Respiratory protection** : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.  
**Filter type** : Self-contained breathing apparatus  
**Hand protection**  
**Material** : Chemical-resistant gloves  
**Remarks** : Take note that the product is flammable, which may impact the selection of hand protection.  
**Eye protection** : Wear safety glasses with side shields or goggles.  
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.  
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.  
**Skin and body protection** : Work uniform or laboratory coat.  
**Hygiene measures** : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Fluralaner / Diethyltoluamide Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/06/2024
10.0	07/06/2024	412175-00026	Date of first issue: 01/15/2016

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Color	:	yellow
Odor	:	No data available
Odor Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	103 °C
Flash point	:	7 °C
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	67 hPa (20 °C)
Relative vapor density	:	No data available
Relative density	:	No data available
Density	:	1.059 g/cm <sup>3</sup>
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Fluralaner / Diethyltoluamide Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/06/2024
10.0	07/06/2024	412175-00026	Date of first issue: 01/15/2016

---

Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics	:	
Particle size	:	Not applicable

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Highly flammable liquid and vapor. Vapors may form explosive mixture with air. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

---

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Inhalation  
Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Not classified based on available information.

#### Product:

Acute oral toxicity	:	LD50 (Rat): > 2,000 mg/kg Remarks: No mortality observed at this dose.
Acute inhalation toxicity	:	Acute toxicity estimate: > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method
Acute dermal toxicity	:	LD50 (Rat): > 2,000 mg/kg Symptoms: Erythema



# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Fluralaner / Diethyltoluamide Liquid Formulation

Version 10.0      Revision Date: 07/06/2024      SDS Number: 412175-00026      Date of last issue: 04/06/2024  
Date of first issue: 01/15/2016

### Components:

#### **N,N-Dimethylacetamide:**

Acute oral toxicity : LD50 (Rat): 4,800 mg/kg

Acute inhalation toxicity : LC50 (Rat): 2.2 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute dermal toxicity : Acute toxicity estimate: 1,100 mg/kg  
Method: Expert judgment  
Remarks: Based on national or regional regulation.

#### **Fluralaner:**

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Remarks: No mortality observed at this dose.  
No significant adverse effects were reported

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Remarks: No significant adverse effects were reported

#### **Poly(oxy-1,2-ethanediyl), $\alpha$ -[(tetrahydro-2-furanyl)methyl]- $\omega$ -hydroxy-:**

Acute oral toxicity : LD50 (Rat, female): > 2,000 mg/kg  
Method: OECD Test Guideline 423  
Remarks: Based on data from similar materials

#### **N,N-Diethyl-m-toluamide:**

Acute oral toxicity : LD50 (Rat): 1,892 mg/kg

Acute inhalation toxicity : LC50 (Rat): 5.95 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): 5,000 mg/kg

#### **Acetone:**

Acute oral toxicity : LD50 (Rat): 5,800 mg/kg

Acute inhalation toxicity : LC50 (Rat): 76 mg/l  
Exposure time: 4 h  
Test atmosphere: vapor

Acute dermal toxicity : LD50 (Rabbit): 7,426 mg/kg

#### **Skin corrosion/irritation**

Not classified based on available information.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Fluralaner / Diethyltoluamide Liquid Formulation

Version 10.0      Revision Date: 07/06/2024      SDS Number: 412175-00026      Date of last issue: 04/06/2024  
Date of first issue: 01/15/2016

---

### **Product:**

Species : Rabbit  
Result : No skin irritation

### **Components:**

#### **N,N-Dimethylacetamide:**

Species : Rabbit  
Result : No skin irritation

#### **Fluralaner:**

Species : Rabbit  
Result : No skin irritation

#### **Poly(oxy-1,2-ethanediyl), $\alpha$ -[(tetrahydro-2-furanyl)methyl]- $\omega$ -hydroxy-:**

Species : reconstructed human epidermis (RhE)  
Method : OECD Test Guideline 439  
Remarks : Based on data from similar materials

Result : No skin irritation

#### **N,N-Diethyl-m-toluamide:**

Species : Rabbit  
Result : No skin irritation

#### **Acetone:**

Assessment : Repeated exposure may cause skin dryness or cracking.

### **Serious eye damage/eye irritation**

Not classified based on available information.

### **Product:**

Species : Rabbit  
Result : Mild eye irritation

### **Components:**

#### **N,N-Dimethylacetamide:**

Species : Rabbit  
Result : Irritation to eyes, reversing within 21 days

#### **Fluralaner:**

Species : Rabbit  
Result : Mild eye irritation

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Fluralaner / Diethyltoluamide Liquid Formulation

Version 10.0      Revision Date: 07/06/2024      SDS Number: 412175-00026      Date of last issue: 04/06/2024  
Date of first issue: 01/15/2016

### **Poly(oxy-1,2-ethanediyl), $\alpha$ -[(tetrahydro-2-furanyl)methyl]- $\omega$ -hydroxy-:**

Species : Tissue Culture  
Method : OECD Test Guideline 492  
Remarks : Based on data from similar materials

Species : Bovine cornea  
Method : OECD Test Guideline 437  
Remarks : Based on data from similar materials

Result : Irritation to eyes, reversing within 21 days

### **N,N-Diethyl-m-toluamide:**

Species : Rabbit  
Result : Irritation to eyes, reversing within 21 days  
Remarks : Based on national or regional regulation.

### **Acetone:**

Species : Rabbit  
Result : Irritation to eyes, reversing within 21 days  
Method : OECD Test Guideline 405

### **Respiratory or skin sensitization**

#### **Skin sensitization**

Not classified based on available information.

#### **Respiratory sensitization**

Not classified based on available information.

### **Product:**

Test Type : Maximization Test  
Routes of exposure : Dermal  
Species : Guinea pig  
Result : Not a skin sensitizer.

### **Components:**

#### **N,N-Dimethylacetamide:**

Routes of exposure : Skin contact  
Species : Guinea pig  
Result : negative

#### **Fluralaner:**

Test Type : Maximization Test  
Routes of exposure : Dermal  
Species : Guinea pig  
Result : Not a skin sensitizer.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Fluralaner / Diethyltoluamide Liquid Formulation

Version 10.0      Revision Date: 07/06/2024      SDS Number: 412175-00026      Date of last issue: 04/06/2024  
Date of first issue: 01/15/2016

### **Poly(oxy-1,2-ethanediyl), $\alpha$ -[(tetrahydro-2-furanyl)methyl]- $\omega$ -hydroxy-:**

Test Type : KeratinoSens assay  
Method : OECD Test Guideline 442D  
Result : negative  
Remarks : Based on data from similar materials

Test Type : Direct Peptide Reactivity Assay (DPRA)  
Method : OECD Test Guideline 442C  
Result : positive  
Remarks : Based on data from similar materials

Test Type : Dendritic cell activation test  
Method : OECD Test Guideline 442E  
Result : negative  
Remarks : Based on data from similar materials

### **Acetone:**

Test Type : Maximization Test  
Routes of exposure : Skin contact  
Species : Guinea pig  
Result : negative

### **Germ cell mutagenicity**

Not classified based on available information.

### **Components:**

#### **N,N-Dimethylacetamide:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Genotoxicity in vivo : Test Type: Rodent dominant lethal test (germ cell) (in vivo)  
Species: Rat  
Application Route: Inhalation  
Method: OECD Test Guideline 478  
Result: negative

#### **Fluralaner:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: Mouse Lymphoma  
Result: negative

Test Type: Chromosomal aberration  
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Cell type: Bone marrow

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Fluralaner / Diethyltoluamide Liquid Formulation

Version 10.0      Revision Date: 07/06/2024      SDS Number: 412175-00026      Date of last issue: 04/06/2024  
Date of first issue: 01/15/2016

Application Route: Oral  
Result: negative

### **Poly(oxy-1,2-ethanediyl), $\alpha$ -[(tetrahydro-2-furanyl)methyl]- $\omega$ -hydroxy-**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative  
Remarks: Based on data from similar materials

### **N,N-Diethyl-m-toluamide:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

### **Acetone:**

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Ingestion  
Result: negative

### **Carcinogenicity**

Not classified based on available information.

### **Components:**

#### **N,N-Dimethylacetamide:**

Species : Rat  
Application Route : inhalation (vapor)  
Exposure time : 18 month(s)  
Result : negative

#### **Fluralaner:**

Carcinogenicity - Assessment : No data available

#### **N,N-Diethyl-m-toluamide:**

Species : Rat  
Application Route : Ingestion  
Exposure time : 104 weeks

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Fluralaner / Diethyltoluamide Liquid Formulation

Version 10.0      Revision Date: 07/06/2024      SDS Number: 412175-00026      Date of last issue: 04/06/2024  
Date of first issue: 01/15/2016

|| Result : negative

### Acetone:

|| Species : Mouse  
|| Application Route : Skin contact  
|| Exposure time : 424 days  
|| Result : negative

### Reproductive toxicity

May damage the unborn child.

### Components:

#### N,N-Dimethylacetamide:

|| Effects on fertility : Test Type: One-generation reproduction toxicity study  
Species: Rat  
Application Route: Inhalation  
Result: negative

|| Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Inhalation  
Result: positive

|| Reproductive toxicity - Assessment : Clear evidence of adverse effects on development, based on animal experiments.

#### Fluralaner:

|| Effects on fertility : Test Type: Two-generation study  
Species: Rat  
Application Route: Oral  
General Toxicity Parent: NOAEL: 50 mg/kg body weight  
General Toxicity F1: LOAEL: 100 mg/kg body weight  
Result: No effects on fertility., Postimplantation loss., Adverse neonatal effects.

|| Test Type: One-generation reproduction toxicity study  
Species: Dog  
Application Route: Oral  
Fertility: NOAEL: 75 mg/kg body weight  
Result: No effects on fertility and early embryonic development were detected.  
Remarks: No significant adverse effects were reported

|| Effects on fetal development : Test Type: Development  
Species: Rat  
Application Route: Oral  
Developmental Toxicity: NOAEL: 100 mg/kg body weight  
Result: Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses, No teratogenic effects.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Fluralaner / Diethyltoluamide Liquid Formula-tion

Version 10.0      Revision Date: 07/06/2024      SDS Number: 412175-00026      Date of last issue: 04/06/2024  
Date of first issue: 01/15/2016

Test Type: Development  
Species: Rabbit  
Application Route: Oral  
Developmental Toxicity: NOAEL: 10 mg/kg body weight  
Result: Skeletal malformations., Visceral malformations.  
Remarks: Maternal toxicity observed.

Test Type: Development  
Species: Rabbit  
Application Route: Dermal  
Developmental Toxicity: NOAEL: 100 mg/kg body weight  
Result: Skeletal malformations.

Reproductive toxicity - Assessment : Suspected of damaging the unborn child.

### **N,N-Diethyl-m-toluamide:**

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative

### **Acetone:**

Effects on fertility : Test Type: One-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: inhalation (vapor)  
Result: negative

### **STOT-single exposure**

Not classified based on available information.

### **Components:**

#### **Acetone:**

Assessment : May cause drowsiness or dizziness.

### **STOT-repeated exposure**

Not classified based on available information.

### **Repeated dose toxicity**

### **Components:**

#### **N,N-Dimethylacetamide:**

Species : Rat  
NOAEL : 90 mg/m<sup>3</sup>

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Fluralaner / Diethyltoluamide Liquid Formulation

Version 10.0      Revision Date: 07/06/2024      SDS Number: 412175-00026      Date of last issue: 04/06/2024  
Date of first issue: 01/15/2016

---

|| LOAEL : 360 mg/m<sup>3</sup>  
|| Application Route : inhalation (vapor)  
|| Exposure time : 24 Months

### Fluralaner:

|| Species : Dog  
|| NOAEL : 1 mg/kg  
|| Application Route : Oral  
|| Exposure time : 52 Weeks  
|| Target Organs : Liver  
|| Remarks : No significant adverse effects were reported

|| Species : Juvenile dog  
|| LOAEL : 56 - 280 mg/kg  
|| Application Route : Oral  
|| Exposure time : 24 Weeks  
|| Symptoms : Diarrhea

|| Species : Rat  
|| LOAEL : 400 mg/kg  
|| Application Route : Oral  
|| Exposure time : 90 Days  
|| Target Organs : Liver, thymus gland

|| Species : Rat  
|| NOAEL : 500 mg/kg  
|| Application Route : Dermal  
|| Exposure time : 90 Days  
|| Target Organs : Liver  
|| Remarks : No significant adverse effects were reported

### Acetone:

|| Species : Rat  
|| NOAEL : 900 mg/kg  
|| LOAEL : 1,700 mg/kg  
|| Application Route : Ingestion  
|| Exposure time : 90 Days

|| Species : Rat  
|| NOAEL : 45 mg/l  
|| Application Route : inhalation (vapor)  
|| Exposure time : 8 Weeks

### Aspiration toxicity

Not classified based on available information.

### Components:

#### Fluralaner:

|| Not applicable



# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Fluralaner / Diethyltoluamide Liquid Formulation

Version 10.0      Revision Date: 07/06/2024      SDS Number: 412175-00026      Date of last issue: 04/06/2024  
Date of first issue: 01/15/2016

### Acetone:

|| The substance or mixture causes concern owing to the assumption that it causes a human aspiration toxicity hazard.

### Experience with human exposure

#### Product:

Skin contact : Remarks: May irritate skin.  
Eye contact : Remarks: May cause eye irritation.

#### Components:

##### Fluralaner:

|| Skin contact : Remarks: May irritate skin.  
|| Eye contact : Remarks: May cause eye irritation.

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

##### N,N-Dimethylacetamide:

|| Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 500 mg/l  
Exposure time: 96 h

|| Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 500 mg/l  
Exposure time: 48 h  
Method: Directive 67/548/EEC, Annex V, C.2.

|| Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): > 500 mg/l  
Exposure time: 72 h

|| : EC10 (Desmodesmus subspicatus (green algae)): > 500 mg/l  
Exposure time: 72 h

|| Toxicity to microorganisms : EC10: > 1,995 mg/l  
Exposure time: 30 min

##### Fluralaner:

|| Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 0.0488 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
Remarks: No toxicity at the limit of solubility.

|| Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 0.015 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
Remarks: No toxicity at the limit of solubility.

|| Toxicity to algae/aquatic : NOEC (Pseudokirchneriella subcapitata (green algae)): >=

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Fluralaner / Diethyltoluamide Liquid Formulation

Version 10.0      Revision Date: 07/06/2024      SDS Number: 412175-00026      Date of last issue: 04/06/2024  
Date of first issue: 01/15/2016

plants	0.08 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: No toxicity at the limit of solubility.
Toxicity to fish (Chronic toxicity)	: NOEC (Zebrafish): $\geq$ 0.049 mg/l Exposure time: 21 d Method: OECD Test Guideline 204 Remarks: No toxicity at the limit of solubility.
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 0.0736 $\mu$ g/l Exposure time: 21 d Method: OECD Test Guideline 211

### **Poly(oxy-1,2-ethanediyl), $\alpha$ -[(tetrahydro-2-furanyl)methyl]- $\omega$ -hydroxy-**

Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	: EC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
	EC10 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials

### **N,N-Diethyl-m-toluamide:**

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 97 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 75 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	: ErC50 (Selenastrum capricornutum (green algae)): 41 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
	NOEC (Selenastrum capricornutum (green algae)): 7.6 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 3.7 mg/l Exposure time: 21 d

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Fluralaner / Diethyltoluamide Liquid Formulation

Version 10.0      Revision Date: 07/06/2024      SDS Number: 412175-00026      Date of last issue: 04/06/2024  
Date of first issue: 01/15/2016

### Acetone:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 5,540 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia pulex (Water flea)): 8,800 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	NOEC (Pseudokirchneriella subcapitata (green algae)): 7,000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): >= 79 mg/l Exposure time: 21 d Method: OECD Test Guideline 211
Toxicity to microorganisms	:	EC50: 61,150 mg/l Exposure time: 30 min Method: ISO 8192

### Persistence and degradability

#### Components:

##### **N,N-Dimethylacetamide:**

Biodegradability	:	Result: Not readily biodegradable. Biodegradation: 70 % Exposure time: 28 d Remarks: The 10 day time window criterion is not fulfilled.
------------------	---	--------------------------------------------------------------------------------------------------------------------------------------------------

##### **Poly(oxy-1,2-ethanediyl), $\alpha$ -[(tetrahydro-2-furanyl)methyl]- $\omega$ -hydroxy-:**

Biodegradability	:	Result: Not readily biodegradable. Method: OECD Test Guideline 301F Remarks: Based on data from similar materials
------------------	---	-------------------------------------------------------------------------------------------------------------------------

##### **N,N-Diethyl-m-toluamide:**

Biodegradability	:	Result: Readily biodegradable. Biodegradation: 83.8 % Exposure time: 28 d Method: OECD Test Guideline 301B
------------------	---	---------------------------------------------------------------------------------------------------------------------

### Acetone:

Biodegradability	:	Result: Readily biodegradable. Biodegradation: 91 % Exposure time: 28 d
------------------	---	-------------------------------------------------------------------------------

### Bioaccumulative potential

#### Components:

##### **Fluralaner:**

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Fluralaner / Diethyltoluamide Liquid Formulation

Version 10.0      Revision Date: 07/06/2024      SDS Number: 412175-00026      Date of last issue: 04/06/2024  
Date of first issue: 01/15/2016

Bioaccumulation : Species: Zebrafish  
Bioconcentration factor (BCF): 79.4  
Method: OECD Test Guideline 305

Partition coefficient: n-octanol/water : log Pow: 4.5

### **Poly(oxy-1,2-ethanediyl), $\alpha$ -[(tetrahydro-2-furanyl)methyl]- $\omega$ -hydroxy-:**

Partition coefficient: n-octanol/water : log Pow: < 4  
Remarks: Calculation

### **N,N-Diethyl-m-toluamide:**

Partition coefficient: n-octanol/water : log Pow: 2.02

### **Acetone:**

Partition coefficient: n-octanol/water : log Pow: -0.27 - -0.23

### **Mobility in soil**

### **Components:**

#### **Fluralaner:**

Distribution among environmental compartments : log Koc: 4.1

### **Other adverse effects**

### **Components:**

#### **Fluralaner:**

Results of PBT and vPvB assessment : Substance is not persistent, bioaccumulative, and toxic (PBT).

## SECTION 13. DISPOSAL CONSIDERATIONS

### **Disposal methods**

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
Empty containers retain residue and can be dangerous.  
Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death.  
If not otherwise specified: Dispose of as unused product.

## SECTION 14. TRANSPORT INFORMATION

### **International Regulations**

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Fluralaner / Diethyltoluamide Liquid Formulation

Version 10.0      Revision Date: 07/06/2024      SDS Number: 412175-00026      Date of last issue: 04/06/2024  
Date of first issue: 01/15/2016

---

### UNRTDG

UN number : UN 1090  
Proper shipping name : ACETONE SOLUTION  
Class : 3  
Packing group : II  
Labels : 3  
Environmentally hazardous : no

### IATA-DGR

UN/ID No. : UN 1090  
Proper shipping name : Acetone solution  
Class : 3  
Packing group : II  
Labels : Flammable Liquids  
Packing instruction (cargo aircraft) : 364  
Packing instruction (passenger aircraft) : 353

### IMDG-Code

UN number : UN 1090  
Proper shipping name : ACETONE SOLUTION  
(Fluralaner)  
Class : 3  
Packing group : II  
Labels : 3  
EmS Code : F-E, S-D  
Marine pollutant : yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Domestic regulation

#### TDG

UN number : UN 1090  
Proper shipping name : ACETONE SOLUTION  
Class : 3  
Packing group : II  
Labels : 3  
ERG Code : 127  
Marine pollutant : yes(Fluralaner)

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## SECTION 15. REGULATORY INFORMATION

### The ingredients of this product are reported in the following inventories:

AICS : not determined

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Fluralaner / Diethyltoluamide Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/06/2024
10.0	07/06/2024	412175-00026	Date of first issue: 01/15/2016

DSL : not determined  
IECSC : not determined

### SECTION 16. OTHER INFORMATION

#### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
ACGIH BEI : ACGIH - Biological Exposure Indices (BEI)  
CA AB OEL : Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)  
CA BC OEL : Canada. British Columbia OEL  
CA QC OEL : Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants  
ACGIH / TWA : 8-hour, time-weighted average  
ACGIH / STEL : Short-term exposure limit  
CA AB OEL / TWA : 8-hour Occupational exposure limit  
CA AB OEL / STEL : 15-minute occupational exposure limit  
CA BC OEL / TWA : 8-hour time weighted average  
CA BC OEL / STEL : short-term exposure limit  
CA QC OEL / TWAEV : Time-weighted average exposure value  
CA QC OEL / STEV : Short-term exposure value

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transporta-

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Fluralaner / Diethyltoluamide Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/06/2024
10.0	07/06/2024	412175-00026	Date of first issue: 01/15/2016

---

tion of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 07/06/2024  
Date format : mm/dd/yyyy

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8