

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Grazoprevir / Elbasvir Formulation

Version 14.0      Revision Date: 07/06/2024      SDS Number: 76219-00028      Date of last issue: 04/06/2024  
Date of first issue: 03/17/2015

---

### SECTION 1. IDENTIFICATION

Product name : Grazoprevir / Elbasvir Formulation

#### Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc  
Address : 126 E. Lincoln Avenue  
Rahway, New Jersey U.S.A. 07065  
Telephone : 908-740-4000  
Emergency telephone : 1-908-423-6000  
E-mail address : EHSDATASTEWARD@merck.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical  
Restrictions on use : Not applicable

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Combustible dust

Carcinogenicity (Inhalation) : Category 2

Specific target organ toxicity : Category 2 (Liver, Testis)  
- repeated exposure (Oral)

#### GHS label elements

Hazard pictograms :



Signal Word : Warning

Hazard Statements : If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air.  
H351 Suspected of causing cancer if inhaled.  
H373 May cause damage to organs (Liver, Testis) through prolonged or repeated exposure if swallowed.

Precautionary Statements : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P260 Do not breathe dust.  
P280 Wear protective gloves, protective clothing, eye protection and face protection.

**Response:**

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Grazoprevir / Elbasvir Formulation

Version 14.0      Revision Date: 07/06/2024      SDS Number: 76219-00028      Date of last issue: 04/06/2024  
Date of first issue: 03/17/2015

P308 + P313 IF exposed or concerned: Get medical attention.

### Storage:

P405 Store locked up.

### Disposal:

P501 Dispose of contents and container to an approved waste disposal plant.

### Other hazards

Dust contact with the eyes can lead to mechanical irritation.  
Contact with dust can cause mechanical irritation or drying of the skin.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
Cellulose	9004-34-6	$\geq 5 - < 10$
Grazoprevir	1350462-55-3	$\geq 5 - < 10$
Elbasvir	1370468-36-2	$\geq 1 - < 5$
Magnesium stearate	557-04-0	$\geq 1 - < 5$
Titanium dioxide	13463-67-7	$\geq 0.1 - < 1$

Actual concentration is withheld as a trade secret

## SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
Get medical attention.
- In case of skin contact : Wash with water and soap.  
Get medical attention if symptoms occur.
- In case of eye contact : If in eyes, rinse well with water.  
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention if symptoms occur.  
Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : Suspected of causing cancer if inhaled.  
May cause damage to organs through prolonged or repeated exposure if swallowed.  
Contact with dust can cause mechanical irritation or drying of the skin.
- Protection of first-aiders : Dust contact with the eyes can lead to mechanical irritation.  
First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.

## SECTION 5. FIRE-FIGHTING MEASURES

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Grazoprevir / Elbasvir Formulation

Version 14.0      Revision Date: 07/06/2024      SDS Number: 76219-00028      Date of last issue: 04/06/2024  
Date of first issue: 03/17/2015

---

- Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
  - Unsuitable extinguishing media : None known.
  - Specific hazards during fire fighting : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.  
Exposure to combustion products may be a hazard to health.
  - Hazardous combustion products : Carbon oxides  
Metal oxides  
Chlorine compounds  
Nitrogen oxides (NO<sub>x</sub>)
  - Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.
  - Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.
- 

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
  - Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.
  - Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.  
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).  
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.
- 

### SECTION 7. HANDLING AND STORAGE

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Grazoprevir / Elbasvir Formulation

Version 14.0      Revision Date: 07/06/2024      SDS Number: 76219-00028      Date of last issue: 04/06/2024  
Date of first issue: 03/17/2015

- Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.  
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Do not breathe dust.  
Do not swallow.  
Avoid contact with eyes.  
Avoid prolonged or repeated contact with skin.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Minimize dust generation and accumulation.  
Keep container closed when not in use.  
Keep away from heat and sources of ignition.  
Take precautionary measures against static discharges.  
Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labeled containers.  
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

inert or nuisance dust	50 Million particles per cubic foot Value type (Form of exposure): TWA (total dust) Basis: OSHA Z-3
	15 mg/m <sup>3</sup> Value type (Form of exposure): TWA (total dust) Basis: OSHA Z-3
	5 mg/m <sup>3</sup> Value type (Form of exposure): TWA (respirable fraction) Basis: OSHA Z-3
	15 Million particles per cubic foot Value type (Form of exposure): TWA (respirable fraction) Basis: OSHA Z-3
Dust, nuisance dust and particulates	10 mg/m <sup>3</sup> Value type (Form of exposure): PEL (Total dust) Basis: CAL PEL
	5 mg/m <sup>3</sup> Value type (Form of exposure): PEL (respirable dust fraction) Basis: CAL PEL

Components	CAS-No.	Value type (Form of	Control parameters / Permissible	Basis
------------	---------	---------------------	----------------------------------	-------

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Grazoprevir / Elbasvir Formulation

Version 14.0      Revision Date: 07/06/2024      SDS Number: 76219-00028      Date of last issue: 04/06/2024  
Date of first issue: 03/17/2015

		exposure)	concentration	
Cellulose	9004-34-6	TWA	10 mg/m <sup>3</sup>	ACGIH
		TWA (Respirable)	5 mg/m <sup>3</sup>	NIOSH REL
		TWA (total)	10 mg/m <sup>3</sup>	NIOSH REL
		TWA (total dust)	15 mg/m <sup>3</sup>	OSHA Z-1
		TWA (respirable fraction)	5 mg/m <sup>3</sup>	OSHA Z-1
Grazoprevir	1350462-55-3	TWA	85 µg/m <sup>3</sup> (OEB 3)	Internal
		Wipe limit	850 µg/100 cm <sup>2</sup>	Internal
Elbasvir	1370468-36-2	TWA	150 µg/m <sup>3</sup> (OEB 2)	Internal
Magnesium stearate	557-04-0	TWA (Inhalable particulate matter)	10 mg/m <sup>3</sup>	ACGIH
		TWA (Respirable particulate matter)	3 mg/m <sup>3</sup>	ACGIH
Titanium dioxide	13463-67-7	TWA (total dust)	15 mg/m <sup>3</sup>	OSHA Z-1

**Engineering measures** : All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).  
Minimize open handling.

### Personal protective equipment

Respiratory protection : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles.  
If the work environment or activity involves dusty conditions,

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Grazoprevir / Elbasvir Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/06/2024
14.0	07/06/2024	76219-00028	Date of first issue: 03/17/2015

mists or aerosols, wear the appropriate goggles.  
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

**Skin and body protection** : Work uniform or laboratory coat.  
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.  
Use appropriate degowning techniques to remove potentially contaminated clothing.

**Hygiene measures** : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.  
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance** : powder

**Color** : white

**Odor** : No data available

**Odor Threshold** : No data available

**pH** : No data available

**Melting point/freezing point** : No data available

**Initial boiling point and boiling range** : No data available

**Flash point** : Not applicable

**Evaporation rate** : Not applicable

**Flammability (solid, gas)** : May form explosive dust-air mixture during processing, handling or other means.

**Flammability (liquids)** : No data available

**Upper explosion limit / Upper flammability limit** : No data available

**Lower explosion limit / Lower flammability limit** : No data available

**Vapor pressure** : Not applicable

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Grazoprevir / Elbasvir Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/06/2024
14.0	07/06/2024	76219-00028	Date of first issue: 03/17/2015

---

Relative vapor density	:	Not applicable
Relative density	:	No data available
Density	:	No data available
Solubility(ies)	:	
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Particle characteristics	:	
Particle size	:	No data available

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	May form explosive dust-air mixture during processing, handling or other means. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks. Avoid dust formation.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

---

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Inhalation  
Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Not classified based on available information.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Grazoprevir / Elbasvir Formulation

Version 14.0      Revision Date: 07/06/2024      SDS Number: 76219-00028      Date of last issue: 04/06/2024  
Date of first issue: 03/17/2015

---

### **Product:**

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg  
Method: Calculation method

### **Components:**

#### **Cellulose:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Acute inhalation toxicity : LC50 (Rat): > 5.8 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

#### **Grazoprevir:**

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

#### **Elbasvir:**

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
LD50 (Mouse): > 1,000 mg/kg

#### **Magnesium stearate:**

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 423  
Assessment: The substance or mixture has no acute oral toxicity  
Remarks: Based on data from similar materials  
Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Remarks: Based on data from similar materials

#### **Titanium dioxide:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Acute inhalation toxicity : LC50 (Rat): > 6.82 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity

### **Skin corrosion/irritation**

Not classified based on available information.

### **Components:**

#### **Grazoprevir:**

Result : No skin irritation



# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Grazoprevir / Elbasvir Formulation

Version 14.0      Revision Date: 07/06/2024      SDS Number: 76219-00028      Date of last issue: 04/06/2024  
Date of first issue: 03/17/2015

---

### Elbasvir:

Species : reconstructed human epidermis (RhE)  
Result : No skin irritation

### Magnesium stearate:

Species : Rabbit  
Result : No skin irritation  
Remarks : Based on data from similar materials

### Titanium dioxide:

Species : Rabbit  
Result : No skin irritation

### Serious eye damage/eye irritation

Not classified based on available information.

### Components:

#### Grazoprevir:

Species : Bovine cornea  
Result : No eye irritation

#### Elbasvir:

Species : Bovine cornea  
Result : No eye irritation

#### Magnesium stearate:

Species : Rabbit  
Result : No eye irritation  
Remarks : Based on data from similar materials

#### Titanium dioxide:

Species : Rabbit  
Result : No eye irritation

### Respiratory or skin sensitization

#### Skin sensitization

Not classified based on available information.

#### Respiratory sensitization

Not classified based on available information.

### Components:

#### Grazoprevir:

Test Type : Local lymph node assay (LLNA)  
Routes of exposure : Dermal  
Result : Not a skin sensitizer.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Grazoprevir / Elbasvir Formulation

Version 14.0      Revision Date: 07/06/2024      SDS Number: 76219-00028      Date of last issue: 04/06/2024  
Date of first issue: 03/17/2015

---

### Elbasvir:

Test Type : Local lymph node assay (LLNA)  
Routes of exposure : Dermal  
Species : Mouse  
Result : negative

### Magnesium stearate:

Test Type : Maximization Test  
Routes of exposure : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : negative  
Remarks : Based on data from similar materials

### Titanium dioxide:

Test Type : Local lymph node assay (LLNA)  
Routes of exposure : Skin contact  
Species : Mouse  
Result : negative

### Germ cell mutagenicity

Not classified based on available information.

### Components:

#### Cellulose:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative  
Test Type: In vitro mammalian cell gene mutation test  
Result: negative  
Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo  
cytogenetic assay)  
Species: Mouse  
Application Route: Ingestion  
Result: negative

#### Grazoprevir:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative  
Test Type: Chromosome aberration test in vitro  
Result: negative  
Genotoxicity in vivo : Test Type: In vivo micronucleus test  
Application Route: Oral  
Result: negative  
Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ  
cell mutagen.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Grazoprevir / Elbasvir Formulation

Version 14.0      Revision Date: 07/06/2024      SDS Number: 76219-00028      Date of last issue: 04/06/2024  
Date of first issue: 03/17/2015

---

||

### Elbasvir:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative  
  
Test Type: Chromosome aberration test in vitro  
Result: negative  
  
Genotoxicity in vivo : Test Type: In vivo micronucleus test  
Species: Rat  
Application Route: Oral  
Result: negative  
  
Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

### Magnesium stearate:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
Result: negative  
Remarks: Based on data from similar materials  
  
Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: negative  
Remarks: Based on data from similar materials  
  
Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative  
Remarks: Based on data from similar materials

### Titanium dioxide:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative  
  
Genotoxicity in vivo : Test Type: In vivo micronucleus test  
Species: Mouse  
Result: negative

### Carcinogenicity

Suspected of causing cancer if inhaled.

### Components:

#### Cellulose:

Species : Rat  
Application Route : Ingestion  
Exposure time : 72 weeks  
Result : negative

#### Titanium dioxide:

Species : Rat

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Grazoprevir / Elbasvir Formulation

Version 14.0      Revision Date: 07/06/2024      SDS Number: 76219-00028      Date of last issue: 04/06/2024  
Date of first issue: 03/17/2015

Application Route : inhalation (dust/mist/fume)  
Exposure time : 2 Years  
Method : OECD Test Guideline 453  
Result : positive  
Remarks : The mechanism or mode of action may not be relevant in humans.

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in inhalation studies with animals.

**IARC**      Group 2B: Possibly carcinogenic to humans  
Titanium dioxide      13463-67-7

**OSHA**      No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP**      No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

### Reproductive toxicity

Not classified based on available information.

### Components:

#### Cellulose:

Effects on fertility : Test Type: One-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative

Effects on fetal development : Test Type: Fertility/early embryonic development  
Species: Rat  
Application Route: Ingestion  
Result: negative

#### Grazoprevir:

Effects on fertility : Test Type: Fertility  
Species: Rat  
Application Route: Oral  
Fertility: NOAEL: 400 mg/kg body weight  
Result: negative

Test Type: Multi-generation study  
Species: Rat  
Application Route: Oral  
Fertility: NOAEL: 400 mg/kg body weight  
Result: No effects on fertility., No effects on fetal development.

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Oral  
Embryo-fetal toxicity.: NOAEL: 200 mg/kg body weight  
Result: No effects on fetal development.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Grazoprevir / Elbasvir Formulation

Version 14.0      Revision Date: 07/06/2024      SDS Number: 76219-00028      Date of last issue: 04/06/2024  
Date of first issue: 03/17/2015

---

Test Type: Embryo-fetal development  
Species: Rabbit  
Application Route: Oral  
Embryo-fetal toxicity.: NOAEL: 200 mg/kg body weight  
Result: No effects on fetal development.

Test Type: Embryo-fetal development  
Species: Rabbit  
Application Route: Intravenous  
Embryo-fetal toxicity.: NOAEL: 100 mg/kg body weight  
Result: No effects on fetal development.

### Elbasvir:

Effects on fertility : Test Type: Fertility/early embryonic development  
Species: Rat, male and female  
Application Route: Oral  
Fertility: NOAEL: 1,000 mg/kg body weight  
Result: No effects on fertility.

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Oral  
Developmental Toxicity: NOAEL: 1,000 mg/kg body weight  
Result: No effects on early embryonic development.

Test Type: Embryo-fetal development  
Species: Rabbit  
Application Route: Oral  
Developmental Toxicity: NOAEL: 1,000 mg/kg body weight  
Result: No effects on early embryonic development.

### Magnesium stearate:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 422  
Result: negative  
Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

### STOT-single exposure

Not classified based on available information.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Grazoprevir / Elbasvir Formulation

Version 14.0      Revision Date: 07/06/2024      SDS Number: 76219-00028      Date of last issue: 04/06/2024  
Date of first issue: 03/17/2015

---

### STOT-repeated exposure

May cause damage to organs (Liver, Testis) through prolonged or repeated exposure if swallowed.

#### Components:

##### Grazoprevir:

Target Organs : Liver, Testis  
Assessment : May cause damage to organs through prolonged or repeated exposure.

### Repeated dose toxicity

#### Components:

##### Cellulose:

Species : Rat  
NOAEL :  $\geq 9,000$  mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days

##### Grazoprevir:

Species : Rat  
NOAEL : 400 mg/kg  
Application Route : Oral  
Exposure time : 30 Days  
Remarks : No significant adverse effects were reported

Species : Rat  
NOAEL : 400 mg/kg  
Application Route : Oral  
Exposure time : 180 Days  
Remarks : No significant adverse effects were reported

Species : Dog  
NOAEL : 15 mg/kg  
LOAEL : 100 mg/kg  
Application Route : Oral  
Exposure time : 270 Days  
Target Organs : Liver, Blood, Bone marrow, gallbladder, spleen, Testis

Species : Mouse  
NOAEL : 200 mg/kg  
LOAEL : 500 mg/kg  
Application Route : Oral  
Exposure time : 90 Days  
Target Organs : Liver, Kidney, Blood

Species : Dog  
NOAEL : 20 mg/kg  
LOAEL : 600 mg/kg  
Application Route : Oral  
Exposure time : 30 Days

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Grazoprevir / Elbasvir Formulation

Version 14.0      Revision Date: 07/06/2024      SDS Number: 76219-00028      Date of last issue: 04/06/2024  
Date of first issue: 03/17/2015

---

|| Target Organs : Blood, Testis

|| Species : Monkey  
|| NOAEL : 10 mg/kg  
|| Exposure time : 8 Days  
|| Remarks : No significant adverse effects were reported

### Elbasvir:

|| Species : Rat  
|| NOAEL : 1,000 mg/kg  
|| Application Route : Oral  
|| Exposure time : 180 d  
|| Remarks : No significant adverse effects were reported

|| Species : Dog  
|| NOAEL : 1,000 mg/kg  
|| Application Route : Oral  
|| Exposure time : 270 d  
|| Remarks : No significant adverse effects were reported

### Magnesium stearate:

|| Species : Rat  
|| NOAEL : > 100 mg/kg  
|| Application Route : Ingestion  
|| Exposure time : 90 Days  
|| Remarks : Based on data from similar materials

### Titanium dioxide:

|| Species : Rat  
|| NOAEL : 24,000 mg/kg  
|| Application Route : Ingestion  
|| Exposure time : 28 Days

|| Species : Rat  
|| NOAEL : 10 mg/m<sup>3</sup>  
|| Application Route : inhalation (dust/mist/fume)  
|| Exposure time : 2 y

### Aspiration toxicity

Not classified based on available information.

### Experience with human exposure

#### Components:

#### Grazoprevir:

|| Ingestion : Symptoms: Headache, Gastrointestinal disturbance

#### Elbasvir:

|| Ingestion : Symptoms: Headache, Abdominal pain, constipation, Nausea, Fatigue, muscle pain, joint pain, Dizziness, Cough, Skin irritation, rhinitis, Drowsiness, nasal congestion

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Grazoprevir / Elbasvir Formulation

Version 14.0      Revision Date: 07/06/2024      SDS Number: 76219-00028      Date of last issue: 04/06/2024  
Date of first issue: 03/17/2015

### SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

##### Components:

##### **Cellulose:**

Toxicity to fish : LC50 (*Oryzias latipes* (Japanese medaka)): > 100 mg/l  
Exposure time: 48 h  
Remarks: Based on data from similar materials

##### **Grazoprevir:**

Toxicity to fish : LC50 (*Cyprinodon variegatus* (sheepshead minnow)): > 10 mg/l  
Exposure time: 96 h  
Remarks: No toxicity at the limit of solubility.

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): > 10 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
Remarks: No toxicity at the limit of solubility.

LC50 (*Americamysis*): 8.9 mg/l  
Exposure time: 96 h

Toxicity to algae/aquatic plants : EC50 (*Pseudokirchneriella subcapitata* (green algae)): > 10 mg/l  
Exposure time: 72 hrs  
Method: OECD Test Guideline 201  
Remarks: No toxicity at the limit of solubility.

NOEC (*Pseudokirchneriella subcapitata* (green algae)): 10 mg/l  
Exposure time: 72 hrs  
Method: OECD Test Guideline 201  
Remarks: No toxicity at the limit of solubility.

Toxicity to fish (Chronic toxicity) : NOEC (*Pimephales promelas* (fathead minnow)): 0.98 mg/l  
Exposure time: 32 d  
Method: OECD Test Guideline 210  
Remarks: No toxicity at the limit of solubility.

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (*Daphnia magna* (Water flea)): 5 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211

Toxicity to microorganisms : EC50: > 1,000 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

NOEC: 1.3 mg/l  
Exposure time: 3 h



# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Grazoprevir / Elbasvir Formulation

Version 14.0      Revision Date: 07/06/2024      SDS Number: 76219-00028      Date of last issue: 04/06/2024  
Date of first issue: 03/17/2015

Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

### Elbasvir:

- Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): > 10 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
Remarks: No toxicity at the limit of solubility.
- LC50 (Menidia beryllina (Silverside)): > 10 mg/l  
Exposure time: 96 h  
Remarks: No toxicity at the limit of solubility.
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 10 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
Remarks: No toxicity at the limit of solubility.
- LC50 (Americamysis): 7.7 mg/l  
Exposure time: 96 h  
Method: US-EPA OPPTS 850.1035  
Remarks: No toxicity at the limit of solubility.
- Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (algae)): > 0.081 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: No toxicity at the limit of solubility.
- NOEC (Pseudokirchneriella subcapitata (green algae)): 0.081 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: No toxicity at the limit of solubility.
- Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.0023 mg/l  
Exposure time: 32 d  
Method: OECD Test Guideline 210
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.84 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211  
Remarks: No toxicity at the limit of solubility.
- Toxicity to microorganisms : EC50: > 1,000 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209
- NOEC: 271.9 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Grazoprevir / Elbasvir Formulation

Version 14.0      Revision Date: 07/06/2024      SDS Number: 76219-00028      Date of last issue: 04/06/2024  
Date of first issue: 03/17/2015

---

### Magnesium stearate:

- Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 100 mg/l  
Exposure time: 48 h  
Method: DIN 38412  
Remarks: Based on data from similar materials
- Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): > 1 mg/l  
Exposure time: 47 h  
Test substance: Water Accommodated Fraction  
Method: Directive 67/548/EEC, Annex V, C.2.  
Remarks: Based on data from similar materials  
No toxicity at the limit of solubility.
- Toxicity to algae/aquatic plants : EL50 (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l  
Exposure time: 72 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials  
No toxicity at the limit of solubility.
- NOELR (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l  
Exposure time: 72 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials
- Toxicity to microorganisms : EC10 (Pseudomonas putida): > 100 mg/l  
Exposure time: 16 h  
Test substance: Water Accommodated Fraction  
Remarks: Based on data from similar materials

### Titanium dioxide:

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h
- Toxicity to algae/aquatic plants : EC50 (Skeletonema costatum (marine diatom)): > 10,000 mg/l  
Exposure time: 72 h
- Toxicity to microorganisms : EC50: > 1,000 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209

### Persistence and degradability

#### Components:

#### Cellulose:

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Grazoprevir / Elbasvir Formulation

Version 14.0      Revision Date: 07/06/2024      SDS Number: 76219-00028      Date of last issue: 04/06/2024  
Date of first issue: 03/17/2015

---

Biodegradability : Result: Readily biodegradable.

### Grazoprevir:

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 66 %  
Exposure time: 28 d

### Elbasvir:

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 37 %  
Exposure time: 28 d

### Magnesium stearate:

Biodegradability : Result: Not biodegradable  
Remarks: Based on data from similar materials

### Bioaccumulative potential

#### Components:

#### Grazoprevir:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)  
Bioconcentration factor (BCF): 7.62

Partition coefficient: n-octanol/water : log Pow: 3.72

#### Elbasvir:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)  
Bioconcentration factor (BCF): 82  
Method: OECD Test Guideline 305

Partition coefficient: n-octanol/water : log Pow: 6.54

#### Magnesium stearate:

Partition coefficient: n-octanol/water : log Pow: > 4

### Mobility in soil

#### Components:

#### Grazoprevir:

Distribution among environmental compartments : log Koc: 4.01

#### Elbasvir:

Distribution among environmental compartments : log Koc: 5.24

### Other adverse effects

No data available

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Grazoprevir / Elbasvir Formulation

Version 14.0      Revision Date: 07/06/2024      SDS Number: 76219-00028      Date of last issue: 04/06/2024  
Date of first issue: 03/17/2015

---

### SECTION 13. DISPOSAL CONSIDERATIONS

#### Disposal methods

Waste from residues : Dispose of in accordance with local regulations.  
Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

### SECTION 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

UN number : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,  
N.O.S.  
(Elbasvir)

Class : 9  
Packing group : III  
Labels : 9  
Environmentally hazardous : yes

##### IATA-DGR

UN/ID No. : UN 3077  
Proper shipping name : Environmentally hazardous substance, solid, n.o.s.  
(Elbasvir)

Class : 9  
Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 956  
Packing instruction (passenger aircraft) : 956  
Environmentally hazardous : yes

##### IMDG-Code

UN number : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,  
N.O.S.  
(Elbasvir)

Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### Domestic regulation

##### 49 CFR

UN/ID/NA number : UN 3077  
Proper shipping name : Environmentally hazardous substance, solid, n.o.s.

---

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Grazoprevir / Elbasvir Formulation

Version 14.0      Revision Date: 07/06/2024      SDS Number: 76219-00028      Date of last issue: 04/06/2024  
Date of first issue: 03/17/2015

---

Class : (Elbasvir)  
9  
Packing group : III  
Labels : CLASS 9  
ERG Code : 171  
Marine pollutant : yes(Elbasvir)  
Remarks : Above applies only to containers over 119 gallons or 450 liters.  
Shipment by ground under DOT is non-regulated; however it may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## SECTION 15. REGULATORY INFORMATION

### CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : Combustible dust  
Carcinogenicity  
Specific target organ toxicity (single or repeated exposure)

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### US State Regulations

#### Pennsylvania Right To Know

D-mannitol	69-65-8
Hydroxypropyl methylcellulose	9004-65-3
Croscarmellose sodium	74811-65-7
Sodium chloride	7647-14-5
Polyvinylpyrrolidone / Vinyl Acetate Copolymer	25086-89-9
Cellulose	9004-34-6
D-Glucose, 4-O-β-D-galactopyranosyl-, monohydrate	64044-51-5
Grazoprevir	1350462-55-3
Elbasvir	1370468-36-2

#### California Prop. 65

WARNING: This product can expose you to chemicals including Titanium dioxide, which is/are known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Grazoprevir / Elbasvir Formulation

Version 14.0      Revision Date: 07/06/2024      SDS Number: 76219-00028      Date of last issue: 04/06/2024  
Date of first issue: 03/17/2015

### California Permissible Exposure Limits for Chemical Contaminants

Cellulose      9004-34-6  
Magnesium stearate      557-04-0


### The ingredients of this product are reported in the following inventories:

AICS      : not determined  
DSL      : not determined  
IECSC      : not determined

## SECTION 16. OTHER INFORMATION

### Further information

#### NFPA 704:



#### HMIS® IV:

HEALTH	*	2
FLAMMABILITY		3
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

### Full text of other abbreviations

ACGIH      : USA. ACGIH Threshold Limit Values (TLV)  
CAL PEL      : California permissible exposure limits for chemical contaminants (Title 8, Article 107)  
NIOSH REL      : USA. NIOSH Recommended Exposure Limits  
OSHA Z-1      : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants  
OSHA Z-3      : USA. Occupational Exposure Limits (OSHA) - Table Z-3 Mineral Dusts  
ACGIH / TWA      : 8-hour, time-weighted average  
CAL PEL / PEL      : Permissible exposure limit  
NIOSH REL / TWA      : Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek  
OSHA Z-1 / TWA      : 8-hour time weighted average  
OSHA Z-3 / TWA      : 8-hour time weighted average

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Grazoprevir / Elbasvir Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/06/2024
14.0	07/06/2024	76219-00028	Date of first issue: 03/17/2015

AICC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 07/06/2024

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8