according to the OSHA Hazard Communication Standard



## **Indoxacarb Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/06/2024 8.0 07/06/2024 25539-00026 Date of first issue: 10/24/2014

#### **SECTION 1. IDENTIFICATION**

Product name : Indoxacarb Formulation

Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc Address : 126 E. Lincoln Avenue

Rahway, New Jersey U.S.A. 07065

Telephone : 908-740-4000 Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@merck.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product Restrictions on use : Not applicable

#### **SECTION 2. HAZARDS IDENTIFICATION**

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids : Category 2

Acute toxicity (Oral) : Category 4

Eye irritation : Category 2A

Skin sensitization : Category 1

Specific target organ toxicity

- single exposure

Category 3

Specific target organ toxicity:

- repeated exposure

Category 1 (Blood, Nervous system, Heart)

**GHS** label elements

Hazard pictograms







Signal Word : Danger

Hazard Statements : H225 Highly flammable liquid and vapor.

H302 Harmful if swallowed.

H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

H372 Causes damage to organs (Blood, Nervous system,

Heart) through prolonged or repeated exposure.

according to the OSHA Hazard Communication Standard



## **Indoxacarb Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/06/2024 8.0 07/06/2024 25539-00026 Date of first issue: 10/24/2014

Precautionary Statements : Prevention:

P210 Keep away from heat, sparks, open flame and hot surfaces. No smoking.

P233 Keep container tightly closed.

P241 Use explosion-proof electrical, ventilating and lighting equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P260 Do not breathe mist or vapors.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing must not be allowed out of the workplace.

P280 Wear protective gloves, eye protection and face protection.

#### Response:

P301 + P312 + P330 IF SWALLOWED: Call a doctor if you feel unwell. Rinse mouth.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a doctor if you feel unwell.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P314 Get medical attention if you feel unwell.

P333 + P313 If skin irritation or rash occurs: Get medical attention.

P337 + P313 If eye irritation persists: Get medical attention.

P363 Wash contaminated clothing before reuse.

#### Storage:

P403 + P235 Store in a well-ventilated place. Keep cool. P405 Store locked up.

### Disposal:

P501 Dispose of contents and container to an approved waste disposal plant.

#### Other hazards

Vapors may form explosive mixture with air.

### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
Propan-2-ol	67-63-0	35.4
Indoxacarb (ISO)	173584-44-6	19.53

according to the OSHA Hazard Communication Standard



## **Indoxacarb Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/06/2024 8.0 07/06/2024 25539-00026 Date of first issue: 10/24/2014

**SECTION 4. FIRST AID MEASURES** 

General advice : In the case of accident or if you feel unwell, seek medical

advice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

In case of skin contact : In case of contact, immediately flush skin with plenty of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Get medical attention.

If swallowed : If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water.

Never give anything by mouth to an unconscious person.

Most important symptoms

and effects, both acute and

delayed

Harmful if swallowed.

May cause an allergic skin reaction. Causes serious eye irritation.

May acuse drawsings or dizzings

May cause drowsiness or dizziness.

Causes damage to organs through prolonged or repeated

exposure.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

**SECTION 5. FIRE-FIGHTING MEASURES** 

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

High volume water jet

Specific hazards during fire

fighting

· ·

fire.

Flash back possible over considerable distance. Vapors may form explosive mixtures with air.

Exposure to combustion products may be a hazard to health.

Do not use a solid water stream as it may scatter and spread

Hazardous combustion prod- :

ucts

Carbon oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

according to the OSHA Hazard Communication Standard



## **Indoxacarb Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/06/2024 8.0 07/06/2024 25539-00026 Date of first issue: 10/24/2014

Remove undamaged containers from fire area if it is safe to do

SO

Evacuate area.

Special protective equipment :

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protec: :

tive equipment and emer-

gency procedures

Remove all sources of ignition.

Ventilate the area.

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g., by containment or

oil barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Non-sparking tools should be used.

Soak up with inert absorbent material.

Suppress (knock down) gases/vapors/mists with a water spray

jet.

For large spills, provide diking or other appropriate

containment to keep material from spreading. If diked material

can be pumped, store recovered material in appropriate

container.

Clean up remaining materials from spill with suitable

absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items

employed in the cleanup of releases. You will need to

determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

# **SECTION 7. HANDLING AND STORAGE**

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Use explosion-proof electrical, ventilating and lighting equip-

ment.

Advice on safe handling : Do not get on skin or clothing.

Do not breathe mist or vapors.

Do not swallow. Do not get in eyes.

Wash skin thoroughly after handling.

according to the OSHA Hazard Communication Standard



# **Indoxacarb Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/06/2024 8.0 07/06/2024 25539-00026 Date of first issue: 10/24/2014

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure

assessment

Non-sparking tools should be used. Keep container tightly closed.

Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Conditions for safe storage : Keep in properly labeled containers.

Store locked up. Keep tightly closed.

Keep in a cool, well-ventilated place.

Store in accordance with the particular national regulations.

Keep away from heat and sources of ignition.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

Self-reactive substances and mixtures

Organic peroxides Flammable solids Pyrophoric liquids Pyrophoric solids

Self-heating substances and mixtures

Substances and mixtures which in contact with water emit

flammable gases

Explosives Gases

Very acutely toxic substances and mixtures

#### **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis		
Propan-2-ol	67-63-0 TWA		200 ppm	ACGIH		
<u> </u>		STEL	400 ppm	ACGIH		
		ST	500 ppm 1,225 mg/m <sup>3</sup>	NIOSH REL		
		TWA	400 ppm 980 mg/m³	NIOSH REL		
		TWA	400 ppm 980 mg/m³	OSHA Z-1		
Indoxacarb (ISO)	173584-44-6	TWA	50 μg/m3 (OEB 3)	Internal		
	Further information: DSEN					
		Wipe limit	100 μg/100 cm2	Internal		

according to the OSHA Hazard Communication Standard



## **Indoxacarb Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/06/2024 8.0 07/06/2024 25539-00026 Date of first issue: 10/24/2014

### Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sam- pling time	Permissible concentration	Basis
Propan-2-ol	67-63-0	Acetone	Urine	End of shift at end of work- week	40 mg/l	ACGIH BEI

**Engineering measures** : Minimize workplace exposure concentrations.

If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Use explosion-proof electrical, ventilating and lighting

equipment.

### Personal protective equipment

Respiratory protection : General and local exhaust ventilation is recommended to

maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided

by air purifying respirators against exposure to any

hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other

circumstance where air purifying respirators may not provide

adequate protection.

Hand protection

Material : Chemical-resistant gloves

Remarks : Choose gloves to protect hands against chemicals depending

on the concentration specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Take note that the product is flammable, which may impact the selection of hand

protection. Wash hands before breaks and at the end of

workday.

Eye protection : Wear the following personal protective equipment:

Safety goggles

Skin and body protection : Select appropriate protective clothing based on chemical

resistance data and an assessment of the local exposure

potential.

Wear the following personal protective equipment:

If assessment demonstrates that there is a risk of explosive atmospheres or flash fires, use flame retardant antistatic

protective clothing.

Skin contact must be avoided by using impervious protective

clothing (gloves, aprons, boots, etc).

Hygiene measures : If exposure to chemical is likely during typical use, provide

according to the OSHA Hazard Communication Standard



## **Indoxacarb Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/06/2024 8.0 07/06/2024 25539-00026 Date of first issue: 10/24/2014

eye flushing systems and safety showers close to the

working place.

When using do not eat, drink or smoke.

Contaminated work clothing should not be allowed out of the

workplace.

Wash contaminated clothing before re-use.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid

Color : White to light yellow

Odor : sweet

Odor Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point :  $64 \,^{\circ}\text{F} / 18 \,^{\circ}\text{C}$ 

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : No data available

Density : 1.12 g/cm<sup>3</sup>

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

efficient: n- : Not applicable

Autoignition temperature :

: No data available

according to the OSHA Hazard Communication Standard



## Indoxacarb Formulation

Version Revision Date: SDS Number: Date of last issue: 04/06/2024 8.0 07/06/2024 25539-00026 Date of first issue: 10/24/2014

Decomposition temperature No data available

Viscosity

Viscosity, kinematic No data available

Explosive properties Not explosive

Oxidizing properties The substance or mixture is not classified as oxidizing.

No data available Molecular weight

Particle characteristics

Particle size Not applicable

### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity Not classified as a reactivity hazard. Chemical stability Stable under normal conditions. Possibility of hazardous reac-Highly flammable liquid and vapor.

tions

Vapors may form explosive mixture with air. Can react with strong oxidizing agents.

Conditions to avoid Heat, flames and sparks.

Incompatible materials Oxidizing agents

Hazardous decomposition

products

No hazardous decomposition products are known.

### **SECTION 11. TOXICOLOGICAL INFORMATION**

### Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

### **Acute toxicity**

Harmful if swallowed.

**Product:** 

Acute oral toxicity Acute toxicity estimate: 916.54 mg/kg

Method: Calculation method

Acute toxicity estimate: 21.51 mg/l Acute inhalation toxicity

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

### **Components:**

Propan-2-ol:

according to the OSHA Hazard Communication Standard



## **Indoxacarb Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/06/2024 8.0 07/06/2024 25539-00026 Date of first issue: 10/24/2014

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 25 mg/l

Exposure time: 6 h
Test atmosphere: vapor

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

Indoxacarb (ISO):

Acute oral toxicity : LD50 (Rat, female): 179 mg/kg

Symptoms: Loss of reflexes, Breathing difficulties, Tremors

LD50 (Rat, male): 843 mg/kg

Acute inhalation toxicity : LC50 (Rat, female): 4.2 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

**Components:** 

Propan-2-ol:

Species : Rabbit

Result : No skin irritation

Indoxacarb (ISO):

Result : No skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

**Components:** 

Propan-2-ol:

Species : Rabbit

Result : Irritation to eyes, reversing within 21 days

Indoxacarb (ISO):

Result : No eye irritation

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Not classified based on available information.

according to the OSHA Hazard Communication Standard



## **Indoxacarb Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/06/2024 8.0 07/06/2024 25539-00026 Date of first issue: 10/24/2014

### Components:

Propan-2-ol:

Test Type : Buehler Test Routes of exposure : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

Indoxacarb (ISO):

Test Type : Maximization Test Species : Guinea pig Result : positive

### Germ cell mutagenicity

Not classified based on available information.

#### Components:

Propan-2-ol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Intraperitoneal injection

Result: negative

Indoxacarb (ISO):

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Chromosomal aberration Test system: mammalian cells

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster ovary cells

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse

Cell type: Bone marrow Result: negative

#### Carcinogenicity

Not classified based on available information.

according to the OSHA Hazard Communication Standard



## **Indoxacarb Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/06/2024 8.0 07/06/2024 25539-00026 Date of first issue: 10/24/2014

### **Components:**

### Propan-2-ol:

Species : Rat

Application Route : inhalation (vapor)
Exposure time : 104 weeks

Method : OECD Test Guideline 451

Result : negative

Indoxacarb (ISO):

Species : Rat, male and female

Application Route : oral (feed)
Exposure time : 2 Years
Frequency of Treatment : daily
Result : negative

Species : Mouse, male and female

Application Route : oral (feed)
Exposure time : 18 Months
Frequency of Treatment : daily
Result : negative

IARC No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA**No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

#### Reproductive toxicity

Not classified based on available information.

#### **Components:**

#### Propan-2-ol:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rat

**Application Route: Ingestion** 

Result: negative

Indoxacarb (ISO):

Effects on fertility : Test Type: Two-generation study

Species: Rat

Application Route: Oral

General Toxicity F1: NOAEL: 1.3 mg/kg body weight

according to the OSHA Hazard Communication Standard



## **Indoxacarb Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/06/2024 8.0 07/06/2024 25539-00026 Date of first issue: 10/24/2014

Result: negative

Test Type: Two-generation study

Species: Rat

Application Route: Oral

General Toxicity Parent: NOAEL: 1.3 mg/kg body weight General Toxicity F1: NOAEL: > 6.7 mg/kg body weight Result: Embryotoxic effects and adverse effects on the

offspring were detected.

Effects on fetal development : Test Type: Development

Species: Rat

Developmental Toxicity: NOAEL: 2 mg/kg body weight

Result: No teratogenic effects.

Test Type: Development Species: Rabbit Application Route: Oral

Developmental Toxicity: NOAEL: 500 mg/kg body weight

Result: No adverse effects.

Test Type: Development

Species: Rat

Application Route: Oral

Developmental Toxicity: NOAEL: 10 mg/kg body weight

Test Type: Development

Species: Rat

Application Route: Oral

Developmental Toxicity: LOAEL: 100 mg/kg body weight

## STOT-single exposure

May cause drowsiness or dizziness.

### **Components:**

Propan-2-ol:

Assessment : May cause drowsiness or dizziness.

### STOT-repeated exposure

Causes damage to organs (Blood, Nervous system, Heart) through prolonged or repeated exposure.

#### Components:

#### Indoxacarb (ISO):

Target Organs : Blood, Nervous system, Heart

Assessment : Causes damage to organs through prolonged or repeated

exposure.

according to the OSHA Hazard Communication Standard



## **Indoxacarb Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/06/2024 8.0 07/06/2024 25539-00026 Date of first issue: 10/24/2014

### Repeated dose toxicity

### Components:

### Propan-2-ol:

Species : Rat NOAEL : 12.5 mg/l

Application Route : inhalation (vapor)
Exposure time : 104 Weeks

### Indoxacarb (ISO):

Species : Rat, male and female

NOAEL : 1.7 mg/kg LOAEL : 4.1 mg/kg Application Route : Oral Exposure time : 90 d

Target Organs : Blood, Central nervous system

Species : Rat, male and female

NOAEL : 50 mg/kg LOAEL : 500 mg/kg Application Route : Dermal Exposure time : 28 d Target Organs : Blood

Species : Rat

NOAEL : 4.6 mg/m3

LOAEL : 23 mg/m3

Application Route : Inhalation

Exposure time : 4 Weeks

Target Organs : Blood, Lungs

Species : Rat, male and female

NOAEL : 1 mg/kg
LOAEL : 2 mg/kg
Application Route : Oral
Exposure time : 1 y
Target Organs : Blood

Species: DogNOAEL: 1 mg/kgLOAEL: 2 mg/kgApplication Route: OralExposure time: 1 yTarget Organs: Blood

Species : Mouse
NOAEL : 3 mg/kg
LOAEL : 14 mg/kg
Application Route : oral (feed)
Exposure time : 18 Months

Target Organs : Nervous system, Heart

according to the OSHA Hazard Communication Standard



## **Indoxacarb Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/06/2024 8.0 07/06/2024 25539-00026 Date of first issue: 10/24/2014

**Aspiration toxicity** 

Not classified based on available information.

Experience with human exposure

**Components:** 

Indoxacarb (ISO):

General Information : No human information is available.

### **SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity** 

**Components:** 

Propan-2-ol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 9,640 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 10,000 mg/l

Exposure time: 24 h

Toxicity to microorganisms : EC50 (Pseudomonas putida): > 1,050 mg/l

Exposure time: 16 h

Indoxacarb (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.65 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.9 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other:

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.6 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): > 0.6

mg/l

Exposure time: 72 h

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.46

mg/l

Exposure time: 72 h

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 0.09 mg/l

Exposure time: 21 d

according to the OSHA Hazard Communication Standard



## **Indoxacarb Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/06/2024 8.0 07/06/2024 25539-00026 Date of first issue: 10/24/2014

### Persistence and degradability

**Components:** 

Propan-2-ol:

Biodegradability : Result: rapidly degradable

BOD/COD : BOD: 1,19 (BOD5)

COD: 2,23 BOD/COD: 53 %

Bioaccumulative potential

**Components:** 

Propan-2-ol:

Partition coefficient: n-

octanol/water

: log Pow: 0.05

Indoxacarb (ISO):

Partition coefficient: n-

octanol/water

: log Pow: 4.65

Mobility in soil

Components:

Indoxacarb (ISO):

Distribution among environ-

mental compartments

: log Koc: 3.9

Other adverse effects

No data available

### **SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods** 

Waste from residues : Dispose of in accordance with local regulations.

Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

Empty containers retain residue and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or

death.

If not otherwise specified: Dispose of as unused product.

#### **SECTION 14. TRANSPORT INFORMATION**

**International Regulations** 

**UNRTDG** 

UN number : UN 1219

according to the OSHA Hazard Communication Standard



## **Indoxacarb Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/06/2024 8.0 07/06/2024 25539-00026 Date of first issue: 10/24/2014

Proper shipping name : ISOPROPANOL SOLUTION

Class : 3
Packing group : II
Labels : 3
Environmentally hazardous : no

**IATA-DGR** 

UN/ID No. : UN 1219

Proper shipping name : Isopropanol solution

Class : 3 Packing group : II

Labels : Flammable Liquids

Packing instruction (cargo : 364

aircraft)

Packing instruction (passen: 353

ger aircraft)

IMDG-Code

UN number : UN 1219

Proper shipping name : ISOPROPANOL SOLUTION

(Indoxacarb (ISO))

Class : 3
Packing group : II
Labels : 3
EmS Code : F-E, S-D
Marine pollutant : yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### **Domestic regulation**

**49 CFR** 

UN/ID/NA number : UN 1219

Proper shipping name : Isopropanol SOLUTION

Class : 3
Packing group : II

Labels : FLAMMABLE LIQUID

ERG Code : 129

Marine pollutant : yes(Indoxacarb (ISO))

#### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### **SECTION 15. REGULATORY INFORMATION**

## **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

according to the OSHA Hazard Communication Standard



## **Indoxacarb Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/06/2024 8.0 07/06/2024 25539-00026 Date of first issue: 10/24/2014

### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Flammable (gases, aerosols, liquids, or solids)

Acute toxicity (any route of exposure) Respiratory or skin sensitization

Specific target organ toxicity (single or repeated exposure)

Serious eye damage or eye irritation

SARA 313 : The following components are subject to reporting levels

established by SARA Title III, Section 313:

Propan-2-ol 67-63-0 35.4 %

**US State Regulations** 

Pennsylvania Right To Know

 Propan-2-ol
 67-63-0

 Ethyl Acetoacetate
 141-97-9

 Triacetin
 102-76-1

 Indoxacarb (ISO)
 173584-44-6

California List of Hazardous Substances

Propan-2-ol 67-63-0

**California Permissible Exposure Limits for Chemical Contaminants** 

Propan-2-ol 67-63-0

The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

### **SECTION 16. OTHER INFORMATION**

## **Further information**


according to the OSHA Hazard Communication Standard



## **Indoxacarb Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/06/2024 8.0 07/06/2024 25539-00026 Date of first issue: 10/24/2014

#### NFPA 704:



Special hazard

#### HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI : ACGIH - Biological Exposure Indices (BEI)
NIOSH REL : USA. NIOSH Recommended Exposure Limits

OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim-

its for Air Contaminants

ACGIH / TWA : 8-hour, time-weighted average ACGIH / STEL : Short-term exposure limit

NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour

workday during a 40-hour workweek

NIOSH REL / ST : STEL - 15-minute TWA exposure that should not be exceeded

at any time during a workday

OSHA Z-1 / TWA : 8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse)

according to the OSHA Hazard Communication Standard



## **Indoxacarb Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/06/2024 8.0 07/06/2024 25539-00026 Date of first issue: 10/24/2014

Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety

**Data Sheet** 

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Revision Date : 07/06/2024

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8