according to the OSHA Hazard Communication Standard



Levamisole / Oxyclozanide Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
1.10	09/28/2024	5360104-00011	Date of first issue: 12/19/2019

SECTION 1. IDENTIFICATION

Product name	:	Levamisole / Oxyclozanide Formulation
Manufacturer or supplier's o	leta	ails
Company name of supplier	:	Merck & Co., Inc
Address	:	126 E. Lincoln Avenue
		Rahway, New Jersey U.S.A. 07065
Telephone	:	908-740-4000
Emergency telephone	:	1-908-423-6000
E-mail address	:	EHSDATASTEWARD@merck.com
Recommended use of the cl	nen	nical and restrictions on use
Recommended use	:	Veterinary product
Restrictions on use	:	Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accord 1910.1200)	lan	ce with the OSHA Hazard Communication Standard (29 CFR
Reproductive toxicity	:	Category 2
Specific target organ toxicity - single exposure (Oral)	:	Category 2 (Central nervous system)
Specific target organ toxicity - repeated exposure	:	Category 2 (Brain, Liver)
Specific target organ toxicity - repeated exposure (Oral)	:	Category 2 (Blood, Testis)
GHS label elements		
Hazard pictograms	:	
Signal Word	:	Warning
Hazard Statements	:	 H361d Suspected of damaging the unborn child. H371 May cause damage to organs (Central nervous system) if swallowed. H373 May cause damage to organs (Brain, Liver) through prolonged or repeated exposure. H373 May cause damage to organs (Blood, Testis) through prolonged or repeated exposure if swallowed.
Precautionary Statements	:	Prevention: P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read

according to the OSHA Hazard Communication Standard



Levamisole / Oxyclozanide Formulation

ersion 10	Revision Date: 09/28/2024	SDS Number: 5360104-00011	Date of last issue: 09/30/2023 Date of first issue: 12/19/2019
		P264 Wash skii P270 Do not ea	 eathe mist or vapors. n thoroughly after handling. it, drink or smoke when using this product. tective gloves, protective clothing, eye protectior
			exposed or concerned: Call a doctor. exposed or concerned: Get medical attention.
		Storage: P405 Store lock	ked up.
		Disposal:	
		P501 Dispose o disposal plant.	of contents and container to an approved waste
Other	^r hazards		
None	known.		

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture :	Mixture	
Components		
Chemical name	CAS-No.	Concentration (% w/w)
Kaolin	1332-58-7	6
Oxyclozanide	2277-92-1	3
Levamisole hydrochloride	16595-80-5	1.5
Citric acid	77-92-9	1.37

SECTION 4. FIRST AID MEASURES

General advice	:	In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	:	If inhaled, remove to fresh air. Get medical attention.
In case of skin contact	:	In case of contact, immediately flush skin with soap and plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	:	Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person.
Most important symptoms	:	Suspected of damaging the unborn child.



Ver: 1.10	sion)	Revision Date: 09/28/2024		0S Number: 60104-00011	Date of last issue: 09/30/2023 Date of first issue: 12/19/2019	
	and eff delaye	ects, both acute and d		May cause damage to organs if swallowed. May cause damage to organs through prolonged or repeated exposure.		
Protection of first-aiders : I		First Aid responde and use the recor	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).			
	Notes t	to physician	:		cally and supportively.	
SEC	CTION 5	. FIRE-FIGHTING ME	ASL	IRES		
	Suitabl	e extinguishing media	:	Water spray Alcohol-resistant Carbon dioxide (C Dry chemical		
	Unsuita media	able extinguishing	:	None known.		
	Specifi fighting	c hazards during fire I	:	Exposure to comb	oustion products may be a hazard to health.	
	Hazaro ucts	lous combustion prod-	:	Carbon oxides Chlorine compour Nitrogen oxides (I		
	Specifi ods	c extinguishing meth-	:	cumstances and t Use water spray t	measures that are appropriate to local cir- he surrounding environment. o cool unopened containers. ged containers from fire area if it is safe to do	
		l protective equipment fighters	:		e, wear self-contained breathing apparatus. rective equipment.	

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g., by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material. For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material



according to the OSHA Hazard Communication Standard

Levamisole / Oxyclozanide Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
1.10	09/28/2024	5360104-00011	Date of first issue: 12/19/2019
		container. Clean up remain absorbent. Local or nationa disposal of this employed in the determine which Sections 13 and	, store recovered material in appropriate ning materials from spill with suitable al regulations may apply to releases and material, as well as those materials and items e cleanup of releases. You will need to h regulations are applicable. d 15 of this SDS provide information regarding national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	:	Use only with adequate ventilation.
Advice on safe handling		Do not breathe mist or vapors.
		Do not swallow.
		Avoid contact with eyes.
		Avoid prolonged or repeated contact with skin.
		Wash skin thoroughly after handling.
		Handle in accordance with good industrial hygiene and safety
		practice, based on the results of the workplace exposure assessment
		Do not eat, drink or smoke when using this product.
		Take care to prevent spills, waste and minimize release to the environment.
Conditions for safe storage	:	Keep in properly labeled containers.
C C		Store locked up.
		Store in accordance with the particular national regulations.
Materials to avoid	:	Do not store with the following product types: Strong oxidizing agents
		Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Kaolin	1332-58-7	TWA (Res- pirable par- ticulate mat- ter)	2 mg/m ³	ACGIH
		TWA (Res- pirable)	5 mg/m³	NIOSH REL
		TWA (total)	10 mg/m ³	NIOSH REL
		TWA (total dust)	15 mg/m³	OSHA Z-1
		TWA (respir- able fraction)	5 mg/m³	OSHA Z-1



according to the OSHA Hazard Communication Standard

sion	Revision Date: 09/28/2024		DS Number: 60104-00011		t issue: 09/30/2023 t issue: 12/19/2019	
Oxyclo	ozanide		2277-92-1	TWA	0.4 mg/m3 (OEB 2)	Internal
Levan	nisole hydrochloride		16595-80-5	TWA	20 µg/m3 (OEB 3)	Internal
			Further informa		1	
				Wipe limit	200 µg/100 cm ²	Internal
Engin	eering measures	:	technologies t less quick con All engineerin design and op protect produc Containment t are required to	o control airbor inections). g controls shou perated in accor cts, workers, an technologies su o control at soul to uncontrolled levices).	controls and manufac ne concentrations (e.g ld be implemented by dance with GMP princ d the environment. itable for controlling c rce and to prevent mig d areas (e.g., open-fac	g., drip- facility ciples to ompounds gration of
Perso	onal protective equipr	nent	•	C C		
Respi	ratory protection	:	maintain vapo concentrations unknown, app Follow OSHA use NIOSH/M by air purifying hazardous cho supplied respi release, expos	r exposures be s are above rec ropriate respirat respirator regul SHA approved g respirators ag emical is limited rator if there is sure levels are where air purify	ntilation is recommen low recommended lim ommended limits or a tory protection should lations (29 CFR 1910. respirators. Protectior ainst exposure to any I. Use a positive press any potential for unco unknown, or any other ing respirators may ne	its. Where re be worn. 134) and provided sure air ntrolled
Hand	protection					
Ма	iterial	:	Chemical-resi	stant gloves		
	marks rotection	:	If the work en mists or aeros Wear a facesh	lasses with side vironment or ac sols, wear the a nield or other fu	e shields or goggles. tivity involves dusty co opropriate goggles. Il face protection if the the face with dusts, m	ere is a
Skin a	nd body protection	:	Work uniform Additional boo task being per disposable su	formed (e.g., sl its) to avoid exp ite degowning to	bat. buld be used based up eevelets, apron, gaun bosed skin surfaces. echniques to remove p	tlets,
Hygie	ne measures	:	If exposure to eye flushing s working place When using d	chemical is like ystems and saf		

according to the OSHA Hazard Communication Standard



Version 1.10	Revision Date: 09/28/2024		S Number: 60104-00011	Date of last issue: 09/30/2023 Date of first issue: 12/19/2019
			engineering contr appropriate degov	ration of a facility should include review of ols, proper personal protective equipment, wning and decontamination procedures, monitoring, medical surveillance and the ive controls.
SECTION	9. PHYSICAL AND CHI	EMIC		3
Appe	arance	:	liquid	
Color		:	No data available	9
Odor		:	No data available	9
Odor	Threshold	:	No data available)
pН		:	No data available)
Meltir	ng point/freezing point	:	No data available)
Initial range	boiling point and boiling	:	No data available)
Flash	point	:	No data available)
Evap	oration rate	:	No data available	9
Flam	mability (solid, gas)	:	Not applicable	
Flam	mability (liquids)	:	No data available	2
	r explosion limit / Upper nability limit	:	No data available	
	r explosion limit / Lower nability limit	:	No data available	
Vapo	r pressure	:	No data available	9
Relat	ive vapor density	:	No data available)
Relat	ive density	:	No data available)
Dens	ity	:	No data available)
	pility(ies) ater solubility	:	No data available	9
	ion coefficient: n- ol/water	:	Not applicable	
	gnition temperature	:	No data available)
Deco	mposition temperature	:	No data available	9

according to the OSHA Hazard Communication Standard



Levamisole / Oxyclozanide Formulation

Version 1.10	Revision Date: 09/28/2024	SDS Number: 5360104-00011	Date of last issue: 09/30/2023 Date of first issue: 12/19/2019
Viscosity Viscosity, kinematic Explosive properties		: No data availa : Not explosive	
Oxidi	zing properties	: The substanc	e or mixture is not classified as oxidizing.
Moleo	cular weight	: No data avail	able
	cle characteristics cle size	: Not applicable	e

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reac- tions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity	:	Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method
Components:		
Kaolin:		
Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg
Acute dermal toxicity	:	LD50 (Rat): > 5,000 mg/kg
Oxyclozanide:		
Acute oral toxicity	:	LD50 (Rat): 3,519 mg/kg Target Organs: Central nervous system
Acute toxicity (other routes of administration)	:	LDLo (sheep): 10 mg/kg Application Route: Intravenous

according to the OSHA Hazard Communication Standard



nisole hydrochloride:						
isola hydrochlaridau						
naole nyulocilloride:						
Acute oral toxicity		LD50 (Rat): 180	mg/kg			
		LD50 (Mouse): 2	223 mg/kg			
		LD50 (Rabbit): 4	158 mg/kg			
inhalation toxicity	:	Remarks: No da	ta available			
dermal toxicity	:	Remarks: No da	ta available			
acid:						
oral toxicity	:	LD50 (Mouse): {	5,400 mg/kg			
Acute dermal toxicity		 LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity 				
orrosion/irritation						
	able	information.				
onents:						
1:						
es e	÷	Rabbit	deline 404			
d	:					
ozanide:						
Remarks		: Not classified due to lack of data.				
isole hydrochloride:						
rks	:	No data availabl	e			
acid:						
es d	:	Rabbit	deline 101			
a	:					
ıs eye damage/eve ir	ritati	on				
onents:						
):						
es		Rabbit				
	dermal toxicity acid: oral toxicity dermal toxicity dermal toxicity orrosion/irritation assified based on avail onents: acid: ks acid: ks acid: es d us eye damage/eye irr assified based on avail onents:	dermal toxicity : acid: oral toxicity : dermal toxicity : dermal toxicity : acid: acid: acid: acid: acid: acid: acid: assified based on available acid: acid: assified based on available acid: assified based on available acid: ac	dermal toxicity : Remarks: No data acid: oral toxicity : LD50 (Mouse): \$ dermal toxicity : LD50 (Rat): > 2, Method: OECD Assessment: Th toxicity corrosion/irritation assified based on available information. onents: acid: isses : Rabbit d : OECD Test Guid : No skin irritation ozanide: rks : Not classified du hisole hydrochloride: rks : Not classified du hisole hydrochloride: rks : No data available acid: isses : Rabbit d : OECD Test Guid : No data available acid: isses : Rabbit d : OECD Test Guid : No skin irritation assified based on available information. onents:			

according to the OSHA Hazard Communication Standard



Versi 1.10	-	Revision Date: 09/28/2024	SDS Number: 5360104-00011		Date of last issue: 09/30/2023 Date of first issue: 12/19/2019	
	Oxycloz Remark		:	Not classified due	to lack of data.	
	Levamisole hydrochloride: Remarks		:	No data available		
	Citric acid: Species Result Method		:	 Rabbit Irritation to eyes, reversing within 21 days OECD Test Guideline 405 		
	Respira	tory or skin sensitiz	atio	n		
	•••••	nsitization sified based on availa	ble	information.		
	-	tory sensitization sified based on availa	ble	information.		
	<u>Compo</u>	nents:				
	Oxycloz Routes Remark	of exposure	:	Dermal Not classified due	to lack of data.	
	Levamisole hydrochloride: Remarks		:	No data available		
	Germ cell mutagenicity Not classified based on availa Components:		ble	information.		
	Oxycloz					
	-	kicity in vitro	:	Test Type: Bacter Result: negative	ial reverse mutation assay (AMES)	
				Test Type: Chrom Test system: Hum Result: positive	nosomal aberration nan lymphocytes	
				Test Type: Mouse Result: positive	e Lymphoma	
	Genoto	kicity in vivo	:	Test Type: Micron Species: Mouse Application Route Result: negative		
				Test Type: unsche	eduled DNA synthesis assay	

according to the OSHA Hazard Communication Standard



0	Revision Date: 09/28/2024		9S Number: 60104-00011	Date of last issue: 09/30/2023 Date of first issue: 12/19/2019	
			Species: Rat Cell type: Liver c Application Route Result: negative		
Germ cell mutagenicity - Assessment		:	Weight of evidence does not support classification as a germ cell mutagen.		
Levar	misole hydrochloride:				
Genot	toxicity in vitro	:	Test Type: Bacte Result: negative	rial reverse mutation assay (AMES)	
			Test Type: Chror Result: negative	nosome aberration test in vitro	
Citric	acid:				
Genot	toxicity in vitro	:	Test Type: Bacte Result: negative	rial reverse mutation assay (AMES)	
			Test Type: in vitre Result: positive	o micronucleus test	
			Test Type: Bacte Result: negative	rial reverse mutation assay (AMES)	
Genotoxicity in vivo		:		jenicity (in vivo mammalian bone-marrow chromosomal analysis) e: Ingestion	
	nogenicity assified based on avail	able	information.		
Not cl	nogenicity assified based on avail ponents:	able	information.		
Not cl <u>Comp</u>	assified based on avail	able	information.		
Not cl <u>Comp</u>	assified based on avail ponents: lozanide:	able :	information. Not classified due	e to lack of data.	
Not cla <u>Comp</u> Oxycl Rema	assified based on avail ponents: lozanide:	:		e to lack of data.	
Not cla Comp Oxycl Rema Levar Specie	assified based on avail ponents: lozanide: urks nisole hydrochloride: es	:	Not classified due	e to lack of data.	
Not cla Comp Oxycl Rema Levar Specia Applic	assified based on avail <u>conents:</u> lozanide: urks misole hydrochloride: es cation Route	:	Not classified due Mouse Oral	e to lack of data.	
Not cla <u>Comp</u> Oxycl Rema Levar Specia Applic	assified based on avail <u>conents:</u> lozanide: urks misole hydrochloride: es cation Route sure time	:	Not classified due Mouse Oral 2 Years		
Not cla Comp Oxycl Rema Levar Specia Applic Expos	assified based on avail <u>conents:</u> lozanide: urks misole hydrochloride: es cation Route sure time EL	:	Not classified due Mouse Oral 2 Years 80 mg/kg body w		
Not cla Comp Oxycl Rema Levar Specie Applic Expos NOAE	assified based on avail <u>conents:</u> lozanide: urks misole hydrochloride: es cation Route sure time EL urks	:	Not classified due Mouse Oral 2 Years 80 mg/kg body w	eight	
Not cla <u>Comp</u> Oxycl Rema Levar Specia Applic Expos NOAE Rema Specia Applic	assified based on avail <u>conents:</u> lozanide: urks nisole hydrochloride: es cation Route sure time EL urks es cation Route	:	Not classified due Mouse Oral 2 Years 80 mg/kg body w No significant ade Rat Oral	eight	
Not cla <u>Comp</u> Oxycl Rema Levar Specia Applic Expos NOAE Rema Specia Applic	assified based on avail <u>conents:</u> lozanide: urks misole hydrochloride: es cation Route sure time EL urks es cation Route sure time	:	Not classified due Mouse Oral 2 Years 80 mg/kg body w No significant ade Rat	eight /erse effects were reported	



Version 1.10	Revision Date: 09/28/2024	SDS Number: 5360104-00011	Date of last issue: 09/30/2023 Date of first issue: 12/19/2019				
IARC			esent at levels greater than or equal to 0.1% is or confirmed human carcinogen by IARC.				
OSHA	No component of this product present at levels greater than or equal to 0 on OSHA's list of regulated carcinogens.						
NTP		No ingredient of this product present at levels greater than or equal to 0.1% identified as a known or anticipated carcinogen by NTP.					
Suspe	oductive toxicity ected of damaging the conents:	unborn child.					
-	lozanide: s on fertility	Species: Rat Application F General Tox Symptoms: F and postnata Result: No e Test Type: T Species: Rat Application F	icity Parent: NOAEL: 25 - 35 mg/kg body weight Reduced body weight, No effects on embryofetal al development. ffects on fertility. wo-generation reproduction toxicity study				
		Symptoms: F and postnate	Reduced body weight, No effects on embryofetal al development. ffects on fertility.				
		Species: Rat Application F Early Embry weight					
		Species: Rat Application F General Tox					
Effect	s on fetal developmer	Species: Rat Application F Developmen					
		Test Type: D Species: Rat					

according to the OSHA Hazard Communication Standard



ersion .10	Revision Date: 09/28/2024		S Number: 0104-00011	Date of last issue: 09/30/2023 Date of first issue: 12/19/2019
				: Oral /aternal: LOAEL: 100 mg/kg body weight icity., No teratogenic effects.
Reproo sessm	ductive toxicity - As- ent	:	Suspected of dam	aging the unborn child.
Levam	nisole hydrochloride:			
Effects	Effects on fertility		Species: Rat Application Route	generation reproduction toxicity study : Oral ant adverse effects were reported
Effects	Effects on fetal development		Species: Rat Application Route	oxicity: NOAEL: 20 mg/kg body weight
			Species: Rabbit Application Route	oxicity: LOAEL: 40 mg/kg body weight
Reproo sessm	ductive toxicity - As- ent		Some evidence of animal experimen	adverse effects on development, based or ts.
Citric	acid:			
Effects	s on fetal development		Test Type: One-g Species: Rat Application Route Result: negative	eneration reproduction toxicity study
	single exposure			
May ca	ause damage to organs	(Cei	ntral nervous syste	em) if swallowed.
<u>Comp</u>	onents:			
Oxycle	ozanide:			
	s of exposure Organs sment	:	Oral Central nervous s May cause damag	
Citric	acid:			
				atory irritation.

according to the OSHA Hazard Communication Standard



Levamisole / Oxyclozanide Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
1.10	09/28/2024	5360104-00011	Date of first issue: 12/19/2019

STOT-repeated exposure

May cause damage to organs (Brain, Liver) through prolonged or repeated exposure. May cause damage to organs (Blood, Testis) through prolonged or repeated exposure if swallowed.

Components:

Oxyclozanide:

Target Organs Assessment	:	Brain, Liver May cause damage to organs through prolonged or repeated exposure.
Levamisole hydrochloride:		
Tanat Ossana		Diagonal Tractic

Target Organs	:	Blood, Testis
Assessment	:	May cause damage to organs through prolonged or repeated
		exposure.

Repeated dose toxicity

Components:

Oxyclozanide:

Species :	Rat
NOAEL :	9 mg/kg
LOAEL :	44.5 mg/kg
Application Route :	Oral
Exposure time :	3 Months
Target Organs :	Brain, Liver, spleen, Adrenal gland
Symptoms :	Liver effects
Species	-
Shooloo .	Dog

Species		Dog
NOAEL	:	5 mg/kg
LOAEL	:	25 mg/kg
Application Route	:	Oral
Exposure time	:	3 Months
Target Organs	:	Brain, Liver
Symptoms	:	blood effects, alteration in liver enzymes

Levamisole hydrochloride:

Species NOAEL Application Route Exposure time Target Organs	: : : : : :	Rat 2.5 mg/kg Oral 18 Months Testis
Species LOAEL Application Route Exposure time Target Organs		Dog 20 mg/kg Oral 18 Months Blood

according to the OSHA Hazard Communication Standard



rsion 0	Revision Date: 09/28/2024		OS Number: 60104-00011	Date of last issue: 09/30/2023 Date of first issue: 12/19/2019
Speci		:	Dog	
	L cation Route	÷	40 mg/kg Oral	
	sure time	:	3 Months	
	acid:		_	
Speci NOAE		÷	Rat 4,000 mg/kg	
LOAE		÷	8,000 mg/kg	
	cation Route	:	Ingestion	
Expos	sure time	:	10 Days	
-	ation toxicity assified based on availa	blo	information	
	oonents:	DIC	information.	
	lozanide:			
-	oplicable			
Expe	rience with human exp	οsι	ire	
<u>Com</u>	oonents:			
Охус	lozanide:			
Inges	tion	:	Symptoms: May nervous system of	cause, Gastrointestinal disturbance, Central depression
Levar	nisole hydrochloride:			
			Symptoms: Naus	ea, Vomiting, Headache, Dizziness, hypo-
Inges	tion	:	tension	ea, vonitting, neadache, Dizziness, hypo-
-	tion 12. ECOLOGICAL INFO	: DRM	tension	
		: DRM	tension	
CTION Ecoto	12. ECOLOGICAL INFO	: DRM	tension	
CTION Ecoto <u>Comp</u>	12. ECOLOGICAL INFO	: DRM	tension	
CTION Ecoto <u>Comp</u> Oxyc	12. ECOLOGICAL INFO exicity <u>conents:</u> lozanide:	_	tension IATION	
CTION Ecoto <u>Comp</u> Oxyc Toxici	12. ECOLOGICAL INFO	_	tension IATION EC50 (Daphnia r Exposure time: 4	nagna (Water flea)): 0.69 mg/l 8 h
CTION Ecoto <u>Comp</u> Oxyc Toxici	12. ECOLOGICAL INFO	_	tension IATION EC50 (Daphnia r Exposure time: 4	nagna (Water flea)): 0.69 mg/l
CTION Ecoto Comp Oxyc Toxici aquat	12. ECOLOGICAL INFO exicity <u>conents:</u> lozanide: ity to daphnia and other ic invertebrates	_	EC50 (Daphnia r Exposure time: 4	nagna (Water flea)): 0.69 mg/l 8 h
ECTION Ecoto Comp Oxyc Toxici aquat	12. ECOLOGICAL INFO oxicity oonents: lozanide: ity to daphnia and other ic invertebrates misole hydrochloride:	_	tension IATION EC50 (Daphnia r Exposure time: 4 Method: OECD T	nagna (Water flea)): 0.69 mg/l 8 h est Guideline 202
ECTION Ecoto Comp Oxyc Toxici aquat	12. ECOLOGICAL INFO exicity <u>conents:</u> lozanide: ity to daphnia and other ic invertebrates		tension IATION EC50 (Daphnia r Exposure time: 4 Method: OECD T LC50 (Oryzias la Exposure time: 9	nagna (Water flea)): 0.69 mg/l 8 h 'est Guideline 202 tipes (Japanese medaka)): 37.3 mg/l 6 h
ECTION Ecoto Comp Oxyc Toxici aquat	12. ECOLOGICAL INFO oxicity oonents: lozanide: ity to daphnia and other ic invertebrates misole hydrochloride:		tension IATION EC50 (Daphnia r Exposure time: 4 Method: OECD T LC50 (Oryzias la Exposure time: 9	nagna (Water flea)): 0.69 mg/l 8 h 'est Guideline 202 tipes (Japanese medaka)): 37.3 mg/l
CTION Ecoto Comr Oxyc Toxici aquat	12. ECOLOGICAL INFO	:	TATION ATION EC50 (Daphnia r Exposure time: 4 Method: OECD T LC50 (Oryzias la Exposure time: 9 Method: OECD T	nagna (Water flea)): 0.69 mg/l 8 h ïest Guideline 202 tipes (Japanese medaka)): 37.3 mg/l 6 h
Ecoto Ecoto Comp Oxyc Toxici aquat Levar Toxici	12. ECOLOGICAL INFO oxicity oonents: lozanide: ity to daphnia and other ic invertebrates misole hydrochloride:	:	ATION EC50 (Daphnia r Exposure time: 4 Method: OECD T LC50 (Oryzias la Exposure time: 9 Method: OECD T EC50 (Daphnia r Exposure time: 4	nagna (Water flea)): 0.69 mg/l 8 h fest Guideline 202 tipes (Japanese medaka)): 37.3 mg/l 6 h fest Guideline 203 nagna (Water flea)): 64 mg/l

according to the OSHA Hazard Communication Standard



sion)	Revision Date: 09/28/2024		OS Number: 60104-00011	Date of last issue: 09/30/2023 Date of first issue: 12/19/2019
Citric	acid:			
	ity to fish	:	LC50 (Pimephal Exposure time: 9	es promelas (fathead minnow)): > 100 mg 96 h
Toxicity to daphnia and other aquatic invertebrates		:	EC50 (Daphnia magna (Water flea)): 1,535 mg/l Exposure time: 24 h	
Persi	stence and degradabil	ity		
<u>Comp</u>	oonents:			
-	lozanide: ity in water	:	Hydrolysis: 50 % Method: OECD	o(156 d) Test Guideline 111
Citric	acid:			
Biode	gradability	:	Result: Readily Biodegradation: Exposure time: 2 Method: OECD	97 %
Bioac	cumulative potential			
<u>Comp</u>	oonents:			
Partiti	lozanide: on coefficient: n- ol/water	:	log Pow: 3.99 pH: 7 Method: OECD	Test Guideline 107
Citric	acid:			
Partiti	on coefficient: n- ol/water	:	log Pow: -1.72	
Mobil	ity in soil			
<u>Comp</u>	oonents:			
Охус	lozanide:			
	oution among environ- al compartments	:		Test Guideline 106
	adverse effects			
No da	ita available			

Disposal methods		
Waste from residues	: Dispose of in accordance with local regulations. Do not dispose of waste into sewer.	
Contaminated packaging	: Empty containers should be taken to an approved waste	;

according to the OSHA Hazard Communication Standard



Version 1.10	Revision Date: 09/28/2024	SDS Number:Date of last issue: 09/30/20235360104-00011Date of first issue: 12/19/2019
		handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.
SECTION	14. TRANSPORT INFO	DRMATION
Interi	national Regulations	
UNR	TDG	
	umber	: UN 3082
Prope	er shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (oxyclozanide)
Class		: 9
	ing group	: 111
Label	s onmentally hazardous	: 9 · ves
	-	: yes
ia i a UN/IE	-DGR	: UN 3082
	er shipping name	: Environmentally hazardous substance, liquid, n.o.s.
-		(Oxyclozanide)
Class		: 9
Packi Label	ing group	: III : Miscellaneous
	ing instruction (cargo	: 964
aircra		
ger a	ing instruction (passen- ircraft)	: 964
Envir	onmentally hazardous	: yes
	G-Code	
	umber er shipping name	 UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Oxyclozanide)
Class		
	, ing group	: III
Label		: 9
	Code	: F-A, S-F
	e pollutant	: yes
	•	g to Annex II of MARPOL 73/78 and the IBC Code
Not a	pplicable for product as	supplied.
Dom	estic regulation	
49 CI	FR	
	D/NA number	: UN 3082
	er shipping name	: Environmentally hazardous substance, liquid, n.o.s. (Oxyclozanide)
Class		: 9
Packi Label	ing group	: III : CLASS 9
	Code	: 171
	e pollutant	: yes(Oxyclozanide)
Rema	arks	: Above applies only to containers over 119 gallons or 450



Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
1.10	09/28/2024	5360104-00011	Date of first issue: 12/19/2019

liters.

Shipment by ground under DOT is non-regulated; however it may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity


This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	:	Reproductive toxicity Specific target organ toxicity (single or repeated exposure)
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
US State Regulations		

Pennsylvania Right To Know Water 7732-18-5 Kaolin 1332-58-7 Oxyclozanide 2277-92-1 **California Permissible Exposure Limits for Chemical Contaminants** Kaolin 1332-58-7 The ingredients of this product are reported in the following inventories: AICS not determined • DSL not determined IECSC not determined 1


SECTION 16. OTHER INFORMATION

Further information





Levamisole / Oxyclozanide Formulation



AUGIH		USA. ACGIH I nresnoid Limit Values (ILV)
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim-
		its for Air Contaminants
ACGIH / TWA	:	8-hour, time-weighted average
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour
		workday during a 40-hour workweek
OSHA Z-1 / TWA	:	8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods: IMO - International Maritime Organization: ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic sub-



Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
1.10	09/28/2024	5360104-00011	Date of first issue: 12/19/2019

stance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to : compile the Material Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen- cy, http://echa.europa.eu/
Data Sheet		cy, mp.//echa.eu/opa.eu/

Revision Date : 09/28/2024

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8