according to the OSHA Hazard Communication Standard



# **Multine B12 Selenised Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/06/2024 2.1 09/28/2024 11270892-00004 Date of first issue: 09/19/2023

#### **SECTION 1. IDENTIFICATION**

Product name : Multine B12 Selenised Formulation Other means of identification : Multine B12 Selenised (A011766)

# Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc Address : 126 E. Lincoln Avenue

Rahway, New Jersey U.S.A. 07065

Telephone : 908-740-4000 Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@merck.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product Restrictions on use : Not applicable

#### **SECTION 2. HAZARDS IDENTIFICATION**

# GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

#### **GHS** label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

# Other hazards

None known.

### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
Antigen	Not Assigned	22.1
Aluminium potassium sulfate dodec-	7784-24-9	2.5
ahydrate		
Sodium selenate	13410-01-0	0.24
Acetatocobalamin	22465-48-1	0.15

#### **SECTION 4. FIRST AID MEASURES**

General advice : In the case of accident or if you feel unwell, seek medical

advice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

In case of skin contact : Wash with water and soap as a precaution.

according to the OSHA Hazard Communication Standard



# **Multine B12 Selenised Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/06/2024 2.1 09/28/2024 11270892-00004 Date of first issue: 09/19/2023

Get medical attention if symptoms occur.

In case of eye contact : Flush eyes with water as a precaution.

Get medical attention if irritation develops and persists.

If swallowed, DO NOT induce vomiting.

Get medical attention if symptoms occur. Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and

delayed

: None known.

Protection of first-aiders

First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment

when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

#### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire

fighting

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod-

ucts

Carbon oxides Metal oxides

Sulfur oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment:

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

# **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g., by containment or

oil barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

according to the OSHA Hazard Communication Standard



# **Multine B12 Selenised Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/06/2024 2.1 09/28/2024 11270892-00004 Date of first issue: 09/19/2023

cannot be contained.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material.

For large spills, provide diking or other appropriate

containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate

container.

Clean up remaining materials from spill with suitable

absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items

employed in the cleanup of releases. You will need to

determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

#### **SECTION 7. HANDLING AND STORAGE**

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation. Advice on safe handling : Avoid inhalation of vapor or mist.

Do not swallow.

Avoid contact with eyes.

Avoid prolonged or repeated contact with skin.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure

assessment

Take care to prevent spills, waste and minimize release to the

environment.

Conditions for safe storage : Keep in properly labeled containers.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

Gases

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Sodium selenate	13410-01-0	TWA	20 μg/m3 (OEB 3)	Internal
		Wipe limit	200 μg/100 cm <sup>2</sup>	Internal
		TWA	0.2 mg/m³ (selenium)	OSHA Z-1
		TWA	0.2 mg/m³ (selenium)	ACGIH
		TWA	0.2 mg/m³ (selenium)	NIOSH REL

according to the OSHA Hazard Communication Standard



# **Multine B12 Selenised Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/06/2024 2.1 09/28/2024 11270892-00004 Date of first issue: 09/19/2023

Acetatocobalamin	22465-48-1	TWA	10 μg/m3 (OEB 3)	Internal
		Wipe limit	100 μg/100 cm <sup>2</sup>	Internal

**Engineering measures**: Use appropriate engineering controls and manufacturing

technologies to control airborne concentrations (e.g., drip-

less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face

containment devices).

Minimize open handling.

### Personal protective equipment

Respiratory protection : General and local exhaust ventilation is recommended to

maintain vapor exposures below recommended limits. Where

concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided

by air purifying respirators against exposure to any

hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other

circumstance where air purifying respirators may not provide

adequate protection.

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

Hygiene measures : If exposure to chemical is likely during typical use, provide

eye flushing systems and safety showers close to the

working place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

according to the OSHA Hazard Communication Standard



# **Multine B12 Selenised Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/06/2024 2.1 09/28/2024 11270892-00004 Date of first issue: 09/19/2023

use of administrative controls.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : Aqueous solution

Color : No data available

Odor : No data available

Odor Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower :

flammability limit

No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : No data available

Density : No data available

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

: Not applicable

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

according to the OSHA Hazard Communication Standard



# **Multine B12 Selenised Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/06/2024 09/28/2024 11270892-00004 Date of first issue: 09/19/2023 2.1

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight No data available

Particle characteristics

Particle size Not applicable

#### **SECTION 10. STABILITY AND REACTIVITY**

Not classified as a reactivity hazard. Reactivity Chemical stability Stable under normal conditions. Possibility of hazardous reac- : Can react with strong oxidizing agents.

tions

Conditions to avoid None known. Incompatible materials Oxidizing agents

Hazardous decomposition

products

No hazardous decomposition products are known.

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

# Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

# **Acute toxicity**

Not classified based on available information.

**Product:** 

: Acute toxicity estimate: 2,084 mg/kg Acute oral toxicity

Method: Calculation method

Acute toxicity estimate: 20.88 mg/l Acute inhalation toxicity

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

# Components:

### Aluminium potassium sulfate dodecahydrate:

Acute oral toxicity LD50 (Mouse): > 5,000 mg/kg

Remarks: Based on data from similar materials

Sodium selenate:

Acute oral toxicity : LD50 (Rat): > 5 - 50 mg/kg

Remarks: Based on data from similar materials

Acute inhalation toxicity LC50 (Rat): > 0.052 - 0.51 mg/l

Exposure time: 4 h

according to the OSHA Hazard Communication Standard



# **Multine B12 Selenised Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/06/2024 2.1 09/28/2024 11270892-00004 Date of first issue: 09/19/2023

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Acetatocobalamin:

Acute oral toxicity : LD50 Oral (Mouse): > 5,000 mg/kg

Acute toxicity (other routes of :

administration)

LD50 (Mouse): > 2,000 mg/kg Application Route: Intravenous

LDLo (Mouse): 1.4 mg/kg

Application Route: Intraperitoneal

LDLo (Mouse): 2.7 mg/kg Application Route: Intravenous

#### Skin corrosion/irritation

Not classified based on available information.

#### **Components:**

### Aluminium potassium sulfate dodecahydrate:

Species : Mouse

Result : No skin irritation

Remarks : Based on data from similar materials

Sodium selenate:

Species : reconstructed human epidermis (RhE)

Method : OECD Test Guideline 431

Species : reconstructed human epidermis (RhE)

Method : OECD Test Guideline 439

Result : Skin irritation

Acetatocobalamin:

Remarks : No data available

# Serious eye damage/eye irritation

Not classified based on available information.

# **Components:**

### Aluminium potassium sulfate dodecahydrate:

Species : Rabbit

Result : No eye irritation

Remarks : Based on data from similar materials

Sodium selenate:

Species : Bovine cornea

Method : OECD Test Guideline 437

according to the OSHA Hazard Communication Standard



# **Multine B12 Selenised Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/06/2024 2.1 09/28/2024 11270892-00004 Date of first issue: 09/19/2023

Result : No eye irritation

Acetatocobalamin:

Remarks : No data available

#### Respiratory or skin sensitization

#### Skin sensitization

Not classified based on available information.

# Respiratory sensitization

Not classified based on available information.

### **Components:**

### Aluminium potassium sulfate dodecahydrate:

Test Type : Draize Test
Routes of exposure : Skin contact
Species : Rabbit
Result : negative

Remarks : Based on data from similar materials

Acetatocobalamin:

Remarks : No data available

### Germ cell mutagenicity

Not classified based on available information.

### **Components:**

# Aluminium potassium sulfate dodecahydrate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Sodium selenate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Remarks: Based on data from similar materials

Acetatocobalamin:

Genotoxicity in vitro : Test Type: Mutagenicity (Escherichia coli - reverse mutation

assay)

Result: negative

Test Type: Ames test

Test system: Salmonella typhimurium

Result: negative

according to the OSHA Hazard Communication Standard



# **Multine B12 Selenised Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/06/2024 2.1 09/28/2024 11270892-00004 Date of first issue: 09/19/2023

Test Type: Mutagenicity (Salmonella typhimurium - reverse

mutation assay) Result: negative

# Carcinogenicity

Not classified based on available information.

IARC No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA**No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

#### Reproductive toxicity

Not classified based on available information.

### **Components:**

#### Aluminium potassium sulfate dodecahydrate:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Method: OECD Test Guideline 416

Result: negative

Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rat

Application Route: Ingestion Method: OPPTS 870.3700

Result: negative

Remarks: Based on data from similar materials

Sodium selenate:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development

Species: Mouse

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

# STOT-single exposure

Not classified based on available information.

according to the OSHA Hazard Communication Standard



# **Multine B12 Selenised Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/06/2024 2.1 09/28/2024 11270892-00004 Date of first issue: 09/19/2023

#### STOT-repeated exposure

Not classified based on available information.

#### Components:

#### Sodium selenate:

Routes of exposure : Ingestion

Assessment : Shown to produce significant health effects in animals at con-

centrations of 10 mg/kg bw or less.

#### Acetatocobalamin:

Target Organs : Kidney, Liver

Assessment : May cause damage to organs through prolonged or repeated

exposure.

### Repeated dose toxicity

# **Components:**

### Aluminium potassium sulfate dodecahydrate:

Species : Mouse

NOAEL : 15,000 mg/kg
Application Route : Ingestion
Exposure time : 5 Weeks

Method : Directive 67/548/EEC, Annex V, B.33.

#### Sodium selenate:

Species : Rat
NOAEL : 0.4 mg/kg
Application Route : Ingestion
Exposure time : 13 Weeks

### Acetatocobalamin:

Species : Dog
LOAEL : 300 mg/kg
Application Route : Oral
Number of exposures : 3 days
Target Organs : Kidney, Liver

Symptoms : kidney effects, liver function change Remarks : May cause damage to organs.

Species : Dog
LOAEL : 75 mg/kg
Application Route : Intravenous
Number of exposures : 4 weeks
Target Organs : Kidney, Liver

Remarks : May cause damage to organs.

# **Aspiration toxicity**

Not classified based on available information.

according to the OSHA Hazard Communication Standard



# Multine B12 Selenised Formulation

Version **Revision Date:** SDS Number: Date of last issue: 04/06/2024 09/28/2024 11270892-00004 Date of first issue: 09/19/2023 2.1

#### **Experience with human exposure**

Components:

Acetatocobalamin:

**General Information** Symptoms: asthenia, Dizziness, Headache, Nausea, sinusitis

Remarks: The most common side effects are:

#### **SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity** 

**Components:** 

Aluminium potassium sulfate dodecahydrate:

Toxicity to fish LC50 (Pimephales promelas (fathead minnow)): > 1,000 - <

10,000 mg/l

Exposure time: 96 h

Remarks: Based on data from similar materials

**Ecotoxicology Assessment** 

Chronic aquatic toxicity No toxicity at the limit of solubility.

Sodium selenate:

Toxicity to fish LC50 (Pimephales promelas (fathead minnow)): > 1 - 10 mg/l

Exposure time: 96 h

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l

Exposure time: 48 h

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

: ErC50 (Chlamydomonas reinhardtii (green algae)): 245 μg/l

Exposure time: 96 h

NOEC (Chlamydomonas reinhardtii (green algae)): 197 µg/l

Exposure time: 96 h

Toxicity to fish (Chronic tox-

icity)

NOEC (Lepomis macrochirus (Bluegill sunfish)): > 0.01 - 0.1

ma/l

Exposure time: 258 d

Remarks: Based on data from similar materials

Toxicity to daphnia and other : aquatic invertebrates (Chron-

NOEC: > 0.1 - 1 mg/lExposure time: 28 d

ic toxicity)

Remarks: Based on data from similar materials

Toxicity to microorganisms EC10 (activated sludge): 590 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

according to the OSHA Hazard Communication Standard



# **Multine B12 Selenised Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/06/2024 2.1 09/28/2024 11270892-00004 Date of first issue: 09/19/2023

#### Persistence and degradability

No data available

### Bioaccumulative potential

No data available

### Mobility in soil

No data available

#### Other adverse effects

No data available

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

#### **Disposal methods**

Waste from residues : Dispose of in accordance with local regulations.

Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

#### **SECTION 14. TRANSPORT INFORMATION**

### International Regulations

#### **UNRTDG**

Not regulated as a dangerous good

### IATA-DGR

Not regulated as a dangerous good

# **IMDG-Code**

Not regulated as a dangerous good

# Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

# **Domestic regulation**

### **49 CFR**

Not regulated as a dangerous good

# Special precautions for user

Not applicable

### **SECTION 15. REGULATORY INFORMATION**

### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
Sodium selenate	13410-01-0	100	41666

according to the OSHA Hazard Communication Standard



# **Multine B12 Selenised Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/06/2024 2.1 09/28/2024 11270892-00004 Date of first issue: 09/19/2023

# SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : No SARA Hazards

SARA 313 : The following components are subject to reporting levels

established by SARA Title III, Section 313:

Thiomersal 54-64-8 0.02 %

#### **US State Regulations**

### Pennsylvania Right To Know

Water 7732-18-5
Antigen Not Assigned
Aluminium potassium sulfate dodecahydrate 7784-24-9
Sodium selenate 13410-01-0
Acetatocobalamin 22465-48-1
Thiomersal 54-64-8

### California Prop. 65

WARNING: This product can expose you to chemicals including Thiomersal, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

#### **California List of Hazardous Substances**

Aluminium potassium sulfate dodecahydrate 7784-24-9

### **California Permissible Exposure Limits for Chemical Contaminants**

Aluminium potassium sulfate dodecahydrate 7784-24-9

# The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

#### **SECTION 16. OTHER INFORMATION**

#### **Further information**


according to the OSHA Hazard Communication Standard



# **Multine B12 Selenised Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/06/2024 2.1 09/28/2024 11270892-00004 Date of first issue: 09/19/2023

#### **NFPA 704:**



Special hazard

### HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

#### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL : USA. NIOSH Recommended Exposure Limits

OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim-

its for Air Contaminants

ACGIH / TWA : 8-hour, time-weighted average

NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour

workday during a 40-hour workweek

OSHA Z-1 / TWA : 8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods: IMO - International Maritime Organization: ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals: OECD - Organization for Economic Co-operation and Development: OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic sub-

according to the OSHA Hazard Communication Standard



# **Multine B12 Selenised Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04/06/2024

 2.1
 09/28/2024
 11270892-00004
 Date of first issue: 09/19/2023

stance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety

**Data Sheet** 

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Revision Date : 09/28/2024

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8