according to the OSHA Hazard Communication Standard



# **Sotatercept Solid Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 2.1 09/30/2023 10607436-00008 Date of first issue: 02/14/2022

#### **SECTION 1. IDENTIFICATION**

Product name : Sotatercept Solid Formulation

Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc Address : 126 E. Lincoln Avenue

Rahway, New Jersey U.S.A. 07065

Telephone : 908-740-4000 Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@merck.com

Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical Restrictions on use : Not applicable

#### **SECTION 2. HAZARDS IDENTIFICATION**

# GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Combustible dust

Reproductive toxicity : Category 1B

Specific target organ toxicity

- repeated exposure

: Category 1 (Blood, Immune system, Liver)

**GHS** label elements

Hazard pictograms



Signal Word : Danger

Hazard Statements : If small particles are generated during further processing, han-

dling or by other means, may form combustible dust concentra-

tions in air.

H360FD May damage fertility. May damage the unborn child. H372 Causes damage to organs (Blood, Immune system, Liver)

through prolonged or repeated exposure.

Precautionary Statements : Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

P260 Do not breathe dust.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product. P280 Wear protective gloves, protective clothing, eye protection

according to the OSHA Hazard Communication Standard



# Sotatercept Solid Formulation

Version **Revision Date:** SDS Number: Date of last issue: 04/04/2023 09/30/2023 10607436-00008 Date of first issue: 02/14/2022 2.1

and face protection.

Response:

P308 + P313 IF exposed or concerned: Get medical attention.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents and container to an approved waste

disposal plant.

#### Other hazards

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Sucrose	57-50-1	60.164
Sotatercept	1001080-50-7	37.602

### **SECTION 4. FIRST AID MEASURES**

General advice In the case of accident or if you feel unwell, seek medical

advice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact In case of contact, immediately flush skin with soap and plenty

of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact If in eyes, rinse well with water.

Get medical attention if irritation develops and persists.

If swallowed If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and

delayed

May damage fertility. May damage the unborn child. Causes damage to organs through prolonged or repeated

exposure.

Contact with dust can cause mechanical irritation or drying of

the skin.

Dust contact with the eyes can lead to mechanical irritation. First Aid responders should pay attention to self-protection,

Protection of first-aiders and use the recommended personal protective equipment

according to the OSHA Hazard Communication Standard



# **Sotatercept Solid Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 2.1 09/30/2023 10607436-00008 Date of first issue: 02/14/2022

when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

#### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

nedia

None known.

Specific hazards during fire

fighting

Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a

potential dust explosion hazard.

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod: :

ucts

Carbon oxides

Metal oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment:

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protec- :

tive equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Sweep up or vacuum up spillage and collect in suitable

container for disposal.

Avoid dispersal of dust in the air (i.e., clearing dust surfaces

with compressed air).

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items

employed in the cleanup of releases. You will need to

determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

according to the OSHA Hazard Communication Standard



# **Sotatercept Solid Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 2.1 09/30/2023 10607436-00008 Date of first issue: 02/14/2022

#### **SECTION 7. HANDLING AND STORAGE**

Technical measures : Static electricity may accumulate and ignite suspended dust

causing an explosion.

Provide adequate precautions, such as electrical grounding

and bonding, or inert atmospheres.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Advice on safe handling : Do not get on skin or clothing.

Do not breathe dust. Do not swallow.

Avoid contact with eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure

assessment

Keep container tightly closed.

Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition.

Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Conditions for safe storage : Keep in properly labeled containers.

Store locked up. Keep tightly closed.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

Self-reactive substances and mixtures

Organic peroxides

Explosives Gases

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Ingredients with workplace control parameters

inert or nuisance dust 50 Million particles per cubic foot

Value type (Form of exposure): TWA (total dust)

Basis: OSHA Z-3

15 mg/m³

Value type (Form of exposure): TWA (total dust)

Basis: OSHA Z-3

5 mg/m<sup>3</sup>

Value type (Form of exposure): TWA (respirable fraction)

Basis: OSHA Z-3

15 Million particles per cubic foot

Value type (Form of exposure): TWA (respirable fraction)

according to the OSHA Hazard Communication Standard



# **Sotatercept Solid Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 2.1 09/30/2023 10607436-00008 Date of first issue: 02/14/2022

Basis: OSHA Z-3

Dust, nuisance dust and par-

ticulates

10 mg/m<sup>3</sup>

Value type (Form of exposure): PEL (Total dust)

Basis: CAL PEL

5 mg/m<sup>3</sup>

Value type (Form of exposure): PEL (respirable dust fraction)

Basis: CAL PEL

Components	CAS-No.	Value type (Form of	Control parameters / Permissible	Basis
		exposure)	concentration	
Sucrose	57-50-1	TWA	10 mg/m <sup>3</sup>	ACGIH
		TWA (Respirable)	5 mg/m³	NIOSH REL
		TWA (total)	10 mg/m <sup>3</sup>	NIOSH REL
		TWA (total dust)	15 mg/m³	OSHA Z-1
		TWA (respirable fraction)	5 mg/m³	OSHA Z-1
Sotatercept	1001080-50- 7	TWA	20 μg/m3 (OEB 3)	Internal
		Wipe limit	200 μg/100 cm2	Internal

**Engineering measures** 

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face

containment devices).

Minimize open handling.

### Personal protective equipment

Respiratory protection

General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are

unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided

by air purifying respirators against exposure to any

hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other

circumstance where air purifying respirators may not provide

adequate protection.

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles.

according to the OSHA Hazard Communication Standard



# **Sotatercept Solid Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 2.1 09/30/2023 10607436-00008 Date of first issue: 02/14/2022

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets,

disposable suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

Hygiene measures : If exposure to chemical is likely during typical use, provide

eye flushing systems and safety showers close to the

working place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : powder

Color : white to off-white

Odor : No data available

Odor Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : Not applicable

Evaporation rate : Not applicable

Flammability (solid, gas) : May form explosive dust-air mixture during processing,

handling or other means.

Flammability (liquids) : Not applicable

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

according to the OSHA Hazard Communication Standard



# **Sotatercept Solid Formulation**

Version **Revision Date:** SDS Number: Date of last issue: 04/04/2023 09/30/2023 10607436-00008 Date of first issue: 02/14/2022 2.1

Vapor pressure Not applicable

Relative vapor density Not applicable

Relative density No data available

Density No data available

Solubility(ies)

No data available Water solubility

Partition coefficient: n-

octanol/water

Not applicable

Autoignition temperature No data available

Decomposition temperature No data available

Viscosity

Viscosity, kinematic Not applicable

Explosive properties Not explosive

Oxidizing properties The substance or mixture is not classified as oxidizing.

Molecular weight 160 kg/mol

Particle size No data available

### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity Not classified as a reactivity hazard. Chemical stability Stable under normal conditions.

Possibility of hazardous reac-May form explosive dust-air mixture during processing,

handling or other means.

tions

Conditions to avoid

Can react with strong oxidizing agents.

Heat, flames and sparks. Avoid dust formation.

Oxidizing agents Incompatible materials Hazardous decomposition

products

No hazardous decomposition products are known.

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

### Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

according to the OSHA Hazard Communication Standard



# **Sotatercept Solid Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 2.1 09/30/2023 10607436-00008 Date of first issue: 02/14/2022

#### **Acute toxicity**

Not classified based on available information.

#### Components:

Sucrose:

Acute oral toxicity : LD50 (Rat): 29,700 mg/kg

Sotatercept:

Acute oral toxicity : Remarks: No data available

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

Acute toxicity (other routes of :

administration) Remarks: No data available

#### Skin corrosion/irritation

Not classified based on available information.

### **Components:**

Sotatercept:

Remarks : No data available

### Serious eye damage/eye irritation

Not classified based on available information.

#### Components:

Sotatercept:

Remarks : No data available

### Respiratory or skin sensitization

### Skin sensitization

Not classified based on available information.

### Respiratory sensitization

Not classified based on available information.

### **Components:**

Sotatercept:

Remarks : No data available

### Germ cell mutagenicity

Not classified based on available information.

### **Components:**

#### Sucrose:

according to the OSHA Hazard Communication Standard



# **Sotatercept Solid Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 2.1 09/30/2023 10607436-00008 Date of first issue: 02/14/2022

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Result: negative

Sotatercept:

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

Germ cell mutagenicity -

Assessment

No data available

Carcinogenicity

Not classified based on available information.

**Components:** 

Sotatercept:

Remarks : No data available

Carcinogenicity - Assess- : No data available

ment

IARC No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA**No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

May damage fertility. May damage the unborn child.

**Components:** 

Sotatercept:

Effects on fertility : Test Type: reproductive and developmental toxicity study

Species: Rat, male and female Application Route: Subcutaneous Fertility: LOAEL: 0.3 mg/kg body weight

Method: Study of Fertility and Early Embryonic Development

to Implantation

Result: Reduced fertility, Increased resorptions., Increase of early resorptions., Effects on fertility., Postimplantation loss.,

alteration in sperm morphology

Test Type: Reproduction/Developmental toxicity screening

test

Species: Rabbit, female

Application Route: Subcutaneous

General Toxicity Parent: NOAEL: 5 mg/kg body weight Early Embryonic Development: NOAEL: 0.5 mg/kg body

weight

Method: Study of Fertility and Early Embryonic Development

according to the OSHA Hazard Communication Standard



# **Sotatercept Solid Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 2.1 09/30/2023 10607436-00008 Date of first issue: 02/14/2022

to Implantation

Test Type: Fertility/early embryonic development

Species: Rat, females

Application Route: Subcutaneous

General Toxicity Parent: NOAEL: 5 mg/kg body weight Method: Study of Fertility and Early Embryonic Development

to Implantation

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rat

Application Route: Subcutaneous

General Toxicity Maternal: NOAEL: 50 mg/kg body weight Developmental Toxicity: NOAEL: 5 mg/kg body weight

Test Type: Fertility/early embryonic development

Species: Rabbit

Application Route: Subcutaneous

General Toxicity Maternal: NOAEL: 5 mg/kg body weight Developmental Toxicity: NOAEL: 0.5 mg/kg body weight

Reproductive toxicity - As-

sessment

Clear evidence of adverse effects on development, based on animal experiments., Clear evidence of adverse effects on sexual function and fertility, based on animal experiments.

#### STOT-single exposure

Not classified based on available information.

#### Components:

Sotatercept:

Remarks : No data available

### STOT-repeated exposure

Causes damage to organs (Blood, Immune system, Liver) through prolonged or repeated exposure.

#### **Components:**

Sotatercept:

Target Organs : Blood, Immune system, Liver

Assessment : Causes damage to organs through prolonged or repeated

exposure.

Remarks : Based on human experience.

### Repeated dose toxicity

#### Components:

Sotatercept:

Species : Rat, male and female

NOAEL : 3 mg/kg
Application Route : Intravenous

according to the OSHA Hazard Communication Standard



# **Sotatercept Solid Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 2.1 09/30/2023 10607436-00008 Date of first issue: 02/14/2022

Exposure time : 3 Months
Number of exposures : Once weekly

Target Organs : Blood, male reproductive organs

Species : Monkey, male and female

NOAEL : 30 mg/kg
Application Route : Intravenous
Exposure time : 3 Months
Number of exposures : Once weekly
Target Organs : Blood, Kidney

Species : Monkey, male and female

NOAEL : 1 mg/kg
Application Route : Intravenous
Exposure time : 9 Months

Number of exposures : Once every 4 weeks

Target Organs : Blood, Kidney, Immune system

### **Aspiration toxicity**

Not classified based on available information.

### **Experience with human exposure**

### **Components:**

Sotatercept:

General Information : Well tolerated in clinical use Inhalation : Remarks: No data available Skin contact : Remarks: No data available Eye contact : Remarks: No data available Ingestion : Remarks: No data available

**Further information** 

**Components:** 

Sotatercept:

Remarks : Well tolerated in clinical use

### **SECTION 12. ECOLOGICAL INFORMATION**

### **Ecotoxicity**

No data available

#### Persistence and degradability

No data available

### **Bioaccumulative potential**

### **Components:**

Sucrose:

Partition coefficient: n- : Pow: < 1

octanol/water

according to the OSHA Hazard Communication Standard



# **Sotatercept Solid Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 2.1 09/30/2023 10607436-00008 Date of first issue: 02/14/2022

Mobility in soil

No data available

Other adverse effects

No data available

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods** 

Waste from residues : Dispose of in accordance with local regulations.

Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

#### **SECTION 14. TRANSPORT INFORMATION**

### International Regulations

#### **UNRTDG**

Not regulated as a dangerous good

**IATA-DGR** 

Not regulated as a dangerous good

**IMDG-Code** 

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

**Domestic regulation** 

**49 CFR** 

Not regulated as a dangerous good

Special precautions for user

Not applicable

### **SECTION 15. REGULATORY INFORMATION**

### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Combustible dust

Reproductive toxicity

Specific target organ toxicity (single or repeated exposure)

according to the OSHA Hazard Communication Standard



# **Sotatercept Solid Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 2.1 09/30/2023 10607436-00008 Date of first issue: 02/14/2022

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### **US State Regulations**

Pennsylvania Right To Know

Sucrose 57-50-1 Sotatercept 1001080-50-7

**California Permissible Exposure Limits for Chemical Contaminants** 

Sucrose 57-50-1

The ingredients of this product are reported in the following inventories:

AICS : not determined


DSL : not determined

IECSC : not determined

#### **SECTION 16. OTHER INFORMATION**

### **Further information**

### NFPA 704:



Special hazard

### HMIS® IV:

HEALTH	*	3
FLAMMABILITY		3
PHYSICAL HAZARD	0	

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

CAL PEL : California permissible exposure limits for chemical contami-

nants (Title 8, Article 107)

NIOSH REL : USA. NIOSH Recommended Exposure Limits

OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim-

its for Air Contaminants

according to the OSHA Hazard Communication Standard



# Sotatercept Solid Formulation

Version **Revision Date:** SDS Number: Date of last issue: 04/04/2023 09/30/2023 10607436-00008 Date of first issue: 02/14/2022 2.1

OSHA Z-3 USA. Occupational Exposure Limits (OSHA) - Table Z-3 Min-

eral Dusts

ACGIH / TWA 8-hour, time-weighted average CAL PEL / PEL Permissible exposure limit

NIOSH REL / TWA Time-weighted average concentration for up to a 10-hour

workday during a 40-hour workweek

OSHA Z-1 / TWA 8-hour time weighted average OSHA Z-3 / TWA 8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals: OECD - Organization for Economic Co-operation and Development: OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship: RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

**Data Sheet** 

**Revision Date** 09/30/2023

Sources of key data used to Internal technical data, data from raw material SDSs, OECD compile the Material Safety eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided

according to the OSHA Hazard Communication Standard



# **Sotatercept Solid Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04/04/2023

 2.1
 09/30/2023
 10607436-00008
 Date of first issue: 02/14/2022

relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8